

Article

Selective Synthesis and Photoluminescence Study of Pyrazolopyridopyridazine Diones and *N*-Aminopyrazolopyrrolopyridine Diones

Ching-Chun Tseng ^{1,2}, Cheng-Yen Chung ², Shuo-En Tsai ^{1,2}, Hiroyuki Takayama ³, Naoto Uramaru ⁴, Chin-Yu Lin ⁵  and Fung Fuh Wong ^{1,2,*} 

¹ The Ph.D. Program for Biotech Pharmaceutical Industry, China Medical University, No. 91, Hsueh-Shih Rd., Taichung 40402, Taiwan; u106308201@cmu.edu.tw (C.-C.T.); u100003044@cmu.edu.tw (S.-E.T.)

² School of Pharmacy, China Medical University, No. 91 Hsueh-Shih Rd., Taichung 40402, Taiwan; u108071001@cmu.edu.tw

³ Department of Medico Pharmaceutical Science, Nihon Pharmaceutical University, Komuro Inamachi Kita-adachi-gun, Saitama-ken 10281, Japan; h.takayama@nichiyaku.ac.jp

⁴ Department of Environmental Science, Nihon Pharmaceutical University, Komuro Inamachi Kita-adachi-gun, Saitama-ken 10281, Japan; uramaru@nichiyaku.ac.jp

⁵ Institute of New Drug Development, College of Biopharmaceutical and Food Sciences, China Medical University, No. 91 Hsueh-Shih Rd., Taichung 40402, Taiwan; geant@mail.cmu.edu.tw

* Correspondence: wongfungfuh@yahoo.com.tw or ffwong@mail.cmu.edu.tw; Tel.: +886-422-053-366 (ext. 5603); Fax: +886-422-078-083

Academic Editors: Vera L. M. Silva, Artur M. S. Silva and Elena Cariati

Received: 28 March 2020; Accepted: 19 May 2020; Published: 21 May 2020



Abstract: The newly designed luminol structures of pyrazolopyridopyridazine diones and *N*-aminopyrazolopyrrolopyridine diones were synthesized from versatile 1,3-diarylfuopyrazolopyridine-6,8-diones, 1,3-diarylpyrazolopyrrolopyridine-6,8-diones, or 1,3-diaryl-7-methylpyrazolopyrrolopyridine-6,8-diones with hydrazine monohydrate. Photoluminescent and solvatofluorism properties containing UV-Vis absorption, emission spectra, and quantum yield (Φ_f) study of pyrazolopyridopyridazine diones and *N*-aminopyrazolopyrrolopyridine diones were also studied. Generally, most of pyrazolopyrrolopyridine-6, 8-diones **6** exhibited the significant fluorescence intensity and the substituent effect when compared with *N*-aminopyrazolopyrrolopyridine diones, particularly for **6c** and **6j** with a *m*-chloro group. Additionally, the fluorescence intensity of **6j** was significantly promoted due to the suitable conjugation conformation. Based on the quantum yield (Φ_f) study, the value of compound **6j** (0.140) with planar structural skeletal was similar to that of standard luminol (**1**, 0.175).

Keywords: pyrazolopyridopyridazine dione; *N*-aminopyrazolopyrrolopyridine dione; luminol; photoluminescence

1. Introduction

Sleep-disorders are one of the largest public health concerns in the whole world [1]. New functionalized pyrazolo [3,4-*b*]pyrrolo[3,4-*d*]pyridine derivatives were enthusiastically investigated to develop the increased potency and reduced side effects of novel sedative/hypnotic drug compounds for treatment of sleep-disorders [2,3]. On the other hand, pyrazolopyridopyridazine diones are well-known as the versatile precursors for synthesis of pyrazolopyridopyridazine phosphodiesterase type 5 (PDE5) inhibitors [4,5]. In recent years, chemiluminescent luminol derivatives have been an attractive detection technique in analytical applications such as presumptive test agents for latent blood detection [6–9], high-performance liquid chromatography (HPLC) [10,11], DNA, immunoassay, and cancer screening detection [12,13]. Since now, many newly designed luminol structures have

been enthusiastically investigated to increase the chemiluminescence efficiency, intensity, sensitivity, quantum yield, or the recognition ability of the resulting chemiluminogens (Figure 1) [14–19].




Figure 1. Luminol **1**, naphthalene and anthracene **2**, quinoxaline analogues of luminol **3**, isoluminol **4**, and benzimidazole analogues of luminol **5**.

Furthermore, *N*-aminophthalimides were considered as phthalazine 1,4-dione tautomeric pairs [20,21]. *N*-Amino maleimides with pyridine heterocycle series also presented as a very important privileged substructure in organic synthesis for preparing diverse biologically active molecules [22]. Typically, the most important pharmacological effects that have been reported are potential antimicrobial [22] and anticancer activities [23]. Herein, we judiciously explore the insertion of pyridazinedione and *N*-Amino maleimide units into the pyrazolopyridine core ring for construction of the new designed luminol structures **6a–j** and **7a–i** from versatile 1,3-diarylpyrazolopyrrolopyridine-6,8-diones **11**. Observably, we found that the series of pyridazinediones **6a–j** would not only provide conjugation systems but also allow to modify the fluorescence intensity and biological activity (Figure 2).





Figure 2. Pyrazolopyridopyridazine diones **6a–j** and *N*-Aminopyrazolopyrrolopyridine diones **7a–i** as luminol analogues.

2. Results and Discussion


Initially, dimethyl 1,3-diphenyl-1*H*-pyrazolo[3,4-*b*]pyridine-4,5-dicarboxylate **8** and diethyl 1,3-diphenyl-1*H*-pyrazolo[3,4-*b*]pyridine-4,5-dicarboxylate **9** were prepared by following our previously reported literature [24] from *N,N*-diisopropylamidinyl pyrazolyimine and chosen as the model substrate for this investigation on the construction of pyrazolopyridopyridazine diones **6a** (Scheme 1). Compounds **8** and **9** were reacted with hydrazine hydrate at reflux in methanol or ethanol solution under the basic condition for 24–36 h [25,26]. However, all the efforts for the predominant formation of **6a** were unsuccessful. We also attempted to perform the hydrolysis of ester groups of compounds **8** and **9** under basic conditions to obtain 1,3-diphenyl-1*H*-pyrazolopyridine-4,5-dicarboxylic acid **10** [27,28]. Subsequently, pyrazolopyridine-4,5-dicarboxylic acid **10** was refluxed with hydrazine in acetic acid to carry out the cyclization for 8 h, but without success (Scheme 1).



Scheme 1. Synthesis study of pyrazolopyridopyridazine dione **6a** as luminol analogue.

In other attempts, we preliminarily tried to synthesize 1,3-phenylpyrazolopyrrolopyridine-6,8-dione **11a** from *N,N*-diisopropylamidinyl pyrazolylimine with maleimide via our published InCl_3 /silica gel catalyzed hetero Diels-Alder reaction [29]. Subsequently, the resulting compound **11a** was reacted with an excess of hydrazine hydrate in EtOH/ H_2O co-solution at room temperature for ~7 h [29,30]. The formation of the *N*-aminopyrazolopyrrolopyridine dione **7a** was observed in 83% yield as the major product and accompanied with a trace amount of luminol-type pyrazolopyridopyridazine dione **6a** (<10%, Scheme 1). Fortunately, compounds **6a** and **7a** can be successfully and selectively prepared via kinetic and thermodynamic control reactions [31,32].


For further searching optimal conditions, we also prepared 7-methyl-1,3-phenylpyrazolopyrrolopyridine-6,8-dione **12a** [29] and 1,3-diphenylfuropyrazolopyridine-6,8-dione **13a** [33,34] as probes for monitoring cyclization tendency with hydrazine hydrate [29,30]. Most of the compounds **11a–13a** were refluxed in neat hydrazine hydrate solution for ~5 h (Scheme 1 and Table 1). The reactions were monitored until the consumption of starting materials **11a–13a** by TLC and produced the luminol-type pyrazolopyridopyridazine dione **6a**. Compound **11a** smoothly underwent the cyclization reaction to give luminol-type analogue **6a** in better yield (84%, Entry 1, Table 1). However, compounds **12a–13a** resulted in 32% and 18% low yields, respectively (Entries 2 and 3, Table 1). For further demonstration of reactivity efficiency, compounds **11b–c**, **12b–c**, and **13b–c** bearing various substituents including *o*- and *m*-Cl in *N*-1-phenyl ring and phenyl at C-3 position of pyrazole moiety were synthesized and refluxed under the same condition (Entries 4–9, Table 1). Based on the experimental data of Table 1, the better yields of pyrazolopyridopyridazine dione products **6b–c** were provided from 1,3-diarylpyrazolopyrrolopyridine-6,8-diones **11b–c** (74% and 71%, Entries 4 and 7, Table 1). Unfortunately, 1,3-diaryl-7-methylpyrazolopyrrolopyridine-6,8-diones **12b–c** and 1,3-diarylfuropyrazolopyridine-6,8-diones **13b–c** showed poor reactivity for the formation of pyrazolopyridopyridazine diones **6b–c** (Entries 5–6 and 8–9, Table 1).

Table 1. The results of pyrazolopyridopyridazine diones **6a–j** from reactants **11a–j**, **12a–c**, or **13a–c** with hydrazine hydrate.

Entry	S.M.	X	Y	Z	Reaction Time	Products	Yields (%)
1	11a	NH	Ph	Ph	5	6a	84
2	12a	NMe	Ph	Ph	5	6a	32
3	13a	O	Ph	Ph	5	6a	18
4	11b	NH	<i>o</i> -Cl-Ph	Ph	5	6b	74
5	12b	NMe	<i>o</i> -Cl-Ph	Ph	5	6b	24
6	13b	O	<i>o</i> -Cl-Ph	Ph	5	6b	13
7	11c	NH	<i>m</i> -Cl-Ph	Ph	5	6c	71
8	12c	NMe	<i>m</i> -Cl-Ph	Ph	5	6c	38
9	13c	O	<i>m</i> -Cl-Ph	Ph	5	6c	11
10	11d	NH	<i>p</i> -Cl-Ph	Ph	5	6d	81
11	11e	NH	<i>p</i> -Br-Ph	Ph	5	6e	77
12	11f	NH	<i>p</i> -Me-Ph	Ph	5	6f	84
13	11g	NH	<i>p</i> -OMe-Ph	Ph	5	6g	81
14	11h	NH	<i>p</i> -CN-Ph	Ph	5	6h	73
15	11i	NH	<i>p</i> -NO ₂ -Ph	Ph	5	6i	69
16	11j	NH	<i>m</i> -Cl-Ph	H	5	6j	71

Furthermore, we applied this reliable procedure to reactants **11d–j** bearing *p*-Cl-Ph, *p*-Br-Ph, *p*-Me-Ph, *p*-OMe-Ph, *p*-CN-Ph, *p*-NO₂-Ph, and *m*-Cl-Ph at the *N*-1 position and phenyl and H at C-3 position of pyrazolic ring. Various substituted reactants **11d–j** were demonstrated to proceed smoothly. Both electron-donating and electron-withdrawing substituents were all well-tolerated in good yields (69–84%, Entries 10–16, Table 1). All of 1,3-diarylpyrazolopyrrolopyridine-6,8-diones **6a–j** were fully characterized by spectroscopic methods. For example, compound **6a** presented one singlet at δ 9.41 ppm for pyrazolopyridine ring N=CH–C=C in ¹H-NMR and two peaks at δ 153.1 and 155.7 ppm for pyridazine dione carbon O=C–NH in ¹³C-NMR spectrum. Its IR absorptions showed peaks at 3161 cm^{−1} for stretching of the –NH group and at 1014 cm^{−1} for stretching of the N–N group.

For the further controlled experiment for photoluminescence study, we also tried to prepare a series of *N*-aminopyrazolopyrrolopyridine diones **7a–i** as the comparison cases (Scheme 2). Treatment of pyrazolopyrrolopyridine-6,8-diones **11a–i** with 5.0 equivalents of hydrazine hydrate in EtOH/H₂O co-solution was performed in an ice-bath to room temperature for 48 h. The corresponding *N*-aminopyrazolopyrrolopyridine diones **7a–i** were obtained in 71–87% yields and characterized by spectroscopic methods. For example, compound **7a** presented one singlet peak at δ 8.83 ppm for pyrazolopyridine ring N=CH–C=C in ¹H-NMR and two peaks at δ 164.1 and 164.4 ppm for phthalimide moiety carbon O=C–NH in ¹³C-NMR spectrum. Its IR absorptions showed peaks at 3172 and 3276 cm^{−1} for stretching of the –NH₂ group and at 1014 cm^{−1} for stretching of the N–N group. Due to the structural skeletons being very similar between **6** and **7**, the identify method should be our next future evaluation.



Scheme 2. The results of *N*-aminopyrazolopyrrolopyridine diones **7a–i** from pyrazolopyrrolopyridine-6,8-diones **11a–i** with hydrazine hydrate.

Luminol (**1**), compounds **6a** and **7a** were dissolved in DMSO to prepare a stock solution (1×10^{-3} M). Then the stock solutions of compounds **6a** and **7a** were individually diluted to a concentration of 10 μ M in the presence of various solvents such as toluene, THF, ethyl acetate (EA), CH₂Cl₂, MeCN, acetone, and DMSO. The standard stock solution of luminol (10 μ M) was diluted in DMSO solution as the standard sample. The UV–Vis absorption and fluorescence emission spectra of the pyrazolopyridopyridazine dione **6a** and *N*-aminopyrazolopyrrolopyridine dione **7a** compounds in the above-mentioned solution of varying polarities were reported in Table 2. The pyrazolopyridopyridazine dione **6a** has better solubility in polar organic solvents, such as DMSO > THF > acetone, but *N*-aminopyrazolopyrrolopyridine dione **7a** has the solubility only in highly polar solvents like DMSO. Luminol (**1**) was also measured and used as the standard sample. The UV–Vis absorption spectra of the compounds **6a** and **7a** in all the studied solvents were almost nearly the same; their absorption property is independent of the solvent polarity (Figure 3 and Table 2). All these compounds exhibit two highly intense absorption maxima peaks. Among these two, the first one was a high energy absorption between 253 nm and 286 nm for **6a** and **7a** probably due to the π – π^* transition of the aryl core [35] while the low energy band between 329 nm and 366 nm is attributed to the intramolecular charge transfer transition (ICT). However, the rigidity in the structure of compounds **6a** and **7a** exhibited the stronger blue-shifted absorption (\sim 15 nm) than luminol (**1**) in DMSO solution, as shown in Figure 3 and Table 2. In comparison with **6a** and **7a**, they demonstrated a similar absorption intensity, and compound **6a** has obvious red-shift \sim 20 nm with respect to **7a**.

Table 2. UV-Vis absorption maximum and fluorescence emission peak wavelength of luminol (**1**), pyrazolopyridopyridazine dione **6a** and *N*-aminopyrazolopyrrolopyridine dione **7a** in the different solvents.

Compound	Solvent	λ_{max} /nm of UV-Vis	λ_{max} /nm of PL
6a	Toluene	- ¹ , 366	469
6a	THF	271, 358	471
6a	Ethyl acetate	268, 356	473
6a	CH ₂ Cl ₂	271, 350	483
6a	MeCN	268, 351	488
6a	Acetone	- ¹ , 353	477
6a	DMSO	264, 338	486
7a	Toluene	286, ¹ 348	452
7a	THF	264, 344	454
7a	Ethyl acetate	262, 343	459
7a	CH ₂ Cl ₂	264, 344	471
7a	MeCN	261, 329	425, 461
7a	Acetone	- ¹ , 338	452
7a	DMSO	264, 335	429, 478
Luminol (1)	DMSO	350	392

¹ It was overlapped with solvent absorption band.




Figure 3. Photoluminescence spectra of luminol (1), pyrazolopyridopyridazine dione **6a** and *N*-aminopyrazolopyrrolopyridine dione **7a** in the different solvents. (A) Absorption and (B) emission spectra of luminol (1) and compound **6a**. (C) Absorption and (D) emission spectra of compound **7a**.

Consequently, we investigated the photoluminescence properties of the compounds **6a** and **7a** with luminol (1). For the fluorescence spectra, as shown in Figure 3 and Table 2, both the fluorescence intensity and the maximal position slightly varied depending on the solvent. Compound **6a** displayed a characteristic emission band of the excitation wavelengths between 400 and 600 nm, and the λ_{max} of PL was ~ 480 nm with the intense greenish-blue fluorescence in Figures 3 and 4. For compound **7a**, its emission spectrum was between 350 and 550 nm, and the λ_{max} of PL was ~ 450 nm with the intense bluish-green fluorescence in Figures 3 and 4. Compounds **6a** and **7a** exhibited a red-shift ~ 80 nm or ~ 60 nm as compared to luminol (1). Therefore, new luminol analogues **6a** and **7a** were efficiently conjugate and connect two chromophores (pyrazole and pyridine) to lead to an increase of aromaticity and provide the greenish-blue or bluish-green fluorescent materials (Table 2 and Figure 4) [36]. Particularly, the best positive solvatochromism phenomenon was presented in CH₂Cl₂ solution. It was also beneficial for the visibility of the naked eye due to the bathochromic (red-shift) phenomenon from blue color to green (Figure 4).




Figure 4. Color pictures of the fluorescence of compounds **6a** and **7a** in various solvents under excitation at 365 nm.

Moreover, the maximum of fluorescence wavelength and intensity, as shown in Figure 3, significantly vary with the diluted solvent. Further, we surprisingly observed the more significant solvent effect on compound **6a** when compared with compound **7a**. As shown in Figure 3, similar fluorescence spectra but a significant difference in intensity (~6 times) were observed in varying solvents. Of note, it was interesting that toluene, THF, EA, and CH₂Cl₂ had differences in their polarity (toluene: 0.099, THF: 0.207, EA: 0.228, CH₂Cl₂: 0.309, with respect to the reference polarity of DMSO: 0.444) [37,38]. However, for the above solvents, we observed a strong intensity, in comparison to that for protic or/and polar solvent (DMSO). The intensities of fluorescence bands were reversed in protic or/and polar solvents. Therefore, the solvent polarity modulation of fluorescence was quite interesting. It was well studied that amide tautomer of pyrazolopyridopyridazine dione **6a** was efficiently produced in toluene, THF, EA, and CH₂Cl₂ solvents [39–44]. In alcoholic (protic) and DMSO solvent, there exists competition between intermolecular bonding of the nearest hydrogen with the hydroxyimine tautomer of 6-hydroxypyrazolopyridopyridazin-9-one **6a**. Therefore, different intensities of behavior were observed in different polarity solutions. On the other hand, the different fluorescence intensity between structural isomers **6a** and **7a** was also observed [45]. The aromaticity of compound **6a** possessed the bathochromic shift of fluorescence maximum λ_{\max} by 12 nm and ~4 times significant intensity in CH₂Cl₂ solution when compared with compound **7a** (Table 2 and Figure 3) [46]. However, the intramolecular and intermolecular hydrogen bondings between the amino and carbonyl groups of *N*-aminopyrazolopyrrolopyridine dione **7a** were formed to lead to the poor intensity in solution.

For further investigation of substituent efficiency of compounds **6** and **7** in photoluminescence properties, we synthesized a series of pyrazolopyridopyridazine diones **6a–j** and *N*-aminopyrazolopyrrolopyridine diones **7a–i** bearing various substituents including *o*-, *m*- and *p*-Cl, *p*-Br, *p*-Me, *p*-OMe, *p*-CN, and *p*-NO₂ groups in *N*1-phenyl ring of pyrazole moiety. Generally, most of the substituents such as *o*-, *m*- and *p*-Cl, *p*-Br, *p*-Me, and *p*-CN in *N*1-phenyl of pyrazolic ring of compounds **6** possessed the blue-shift phenomenon range ~10 to 30 nm with significant fluorescence intensity when compared with compound **6a**, particularly for **6c** with *meta*-chloro group (Figure 5). For compounds **6g** and **6i** with the strong electron-donating (*p*-OMe) or electron-withdrawing groups (*p*-NO₂), they exhibited negative photoluminescence properties (Figure 5). While we modified the skeletal structure of

pyrazolopyridopyridazine dione **6j**, in which Ph-group was replaced to H atom on C-3 position of pyrazolic ring, the blue-shift phenomenon was remarkably observed in photoluminescence spectra. Additionally, the fluorescence intensity of **6j** was significantly promoted about 2.3 times in comparison with compound **6a** (Figure 5). Based on the result of the substituent study, we conceived that compound **6j** was an effective substrate that possessed suitable conjugation conformation without the torsion effect to facilitate the photoluminescence properties [26]. For compounds **7a–i** bearing the above various substituents, they provided the weak fluorescence intensity [45] and possessed the blue-shift phenomenon when compared with **7a**, except for **7c** with *m*-chloro group and **7h** with *p*-CN group (Figure 6). Generally, compounds **7a–i** were the inappropriate photoluminescent substrates [45].




Figure 5. Photoluminescence spectra of pyrazolopyridopyridazine diones **6a–j** dissolved in DMSO to prepare a stock solution (1.0 mM). Then the stock solutions were diluted with CH_2Cl_2 to a concentration of 10 μM . (A) Absorption and (B) emission spectra of compounds **6a–j**.




Figure 6. Photoluminescence spectra of *N*-aminopyrazolopyrrolopyridine diones **7a–i** dissolved in DMSO to prepare a stock solution (1.0 mM). Then the stock solutions were diluted with CH_2Cl_2 to a concentration of 10 μM . (A) Absorption and (B) emission spectra of compounds **7a–i**.

The quantum yields (Φ_f) of luminol (**1**) and pyrazolopyridopyridazine diones **6a**, **6c**, and **6j** were measured in the CH_2Cl_2 solution using quinine sulfate in 0.05M H_2SO_4 ($\Phi_f = 0.60$) as the standard (excitation wavelength 350 nm) [47,48]. The quantum yields (Φ_f) values of luminol (**1**) and pyrazolopyridopyridazine diones **6a**, **6c**, and **6j** were estimated as 0.175, 0.056, 0.067, and 0.140 in CH_2Cl_2 solution, respectively, indicating that the Φ_f value of **6j** was similar to that of luminol (**1**, Table 3). Moreover, we also investigated the quantum yields of **6j** in various solvents by using the same condition. The estimated values order trendy was as 0.218 (THF) > 0.209 (Toluene) > 0.140 (CH_2Cl_2) > 0.083 (acetone) > 0.049 (EA), indicating THF provided the largest Φ_f value among them (Table 3). On the other hand, most of the quantum yields (Φ_f) pyrazolopyridopyridazine diones **6a–i** in CH_2Cl_2 solution were predicted to be an almost identical value (ca. 0.05–0.06). Interestingly, the high

Φ_f value of **6j** was obtained and possibly caused by a particular improvement in the planar skeletal conformation (Table 3 and Figure 7).

Table 3. Quantum yields of fluorescence of luminol (**1**) and pyrazolopyridopyridazine diones **6a**, **6c**, and **6j**.

Compound	Solvent	λ_{fl}^1 /nm	Φ_f^2
6a	CH ₂ Cl ₂	481	0.056
6c	CH ₂ Cl ₂	472	0.067
6j	CH ₂ Cl ₂	450	0.140
6j	THF	435	0.218
6j	Toluene	438	0.209
6j	Acetone	437	0.083
6j	Ethyl acetate	437	0.049
Luminol (1)	CH ₂ Cl ₂	399	0.175

¹ Fluorescence maximum wavelength (λ_{fl}). ² Φ_f : Fluorescence quantum efficiency, relative to quinine sulfate ($\Phi_f = 0.60$).




Figure 7. Normalized fluorescence spectra of luminol and pyrazolopyridopyridazine diones **6a**, **6c**, and **6j** in the CH₂Cl₂ solution (excitation wavelength 350 nm).

3. Experimental Section

3.1. General Information

All reagents were used as obtained commercially. All reactions were carried out under argon or nitrogen atmosphere and monitored by thin-layer chromatography (TLC). Flash column chromatography was carried out on silica gel (230–400 mesh). Analytical thin-layer chromatography was performed using pre-coated plates (silica gel 60 F-254) purchased from Merck Inc. Flash column chromatography purification was carried out by gradient elution using *n*-hexane in ethyl acetate (EtOAc) unless otherwise stated. ¹H-NMR was recorded at 400, 500, or 600 MHz and ¹³C-NMR recorded at 100, 125, or 150 MHz, respectively, in DMSO-*d*₆ as the solvent. The standard abbreviations s, d, t, q, and m refer to the singlet, doublet, triplet, quartet, and multiplet, respectively. Coupling constant (*J*), whenever discernible, have been reported in Hz. Infrared spectra (IR) were recorded as neat solutions or solids; mass spectra were recorded using electron impact or electrospray ionization techniques. The wavenumbers reported are referenced to the polystyrene 1601 cm⁻¹ absorption. ESI-MS analyses were performed on an Applied Biosystems API 300 mass spectrometer. High-resolution mass spectra (HRMS) were recorded on a JEOL JMS-HX110 mass spectrometer with an electron ionization (EI) source. The UV-visible absorption and emission spectra were performed on a Perkin-Elmer Lambda 265 and Perkin-Elmer LS50B, a fused quartz cuvette (10 mm × 10 mm) at room temperature, respectively.

Quantum yields were obtained by using quinine sulfate (0.60 in 0.05 M H₂SO₄) as a reference. Stock solutions (1 × 10⁻³ M) of luminol (**1**), compounds of **6a–j** and **7a–i** were prepared in dimethyl sulfoxide (DMSO).

3.2. Standard Procedure for Synthesis of Pyrazolopyridopyridazine Diones **6a–j**

The reliable procedure involved the treatment of 1,3-diarylpyrazolopyrrolopyridine-6,8-diones (**11a–j**), 1,3-diaryl-7-methylpyrazolopyrrolopyridine-6,8-diones (**12a–c**), 1,3-diarylfuropyrazolopyridine-6,8-diones (**13a–c**, 1.0 equiv.) with hydrazine monohydrate (~40 equiv.) in neat solution at reflux for 5 h. When the reaction was completed, the reaction mixture was added to water (10 mL) for precipitation. The precipitate was filtered, washed with cold water (10 mL), and *n*-hexane/EA (1/2, 15 mL) to give the corresponding crude pyrazolopyridopyridazine diones **6a–j**. The crude desired products **6a–j** were recrystallized in acetone/THF (1/4) solution to obtain the pure pyrazolopyridopyridazine diones **6a–j** in 11–84% yields. The low solubility of the compounds **6a–j** made the ¹³C-NMR characterization of quaternary and carbonyl carbons of these substrates unclear [25,26].

1,3-Diphenyl-7,8-dihydro-3H-pyrazolo[4',3':5,6]pyrido[3,4-d]pyridazine-6,9-dione (6a), Light yellow solid; yield: 84%; mp 292–295 °C. ¹H-NMR (DMSO-*d*₆, 600 MHz) δ 7.43–7.47 (m, 4H, ArH), 7.60–7.64 (m, 4H, ArH), 8.20 (d, *J* = 7.9 Hz, 2H, ArH), 9.43 (s, 1H, ArH), 10.20 (br, 1H, NH); ¹³C{¹H} NMR (DMSO-*d*₆, 150 MHz) δ 109.55, 122.46 (2 × CH), 126.67, 127.16, 127.78, 129.26 (2 × CH + 2 × CH), 130.21 (2 × CH + CH), 134.99, 138.16, 147.54, 149.49, 151.35, 153.28, 155.21; FT-IR (KBr) *v*: 3161, 3033, 2907, 1662, 1584, 1499, 1414, 1356, 1306, 906 cm⁻¹; MS (EI) *m/z* (relative intensity): 356 (24), 355 (M⁺, 100), 354 (27), 270 (24), 269 (12), 268 (12), 77 (39); HRMS (EI) *m/z*: [M]⁺ Calcd for C₂₀H₁₃N₅O₂: 355.1069; found: 355.1065.

3-(2-Chlorophenyl)-1-phenyl-7,8-dihydro-3H-pyrazolo[4',3':5,6]pyrido[3,4-d]pyridazine-6,9-dione (6b), Yellow-brown solid; yield: 74%; mp 332–335 °C; ¹H-NMR (DMSO-*d*₆, 500 MHz) δ 7.40 (br, 3H, ArH), 7.60–7.61 (m, 2H, ArH), 7.63 (d, *J* = 7.5 Hz, 1H, ArH), 7.67 (t, *J* = 7.5 Hz, 1H, ArH), 7.79–7.80 (m, 2H, ArH), 9.35 (s, 1H, ArH); ¹³C{¹H} NMR (DMSO-*d*₆, 125 MHz) δ 109.33, 124.53, 126.66, 127.77, 128.01, 128.18, 128.45, 130.23 (2 × CH), 130.30, 130.47, 131.33, 131.36, 134.73, 134.94, 147.84, 149.81, 152.65, 155.49, 156.94; FT-IR (KBr) *v*: 3427, 3281, 3060, 2921, 1621, 1561, 1508, 1430, 1351, 905 cm⁻¹; MS (EI) *m/z* (relative intensity): 391 (M⁺ + 2, 29), 390 (22), 389 (M⁺, 100), 355 (12), 354 (52), 304 (15), 268 (17), 111 (13), 77 (44); HRMS (EI) *m/z*: [M]⁺ Calcd for C₂₀H₁₂ClN₅O₂: 389.0680; found: 389.0678.

3-(3-Chlorophenyl)-1-phenyl-7,8-dihydro-3H-pyrazolo[4',3':5,6]pyrido[3,4-d]pyridazine-6,9-dione (6c), Yellow solid; yield: 71%; mp 228–229 °C; ¹H-NMR (DMSO-*d*₆, 500 MHz) δ 7.42–7.43 (m, 3H, ArH), 7.50 (d, *J* = 6.7 Hz, 1H, ArH), 7.60 (d, *J* = 5.2 Hz, 2H, ArH), 7.64 (t, *J* = 8.0 Hz, 1H, ArH), 8.26 (d, *J* = 8.0 Hz, 1H, ArH), 8.34 (s, 1H, ArH), 9.44 (s, 1H, ArH), 12.06 (br, 1H, NH); ¹³C{¹H} NMR (DMSO-*d*₆, 125 MHz) δ 107.59, 119.56, 120.40, 121.43, 126.72 (3 × CH), 127.93, 130.14 (2 × CH + 1 × C), 130.99, 133.49, 134.67, 139.34, 148.03, 149.66, 151.53, 155.16, 157.57; FT-IR (KBr) *v*: 3453, 3344, 3296, 1651, 1595, 1483 cm⁻¹; MS (EI) *m/z* (relative intensity): 391 (M⁺ + 2, 33), 390 (27), 389 (M⁺, 100), 388 (14), 304 (14), 111 (11), 77 (17); HRMS (EI) *m/z*: [M]⁺ Calcd for C₂₀H₁₂ClN₅O₂: 389.0680; found: 389.0686.

3-(4-Chlorophenyl)-1-phenyl-7,8-dihydro-3H-pyrazolo[4',3':5,6]pyrido[3,4-d]pyridazine-6,9-dione (6d), Light yellow solid; yield: 81%; mp 339–341 °C; ¹H-NMR (DMSO-*d*₆, 500 MHz) δ 7.40–7.41 (m, 3H, ArH), 7.58–7.60 (m, 2H, ArH), 7.68 (d, *J* = 8.9 Hz, 2H, ArH), 8.29 (d, *J* = 8.9 Hz, 2H, ArH), 9.41 (s, 1H, ArH); ¹³C{¹H} NMR (DMSO-*d*₆, 125 MHz) δ 107.56, 123.52 (2 × CH), 126.60 (2 × CH), 126.64, 127.77, 127.82, 129.23 (2 × CH), 130.18 (2 × CH), 131.06, 134.89, 137.12, 147.88, 149.80, 151.35, 156.76, 157.30; FT-IR (KBr) *v*: 3345, 3206, 1656, 1494, 1446, 1307, 1094, 902 cm⁻¹; MS (EI) *m/z* (relative intensity): 391 (M⁺ + 2, 36), 390 (31), 389 (M⁺, 100), 388 (20), 354 (12), 304 (19), 268 (11), 111 (15), 77 (24); HRMS (EI) *m/z*: [M]⁺ Calcd for C₂₀H₁₂ClN₅O₂: 389.0680; found: 389.0687.

3-(4-Bromophenyl)-1-phenyl-7,8-dihydro-3H-pyrazolo[4',3':5,6]pyrido[3,4-d]pyridazine-6,9-dione (**6e**), Light yellow solid; yield: 77%; mp 337–339 °C; ¹H-NMR (DMSO-*d*₆, 500 MHz) δ 7.40–7.41 (m, 3H, ArH), 7.59 (d, *J* = 5.5 Hz, 2H, ArH), 7.82 (d, *J* = 9.0 Hz, 2H, ArH), 8.25 (d, *J* = 9.0 Hz, 2H, ArH), 9.42 (s, 1H, ArH); ¹³C{¹H} NMR (DMSO-*d*₆, 125 MHz) δ 107.67, 119.42, 123.81 (2 × CH), 126.64 (2 × CH), 127.82, 130.16 (2 × CH + C), 132.16 (2 × CH + C), 134.88, 137.56, 147.92, 149.78, 151.36, 157.59, 159.25; FT-IR (KBr) *v*: 3435, 3345, 3266, 1655, 1536, 1492, 1443, 1307, 1094, 916, 902 cm⁻¹; MS (EI) *m/z* (relative intensity): 436 (24), 435 (M⁺ + 2, 98), 434 (39), 433 (M⁺, 100), 432 (14), 354 (11), 350 (11), 348 (12), 268 (14), 77 (26); HRMS (EI) *m/z*: [M]⁺ Calcd for C₂₀H₁₂BrN₅O₂: 433.0174; found: 433.0171.

1-Phenyl-3-(*p*-tolyl)-7,8-dihydro-3H-pyrazolo[4',3':5,6]pyrido[3,4-d]pyridazine-6,9-dione(**6f**), Light yellow solid; yield: 84%; mp 346–348 °C; ¹H-NMR (DMSO-*d*₆, 500 MHz) δ 2.40 (s, 3H, CH₃), 7.39–7.42 (m, 5H, ArH), 7.58–7.60 (m, 2H, ArH), 8.07 (d, *J* = 8.4 Hz, 2H, ArH), 9.39 (s, 1H, ArH); ¹³C{¹H} NMR (DMSO-*d*₆, 125 MHz) δ 20.61, 106.97, 118.99, 122.32 (2 × CH), 126.60 (2 × CH), 127.68, 128.86, 129.60 (2 × CH), 130.21 (2 × CH), 135.09, 135.83, 136.55, 147.26, 149.35, 151.18, 152.87, 155.65; FT-IR (KBr) *v*: 3436, 3345, 3206, 2919, 1656, 1534, 1514, 1480, 1453, 1310, 1096, 903 cm⁻¹; MS (EI) *m/z* (relative intensity): 370 (25), 369 (M⁺, 100), 368 (16), 354 (14), 284 (18), 91 (15), 77 (19); HRMS (EI) *m/z*: [M]⁺ Calcd for C₂₁H₁₅N₅O₂: 369.1226; found: 369.1216.

3-(4-Methoxyphenyl)-1-phenyl-7,8-dihydro-3H-pyrazolo[4',3':5,6]pyrido[3,4-d]pyridazine-6,9-dione (**6g**), Deep yellow solid; yield: 81%; mp 311–313 °C; ¹H-NMR (DMSO-*d*₆, 500 MHz) δ 3.85 (s, 3H, OCH₃), 7.17 (d, *J* = 11.2 Hz, 2H, ArH), 7.43 (s, 3H, ArH), 7.58–7.60 (m, 2H, ArH), 8.03 (d, *J* = 11.2 Hz, 2H, ArH), 9.38 (s, 1H, ArH); ¹³C{¹H} NMR (DMSO-*d*₆, 125 MHz) δ 55.49, 106.64, 114.38 (2 × CH), 115.59, 124.31 (2 × CH), 124.60, 126.71 (2 × CH), 127.77, 130.23 (2 × CH), 131.18, 135.03, 147.01, 149.17, 151.12, 152.63, 156.80, 158.33; FT-IR (KBr) *v*: 3435, 3226, 3065, 2886, 1650, 1590, 1535, 1516, 1441, 1362, 1252, 1170, 905 cm⁻¹; MS (EI) *m/z* (relative intensity): 386 (24), 385 (M⁺, 100), 370 (13), 77 (18); HRMS (EI) *m/z*: [M]⁺ Calcd for C₂₁H₁₅N₅O₃: 385.1175; found: 385.1180.

3-(4-Cyanophenyl)-1-phenyl-7,8-dihydro-3H-pyrazolo[4',3':5,6]pyrido[3,4-d]pyridazine-6,9-dione (**6h**), Yellow solid; yield: 73%; mp 344–347 °C; ¹H-NMR (DMSO-*d*₆, 500 MHz) δ 7.43–7.44 (m, 3H, ArH), 7.60–7.61 (m, 2H, ArH), 8.08 (d, *J* = 6.6 Hz, 2H, ArH), 8.56 (d, *J* = 6.6 Hz, 2H, ArH), 9.45 (s, 1H, ArH); ¹³C{¹H} NMR (DMSO-*d*₆, 125 MHz) δ 108.84, 118.51, 121.39, 121.70 (2 × CH), 126.74 (2 × CH), 128.07, 128.63, 130.08 (2 × CH), 130.15, 133.62 (2 × CH), 134.51, 141.67, 148.75, 149.75, 151.87, 155.15, 156.71; FT-IR (KBr) *v*: 3397, 3284, 3056, 2228, 1606, 1569, 1516, 1430, 1400, 1317, 905 cm⁻¹; MS (EI) *m/z* (relative intensity): 381 (26), 380 (M⁺, 100), 379 (23), 295 (17), 102 (13), 77(29); HRMS (EI) *m/z*: [M]⁺ Calcd for C₂₁H₁₂N₆O₂: 380.1022; found: 380.1030.

3-(4-Nitrophenyl)-1-phenyl-7,8-dihydro-3H-pyrazolo[4',3':5,6]pyrido[3,4-d]pyridazine-6,9-dione (**6i**), Yellow solid; yield: 69%; mp 340–342 °C; ¹H-NMR (DMSO-*d*₆, 500 MHz) δ 7.41–7.44 (m, 3H, ArH), 7.61 (d, *J* = 6.3 Hz, 2H, ArH), 8.48 (d, *J* = 8.3 Hz, 2H, ArH), 8.67 (d, *J* = 8.3 Hz, 2H, ArH), 9.47 (s, 1H, ArH), 12.11 (br, 1H, NH); ¹³C{¹H} NMR (DMSO-*d*₆, 125 MHz) δ 113.65, 121.61 (2 × CH), 124.52, 125.13 (2 × CH), 126.85 (2 × CH), 128.22, 130.12 (2 × CH), 130.27, 134.47, 143.27, 145.04, 149.17, 149.92, 152.09, 154.07, 158.18; FT-IR (KBr) *v*: 3435, 1637, 1596, 1522, 1341, 1112, 905 cm⁻¹; MS (EI) *m/z*(relative intensity): 401 (23), 400 (M⁺, 100), 370 (22), 315 (11), 77(19); HRMS (EI) *m/z*: [M]⁺ Calcd for For C₂₀H₁₂N₆O₄: 400.0920; found: 400.0919.

3-(3-Chlorophenyl)-7,8-dihydro-3H-pyrazolo[4',3':5,6]pyrido[3,4-d]pyridazine-6,9-dione(**6j**), Light yellow solid; yield: 71%; mp 351–352 °C; ¹H-NMR (DMSO-*d*₆, 500 MHz) δ 7.51 (d, *J* = 8.03 Hz, 1H, ArH), 7.66 (t, *J* = 8.0 Hz, 1H, ArH), 8.28 (d, *J* = 8.0 Hz, 1H, ArH), 8.39 (s, 1H, ArH), 8.88 (s, 1H, ArH), 9.40 (s, 1H, ArH), 10.20 (br, 1H, NH); ¹³C{¹H} NMR (DMSO-*d*₆, 125 MHz) δ 109.53, 119.80, 120.84, 126.68 (2 × C), 131.14 (CH + C), 133.57, 136.04, 139.62, 149.36, 150.78, 152.47, 155.87; FT-IR (KBr) *v*: 3433, 3294, 3168, 2974, 1639, 1594, 1568, 1487, 1448, 1274, 1218, 1125 cm⁻¹; MS (EI) *m/z* (relative intensity): 315 (M⁺ + 2, 35),

314 (28), 313 (M^+ , 100), 278 (12), 255 (13), 227 (21), 111(12), 75 (11); HRMS (EI) m/z : $[M]^+$ Calcd for $C_{14}H_8ClN_5O_2$: 313.0367; found: 313.0367.

3.3. Standard Procedure for Synthesis of *N*-Aminopyrazolopyrrolopyridine Diones (7a–i)

The reliable procedure involved the treatment of 1,3-diarylpyrazolopyrrolopyridine-6,8-diones (11a–i, 1.0 equiv.) with hydrazine monohydrate (~5.0 equiv.) in EtOH/H₂O (2.0 mL/2.0 mL) in ice-bath to room temperature within 48 h. When the reaction was completed, the reaction mixture was added to water (10 mL) for precipitation. The precipitate was filtered, washed with cold water (10 mL) and *n*-hexane/EA (1/2, 15 mL) to give the corresponding crude *N*-aminophthalimides 7a–i. The crude desired products 7a–i were recrystallized in acetone/THF (1/4) solution to obtain the pure *N*-aminophthalimides 7a–i in 71–87 % yields [31,32].

7-Amino-1,3-diphenylpyrazolo[3,4-b]pyrrolo[3,4-d]pyridine-6,8-(3H,7H)-dione (7a), White solid; yield: 83%; mp 217–219 °C; ¹H-NMR (DMSO-*d*₆, 400 MHz) δ 4.55 (br, 2H, NH₂), 7.42 (t, *J* = 7.5 Hz, 1H, ArH), 7.49–7.55 (m, 3H, ArH), 7.60–7.65 (m, 4H, ArH), 8.25 (d, *J* = 8.1 Hz, 2H, ArH), 8.82 (s, 1 H, ArH); ¹³C{¹H} NMR (DMSO-*d*₆, 100 MHz) δ 111.65, 121.43 (2 × CH), 123.37, 126.80, 128.27 (2 × CH), 128.58 (2 × CH), 128.96, 129.41 (2 × CH), 132.04, 138.44, 139.23, 146.02, 148.82, 150.61, 164.18, 164.49; FT-IR (KBr) *v*: 3275, 3208, 3172, 3035, 1633.0, 1572, 1518.7, 1501 cm⁻¹; MS (EI) m/z (relative intensity): 356 (20), 355 (M^+ , 100), 354 (18), 270 (13), 77.0(18); HRMS (EI) m/z : $[M]^+$ Calcd for $C_{20}H_{13}N_5O_2$: 355.1069; found: 355.1060.

7-Amino-3-(2-chlorophenyl)-1-phenylpyrazolo[3,4-b]pyrrolo[3,4-d]pyridine-6,8-(3H,7H)-dione (7b), Yellow solid; yield: 71%; mp 165–166 °C; ¹H-NMR (DMSO-*d*₆, 500 MHz) δ 4.52 (br, 2H, NH₂), 7.48 (d, *J* = 7.0 Hz, 1H, ArH), 7.52 (d, *J* = 7.1 Hz, 2H, ArH), 7.60–7.68 (m, 4H, ArH), 7.74 (d, *J* = 7.7 Hz, 1H, ArH), 7.79 (d, *J* = 7.7 Hz, 1H, ArH), 8.71 (s, 1H, ArH); ¹³C{¹H} NMR (DMSO-*d*₆, 125 MHz) δ 108.50, 122.16, 122.88, 123.33, 127.72 (2 × CH), 129.27 (3 × CH), 129.72 (2 × CH), 131.26, 131.46, 136.60, 136.98, 143.86, 145.72, 153.20, 166.81, 168.47; FT-IR (KBr) *v*: 3337, 3296, 2952, 2920, 1778, 1740, 1498, 1375, 1315, 1014 cm⁻¹; MS (EI) m/z (relative intensity): 391 (M^+ + 2, 32), 390 (22), 389 (M^+ , 100), 355 (18), 354 (90), 304 (12), 268 (11), 77 (18); HRMS (EI) m/z : $[M]^+$ Calcd for $C_{20}H_{12}ClN_5O_2$: 389.0680; found: 389.0672.

7-Amino-3-(3-chlorophenyl)-1-phenylpyrazolo[3,4-b]pyrrolo[3,4-d]pyridine-6,8-(3H,7H)-dione (7c), Yellow solid; yield: 73%; mp 173–175 °C; ¹H-NMR (DMSO-*d*₆, 400 MHz) δ 4.55 (br, 2H, NH₂), 7.47–7.54 (m, 4H, ArH), 7.64–7.67 (m, 3H, ArH), 8.31 (d, *J* = 8.9 Hz, 1H, ArH), 8.42 (s, 1H, ArH), 8.86 (s, 1H, ArH); ¹³C{¹H} NMR (DMSO-*d*₆, 100 MHz) δ 112.05, 119.33, 120.34, 123.72, 126.32, 128.28 (2 × CH), 128.57 (2 × CH), 129.11, 131.21, 131.73, 133.65, 139.41, 139.64, 146.61, 148.98, 150.72, 163.96, 164.33; FT-IR (KBr) *v*: 3264, 3168, 3034, 1649, 1614, 1595, 1488, 1431, 1300, 803 cm⁻¹; MS (EI) m/z (relative intensity): 391 (M^+ + 2, 33), 390 (24), 389 (M^+ , 100), 374 (13), 304 (11), 77 (14); HRMS (EI) m/z : $[M]^+$ Calcd for $C_{20}H_{12}ClN_5O_2$: 389.0680; found: 389.0688.

7-Amino-3-(4-chlorophenyl)-1-phenylpyrazolo[3,4-b]pyrrolo[3,4-d]pyridine-6,8-(3H,7H)-dione (7d), Light yellow solid; yield: 81%; mp 226–227 °C; ¹H-NMR (DMSO-*d*₆, 500 MHz) δ 4.55 (br, 2H, NH₂), 7.48–7.55 (m, 3H, ArH), 7.64 (d, *J* = 7.6 Hz, 2H, ArH), 7.69 (d, *J* = 8.4 Hz, 2H, ArH), 8.35 (d, *J* = 8.4 Hz, 2H, ArH), 8.84 (s, 1 H, ArH); ¹³C{¹H} NMR (DMSO-*d*₆, 125 MHz) δ 111.85, 122.54 (2 × CH), 123.55, 128.24 (2 × CH), 128.53 (2 × CH), 129.03, 129.36 (2 × CH), 130.67, 131.81, 137.31, 139.34, 146.35, 148.88, 150.57, 163.99, 164.34; FT-IR (KBr) *v*: 3275, 3207, 3170, 1633, 1499, 828 cm⁻¹; MS (EI) m/z (relative intensity): 391 (M^+ + 2, 34), 390 (28), 389 (M^+ , 100), 388 (15), 304 (12), 77 (13); HRMS (EI) m/z : $[M]^+$ Calcd for $C_{20}H_{12}ClN_5O_2$: 389.0680; found: 389.0686.

7-Amino-3-(4-bromophenyl)-1-phenylpyrazolo[3,4-b]pyrrolo[3,4-d]pyridine-6,8-(3H,7H)-dione (7e), Yellow solid; yield: 79%; mp 235–239 °C; ¹H-NMR (DMSO-*d*₆, 500 MHz) δ 4.55 (br, 2H, NH₂), 7.49–7.55 (m, 3H, ArH), 7.64 (d, *J* = 6.9 Hz, 2H, ArH), 7.82 (d, *J* = 8.7 Hz, 2H, ArH), 8.29 (d, *J* = 8.7 Hz, 2H, ArH), 8.84 (s, 1 H, ArH); ¹³C{¹H} NMR (DMSO-*d*₆, 125 MHz) δ 111.91, 118.95, 122.81 (2 × CH), 123.55, 128.25

(2 × CH), 128.54 (2 × CH), 129.04, 131.80, 132.28 (2 × CH), 137.75, 139.33, 146.40, 148.90, 150.59, 164.00, 164.35; FT-IR (KBr) ν : 3275, 3208, 3170, 3071, 3037, 1632, 1495, 826 cm^{-1} ; MS (EI) m/z (relative intensity): 436 (22), 435 ($M^+ + 2$, 100), 354 (33), 433 (M^+ , 99), 432 (12), 420 (19), 419 (11), 418 (19), 354 (11), 350 (10), 348 (11), 268 (17), 77 (26); HRMS (EI) m/z : [M] $^+$ Calcd for $C_{20}H_{12}BrN_5O_2$: 433.0174; found: 433.0171.

7-Amino-1-phenyl-3-(*p*-tolyl)pyrazolo[3,4-*b*]pyrrolo[3,4-*d*]pyridine-6,8-(3*H*,7*H*)-dione (7f), Yellow solid; yield: 86%; mp 232–233 °C; $^1\text{H-NMR}$ (DMSO- d_6 , 500 MHz) δ 2.40 (s, 3H, CH_3), 4.55 (br, 2H, NH_2), 7.42 (d, $J = 8.0$ Hz, 2H, ArH), 7.49 (d, $J = 7.3$ Hz, 1H, ArH), 7.52 (t, $J = 7.3$ Hz, 2H, ArH), 7.64 (d, $J = 7.3$ Hz, 2H, ArH), 8.12 (d, $J = 8.0$ Hz, 2H ArH), 8.81 (s, 1H, ArH); $^{13}\text{C}\{^1\text{H}\}$ NMR (DMSO- d_6 , 125 MHz) δ 20.63, 111.44, 121.35(2 × CH), 123.18, 128.21 (2 × CH), 128.54 (2 × CH), 128.85, 129.73 (2 × CH), 132.09, 136.06, 136.18, 139.13, 145.69, 148.72, 150.44, 164.20, 164.50; FT-IR (KBr) ν : 3276, 3209, 3171, 3032, 1634, 1517 cm^{-1} ; MS (EI) m/z (relative intensity): 370 (25), 369 (M^+ , 100), 368 (13), 354 (21), 284 (12), 207 (10), 91.1(11), 77.1(13); HRMS (EI) m/z : [M] $^+$ Calcd for $C_{21}H_{15}N_5O_2$: 369.1226; found: 369.1231.

7-Amino-3-(4-methoxyphenyl)-1-phenylpyrazolo[3,4-*b*]pyrrolo[3,4-*d*]pyridine-6,8-(3*H*,7*H*)-dione (7g), Yellow solid; yield: 87%; mp 331–332 °C; $^1\text{H-NMR}$ (DMSO- d_6 , 500 MHz) δ 3.83 (s, 3H, OCH_3), 4.53 (br, 2H, NH_2), 7.17 (d, $J = 8.7$ Hz, 2H, ArH), 7.48–7.53 (m, 3H, ArH), 7.62 (d, $J = 7.1$ Hz, 2H, ArH), 8.06 (d, $J = 8.7$ Hz, 2H, ArH), 8.78 (s, 1H, ArH); $^{13}\text{C}\{^1\text{H}\}$ NMR (DMSO- d_6 , 125 MHz) δ 55.64, 111.24, 114.62 (2 × CH), 123.14, 123.51 (2 × CH), 128.37 (2 × CH), 128.65 (2 × CH), 128.97, 131.60, 132.25, 139.14, 145.54, 148.83, 150.44, 158.16, 164.43, 164.73; FT-IR (KBr) ν : 3215, 3066, 3004, 2963, 2935, 2837, 1639, 1577, 1516, 1462, 1443, 1252 cm^{-1} ; MS (EI) m/z (relative intensity): 386 (21), 385 (M^+ , 100), 370 (14), 77.0(10); HRMS (EI) m/z : [M] $^+$ Calcd for $C_{21}H_{15}N_5O_3$: 385.1175; found: 385.1182.

7-Amino-3-(4-cyanophenyl)-1-phenylpyrazolo[3,4-*b*]pyrrolo[3,4-*d*]pyridine-6,8-(3*H*,7*H*)-dione (7h), Yellow solid; yield: 73%; mp 333–335 °C; $^1\text{H-NMR}$ (DMSO- d_6 , 500 MHz) δ 4.55 (br, 2H, NH_2), 7.50–7.55 (m, 3H, ArH), 7.65 (d, $J = 7.1$ Hz, 2H, ArH), 8.09 (d, $J = 8.5$ Hz, 2H, ArH), 8.61 (d, $J = 8.5$ Hz, 2H, ArH), 8.87 (s, 1 H, ArH); $^{13}\text{C}\{^1\text{H}\}$ NMR (DMSO- d_6 , 125 MHz) δ 108.41, 112.58, 118.68, 120.75 (2 × CH), 124.12, 128.35 (2 × CH), 128.59 (2 × CH), 129.33, 131.55, 133.84 (2 × CH), 139.53, 141.99, 147.47, 149.11, 151.12, 163.83, 164.27; FT-IR (KBr) ν : 3330, 3274, 2227, 1665, 1635, 1607, 1518, 1409, 1255, 844 cm^{-1} ; MS (EI) m/z (relative intensity): 381 (22), 380 (M^+ , 100), 379 (18), 295 (13), 77(14); HRMS (EI) m/z : [M] $^+$ Calcd for $C_{21}H_{12}N_6O_2$: 380.1022; found: 380.1023.

7-Amino-3-(4-nitrophenyl)-1-phenylpyrazolo[3,4-*b*]pyrrolo[3,4-*d*]pyridine-6,8-(3*H*,7*H*)-dione (7i), Yellow solid; yield: 74%; mp 281–282 °C; $^1\text{H-NMR}$ (DMSO- d_6 , 500 MHz) δ 7.53–7.57 (m, 3H, ArH), 7.93 (d, $J = 6.5$ Hz, 2H, ArH), 8.48 (d, $J = 9.2$ Hz, 2H, ArH), 8.67 (d, $J = 9.2$ Hz, 2H, ArH), 9.19 (s, 1H, ArH); $^{13}\text{C}\{^1\text{H}\}$ NMR (DMSO- d_6 , 125 MHz) δ 109.57, 121.41 (2 × CH), 123.52, 125.21 (2 × CH), 127.91 (2 × CH), 129.73, 129.90 (2 × CH), 131.21, 136.89, 143.24, 144.26, 145.12, 147.11, 153.90, 166.71, 168.43; FT-IR (KBr) ν : 3190, 3120, 3064, 1595, 1500, 1341, 1112, 857 cm^{-1} ; MS (EI) m/z (relative intensity): 400 (M^+ , 4), 386 (26), 385 (100), 338 (13), 236 (10), 77 (13); HRMS (EI) m/z : [M] $^+$ Calcd for $C_{20}H_{12}N_6O_4$: 400.0920; found: 400.0925.

3.4. Determination of the Fluorescence Quantum Yield

The fluorescence quantum yield Φ_x was determined through the comparative method. The quinine sulfate ($\Phi_{\text{st}} = 0.60$, $\lambda_{\text{ex}} = 350$ nm) in H_2SO_4 0.05 M was used as the standard, and it was calculated by following equation [48]:

$$\Phi_x/\Phi_{\text{st}} = [A_{\text{st}}/A_x] [n_x^2/n_{\text{st}}^2] [D_x/D_{\text{st}}], \quad (1)$$

where st: standard; x: sample; Φ : quantum yield; A: absorbance at the excitation wavelength; D: area under the fluorescence spectra on an energy scale; n: the refractive index of the solution. In the process of detection, the absorbance should be controlled and lower than 0.1.

4. Conclusions

Pyrazolopyridopyridazine diones **6** and *N*-aminopyrazolopyrrolopyridine diones **7** can be prepared in three synthesis methods from 1,3-diarylpyrazolopyrrolopyridine-6,8-diones, 1,3-diaryl-7-methylpyrazolopyrrolopyridine-6,8-diones, or 1,3-diarylfuropyrazolopyridine-6,8-diones with hydrazine monohydrate. Based on the experimental results, 1,3-diarylpyrazolopyrrolopyridine-6,8-diones were conceived as the best reactive starting materials. Furthermore, compounds **6** and **7** were also selectively synthesized under kinetic and thermodynamic control reactions. For the further photoluminescence, solvatofluorism, and quantum yield (Φ_f) studies, pyrazolopyridopyridazine diones **6** generally exhibited the stronger fluorescence intensity and possessed the significant substituent effect, particularly for **6c** with a *m*-chloro group. On the other hand, the best Φ_f value of **6j** was obtained ($\Phi_f = 0.140$) and similar to luminol (**1**, $\Phi_f = 0.175$), possibly caused by the planar skeletal conformation. Based on the above photoluminescence studies, we also found that the efficient introduction of the pyrazole and pyridine chromophores led to an increase in the conjugation and aromaticity of compounds **6** and **7** when compared with the standard luminol.

Supplementary Materials: The following are available online, copies of ^1H and ^{13}C -NMR spectra of compounds **6a–6j** and **7a–7i**.

Author Contributions: F.F.W. conceived and designed the experiments; C.-C.T., C.-Y.C., and S.-E.T. performed the experiments; H.T., N.U., C.-Y.L., C.C.T., C.-Y.C., and S.-E.T. analyzed the data; F.F.W., H.T., N.U., C.-Y.L., contributed reagents/materials/analysis tools; F.F.W., C.-Y.L., C.C.T., and S.-E.T. wrote the paper. All authors have read and agreed to the published version of the manuscript.

Funding: This research was funded by the Tsuzuki Institute for Traditional Medicine and the China Medical University, Taiwan (CMU108-N-04)

Acknowledgments: We are grateful to the Tsuzuki Institute for Traditional Medicine and the China Medical University, Taiwan (CMU108-N-04) for financial support.

Conflicts of Interest: The authors declare no conflicts of interest.

References

1. Boivin, D.B.; Tremblay, G.M.; James, F.O. Working on Atypical Schedules. *Sleep Med.* **2007**, *8*, 578–589. [[CrossRef](#)] [[PubMed](#)]
2. Menegatti, R.; Silva, G.M.; Zapata-Sudo, G.; Raimundo, J.M.; Sudo, R.T.; Barreiro, E.J.; Fraga, C.A.M. Design, Synthesis, and Pharmacological Evaluation of New Neuroactive Pyrazolo[3,4-*b*]pyrrolo[3,4-*d*]pyridine Derivatives with in vivo Hypnotic and Analgesic Profile. *Bioorg. Med. Chem.* **2006**, *14*, 632–640. [[CrossRef](#)] [[PubMed](#)]
3. Nascimento-Junior, N.M.; Mendes, T.C.F.; Leal, D.M.; Correa, C.M.N.; Sudo, R.T.; Zapata-Sudo, G.; Barreiro, E.J.; Fraga, C.A.M. Microwave-assisted Synthesis and Structure–activity Relationships of Neuroactive pyrazolo[3,4-*b*]pyrrolo[3,4-*d*]pyridine Derivatives. *Bioorg. Med. Chem. Lett.* **2010**, *20*, 74–77. [[CrossRef](#)] [[PubMed](#)]
4. Yu, G.; Macor, J.E.; Chung, H.-J.; Humora, M.; Katipally, K.; Wang, Y.; Kim, S. Fused Pyridopyridazine Inhibitors of cGMP Phosphodiesterase. U.S. Patent No. 6,316,438, 13 November 2001.
5. Yu, G.; Mason, H.; Wu, X.; Wang, J.; Chong, S.; Beyers, B.; Henwood, A.; Pongrac, R.; Seliger, L.; He, B.; et al. Substituted Pyrazolopyridopyridazines as Orally Bioavailable Potent and Selective PDE5 Inhibitors: Potential Agents for Treatment of Erectile Dysfunction. *J. Med. Chem.* **2003**, *46*, 457–460. [[CrossRef](#)] [[PubMed](#)]
6. Li, Y.; Zhu, H.; Trush, M.A. Detection of Mitochondria-derived Reactive Oxygen Species Production by the Chemiluminescent Probes Lucigenin and Luminol. *Biochim. Biophys. Acta* **1999**, *1428*, 1–12. [[CrossRef](#)]
7. García-Campaña, A.M.; Baeyens, W.R.G. *Chemiluminescence in Chemical Analysis*; Marcel Dekker: New York, NY, USA, 2001.
8. Roda, A. *Chemiluminescence and Bioluminescence: Past, Present, and Future*; RSC: Cambridge, UK, 2011.
9. Barni, F.; Lewis, S.W.; Berti, A.; Miskelly, G.M.; Lago, G. Forensic Application of the Luminol Reaction as a Presumptive Test for Latent Blood Detection. *Talanta* **2007**, *72*, 896–913. [[CrossRef](#)]

10. Zhou, H.; Yue, H.; Zhou, Y.; Wang, L.; Fu, Z. A Novel Disposable Immunosensor based on Quenching of Electrochemiluminescence Emission of Ru(bpy)₃²⁺ by Amorphous Carbon Nanoparticles. *Sens. Actuators B* **2015**, *209*, 744–750. [[CrossRef](#)]
11. Yoshida, H.; Ureshino, K.; Ishida, J.; Nohta, H.; Yamaguchi, M. Chemiluminescent Properties of some Luminol related Compounds (II). *Dyes Pigm.* **1999**, *41*, 177–182. [[CrossRef](#)]
12. Gu, W.; Deng, X.; Gu, X.; Jia, X.; Lou, B.; Zhang, X.; Li, J.; Wang, E. Stabilized, Superparamagnetic Functionalized Graphene/Fe₃O₄@Au Nanocomposites for a Magnetically-controlled Solid-state Electrochemiluminescence. Biosensing Application. *Anal. Chem.* **2015**, *87*, 1876–1881. [[CrossRef](#)]
13. Wang, Y.-Z.; Hao, N.; Feng, Q.-M.; Shi, H.-W.; Xu, J.-J.; Chen, H.-Y. A Ratiometric Electrochemiluminescence Detection for Cancer Cells using g-C₃N₄ Nanosheets and Ag-PAMAM-luminol nanocomposites. *Biosens. Bioelectron.* **2016**, *77*, 76–82. [[CrossRef](#)]
14. Chan, C.M. An improved Synthesis of a Chemiluminescent Cyclic Hydrazide: *N*-(7-Aminobutyl)-*N*-ethyl-naphthalene-1,2-dicarboxylic hydrazide. *Synth. Commun.* **1989**, *19*, 1981–1985. [[CrossRef](#)]
15. Ishida, J.; Yamaguchi, M.; Nakahara, T.; Nakamura, M. 4,5-Diaminophthalhydrazide as a highly Sensitive Chemiluminescence Reagent for α -Keto Acids in Liquid Chromatography. *Anal. Chim. Acta* **1990**, *231*, 1–6. [[CrossRef](#)]
16. Sasamoto, K.; Ohkura, Y. A New Chemiluminogenic Substrate for *N*-Acetyl- β -D-glucosaminidase, 4'-(6'-Diethylaminobenzofuranyl)phthalylhydrazido-*N*-acetyl- β -D-glucosaminide. *Chem. Pharm. Bull.* **1991**, *39*, 411–416. [[CrossRef](#)]
17. Ishida, J.; Takada, M.; Yakabe, T.; Yamaguchi, M. Chemiluminescent Properties of some Luminol related Compounds. *Dyes Pigm.* **1995**, *27*, 1–7. [[CrossRef](#)]
18. Ishida, J.; Takada, M.; Hara, S.; Sasamoto, K.; Kina, K.; Yamaguchi, M. Development of a Novel Chemiluminescent Probe, 4-(5',6'-dimethoxybenzothiazolyl)phthalhydrazide. *Anal. Chim. Acta* **1995**, *309*, 211–219. [[CrossRef](#)]
19. Yoshida, H.; Nakao, R.; Nohta, H.; Yamaguchi, M. Chemiluminescent Properties of some Luminol-related compounds—Part 3. *Dyes Pigm.* **2000**, *47*, 239–245. [[CrossRef](#)]
20. Smith, M.B.; March, J. *March's Advanced Organic Chemistry: Reactions, Mechanisms, and Structure*, 6th ed.; John Wiley & Sons: Hoboken, NJ, USA, 2007.
21. Antonov, L. *Tautomerism: Methods and Theories*, 1st ed.; Wiley-VCH: Weinheim, Germany, 2013.
22. Ali Ahmed, H.E.; Abdel-Salam, H.A.; Shaker, M.A. Synthesis, Characterization, Molecular Modeling, and Potential Antimicrobial and Anticancer Activities of Novel 2-Aminoisoindoline-1,3-dione derivatives. *Bioorg. Chem.* **2016**, *66*, 1–11. [[CrossRef](#)]
23. Conchon, E.; Anizon, F.; Aboab, B.; Golsteyn, R.M.; Léonce, S.; Pfeiffer, B.; Prudhomme, M. Synthesis, in Vitro Antiproliferative Activities, and Chk1 Inhibitory Properties of Pyrrolo[3,4-*a*]carbazole-1,3-diones, Pyrrolo[3,4-*c*]carbazole-1,3-diones, and 2-Aminopyridazino[3,4-*a*]pyrrolo[3,4-*c*]carbazole-1,3,4,7-tetraone. *Eur. J. Med. Chem.* **2008**, *43*, 282–292. [[CrossRef](#)]
24. Tseng, C.-C.; Yen, W.-P.; Tsai, A.-E.; Hu, Y.-T.; Takayama, H.; Kuo, Y.-H.; Wong, F.F. ZnCl₂-Catalyzed Aza-Diels–Alder Reaction for the Synthesis of 1*H*-Pyrzolo[3,4-*b*]pyridine-4,5-dicarboxylate Derivatives. *Eur. J. Org. Chem.* **2018**, *2018*, 1567–1571.
25. Deshmukh, M.S.; Sekar, N. Chemiluminescence properties of luminol related quinoxaline analogs: Experimental and DFT based approach to photophysical properties. *Dyes Pigm.* **2015**, *117*, 49–60. [[CrossRef](#)]
26. Deshmukh, M.S.; Sekar, N. Chemiluminescence Properties of Luminol related *o*-Hydroxybenzimidazole analogues: Experimental and DFT based Approach to Photophysical Properties. *Dyes Pigm.* **2015**, *113*, 189–199. [[CrossRef](#)]
27. Peryasami, G.; Martelo, L.; Baleizã, C.; Berberan-Santos, M.N. Strong Green Chemiluminescence from Naphthalene analogues of Luminol. *New J. Chem.* **2014**, *38*, 2258–2261. [[CrossRef](#)]
28. Spurlin, S.R.; Cooper, M.M. A Chemiluminescent Precolumn Labelling Reagent for High-Performance Liquid Chromatography of Amino Acids. *Anal. Lett.* **1986**, *19*, 2277–2283. [[CrossRef](#)]
29. Yen, W.-P.; Liu, P.-L.; Uramaru, N.; Wong, F.F. Indium(III) chloride/silica gel catalyzed synthesis of pyrazolo[3,4-*b*]pyrrolo[3,4-*d*]pyridines. *Tetrahedron* **2015**, *71*, 8798–8803. [[CrossRef](#)]
30. Neumann, H.; Klaus, S.; Klawona, M.; Strübina, D.; Hübner, S.; Gördes, D.; von Wangelin, A.J.; Lalk, M.; Beller, M. A New Efficient Synthesis of Substituted Luminols using Multicomponent Reactions. *Z. Naturforsch.* **2004**, *59b*, 431–438. [[CrossRef](#)]

31. Flitsch, W.; Krämer, U.; Zimmerman, H. Cyclische Verbindungen mit Heterobrückenatomen, V. Zur Chemie der 1-Amino-pyrrole. *Chem. Ber.* **1969**, *102*, 3268–3276. [[CrossRef](#)]
32. Dey, S.K.; Lightner, D.A. 1,1'-Bipyrroles: Synthesis and Stereochemistry. *J. Org. Chem.* **2007**, *72*, 9395–9397. [[CrossRef](#)]
33. Gompper, R.; Sobotta, R. Neue Elektronenreiche Butadiene. *Tetrahedron Lett.* **1979**, *11*, 921–924. [[CrossRef](#)]
34. Fang, J.M.; Yang, C.C.; Wang, Y.W. Use of α -Anilino Dienenitriles as Nucleophiles in Cycloadditions. *J. Org. Chem.* **1989**, *54*, 477–481. [[CrossRef](#)]
35. Tyagi, P.; Venkateswararao, A.; Thomas, K.R.J. Solution Processable Indoloquinoxaline derivatives containing Bulky Polyaromatic Hydrocarbons: Synthesis, Optical Spectra, and Electroluminescence. *J. Org. Chem.* **2011**, *76*, 4571–4581. [[CrossRef](#)]
36. Martelo, L.; Periyasami, G.; Fedorov, A.A.; Baleizão, C.; Berberan-Santos, M.N. Chemiluminescence of Naphthalene analogues of Luminol in Solution and Micellar Media. *Dyes Pigm.* **2019**, *168*, 341–346. [[CrossRef](#)]
37. Reichardt, C. Solvatochromic Dyes as Solvent Polarity Indicators. *Chem. Rev.* **1994**, *94*, 2319–2358. [[CrossRef](#)]
38. Dutkiewicz, M. Classification of Organic Solvents based on Correlation between Dielectric β Parameter and Empirical Solvent Polarity Parameter E^N_T . *J. Chem. Soc. Faraday Trans.* **1990**, *86*, 2237–2241. [[CrossRef](#)]
39. Behera, S.K.; Karak, A.; Krishnamoorthy, G. Photophysics of 2-(4'-Amino-2'-hydroxyphenyl)-1H-imidazo-[4,5-c]pyridine and its analogues: Intramolecular Proton Transfer Versus Intramolecular Charge Transfer. *J. Phys. Chem. B* **2015**, *119*, 2330–2344. [[CrossRef](#)] [[PubMed](#)]
40. Behera, S.K.; Murkherjee, A.; Sadhuragiri, G.; Elumalai, P.; Sathiyendiran, M.; Kumar, M.; Mandal, B.B.; Krishnamoorthy, G. Aggregation induced enhanced and Exclusively Highly Stokes Shifted Emission from an Excited State Intramolecular Proton Transfer Exhibiting Molecule. *Faraday Discuss.* **2017**, *196*, 71–90. [[CrossRef](#)]
41. Chen, Y.-T.; Wu, P.-J.; Peng, C.-Y.; Shen, J.-Y.; Tsai, C.-C.; Hu, W.-P.; Chou, P.-T. A study of the Competitive Multiple Hydrogen Bonding Effect and its associated Excited-state Proton Transfer Tautomerism. *Phys. Chem. Chem. Phys.* **2017**, *19*, 28641–28646. [[CrossRef](#)]
42. Wang, Q.; Niu, Y.; Wang, R.; Wu, H.; Zhang, Y. Acid-induced Shift of Intramolecular Hydrogen Bonding Responsible for Excited-state Intramolecular Proton Transfer. *Chem. Asian J.* **2018**, *13*, 1735–1743. [[CrossRef](#)]
43. Tang, Z.; Lu, M.; Liu, K.; Zhao, Y.; Qi, Y.; Wang, Y.; Zhang, P.; Zhou, P. Solvation Effect on the ES IPT Mechanism of 2-(4'-Amino-2'-hydroxyphenyl)-1H-imidazo-[4,5-c]pyridine. *J. Photochem. Photobiol. A* **2018**, *367*, 261–269. [[CrossRef](#)]
44. Satapathy, A.K.; Behera, S.K.; Yadav, A.; Laxmi Mahour, L.N.; Yelamaggad, C.V.; Sandhya, K.L.; Sahoo, B. Tuning the Fluorescence Behavior of Liquid Crystal Molecules containing Schiff-base: Effect of Solvent Polarity. *J. Lumin.* **2019**, *210*, 371–375. [[CrossRef](#)]
45. Skripnikova, T.A.; Lysova, S.S.; Zevatskii, Y.E.; Myznikov, L.V.; Vorona, S.V.; Artamonva, T.V. Physico-chemical Properties of Isomeric Forms of Luminol in Aqueous Solutions. *J. Mol. Struct.* **2018**, *1154*, 59–63. [[CrossRef](#)]
46. Deepa, S.; Reddy, S.R.; Rajendrakumar, K. Green Chemiluminescence of Highly Fluorescent Symmetrical Azo-based Luminol derivative. *Orient. J. Chem.* **2018**, *34*, 894–905. [[CrossRef](#)]
47. Brouwer, A.M. Standards for Photoluminescence Quantum Yield Measurements in Solution (IUPAC Technical Report). *Pure Appl. Chem.* **2011**, *83*, 2213–2228. [[CrossRef](#)]
48. Kiyama, M.; Iwano, S.; Otsuka, S.; Lu, S.W.; Obata, R.; Miyawaki, A.; Hirano, T.; Maki, S.A. Quantum Yield Improvement of Red-light-emitting Firefly Luciferin Analogues for in vivo Bioluminescence Imaging. *Tetrahedron* **2018**, *74*, 652–660. [[CrossRef](#)]

Sample Availability: Samples of the compounds are available from the authors.



© 2020 by the authors. Licensee MDPI, Basel, Switzerland. This article is an open access article distributed under the terms and conditions of the Creative Commons Attribution (CC BY) license (<http://creativecommons.org/licenses/by/4.0/>).