

Supplementary Materials: Two New Pentacyclic Triterpene Saponins from the Leaves of *Akebia trifoliata*

Qiao-Lin Xu, Jing Wang, Li-Mei Dong, Qiang Zhang, Bi Luo, Yong-Xia Jia, Hong-Feng Wang and Jian-Wen Tan

In this 'Supporting Information' file for the manuscript "Two New Pentacyclic Triterpene Saponins from the Leaves of *Akebia trifoliata*", HR-ESI-MS (+), ¹H- and ¹³C-NMR, HSQC, HMBC and NOESY spectra of new compounds 1 and 2 are available here as below.






Figure S1. HR-ESI-MS (+) of compound 1.

Figure S2. ¹H-NMR spectrum of compound 1.

Figure S3. ^{13}C -NMR spectrum of compound 1.




Figure S4. HSQC spectrum of compound 1.




Figure S5. HMBC spectrum of compound 1.




Figure S6. NOESY spectrum of compound 1.






Figure S7. HR-ESI-MS (+) of compound 2.

Figure S8. ¹H-NMR spectrum of compound 2.

Figure S9. ¹³C-NMR spectrum of compound 2.




Figure S10. HSQC spectrum of compound 2.




Figure S11. HMBC spectrum of compound 2.




Figure S12. NOESY spectrum of compound 2.