Supplementary File

Design and Synthesis of C-19 Isosteviol Derivatives as Potent and Highly Selective Antiproliferative Agents

Tian Luan[a#], Li-Hua Cao[b#], Hao Deng[a], Qing-Kun Shen[a], Yu-Shun Tian[a]* & Zhe-Shan Quan[a]*

[a]*Key Laboratory of Natural Resources and Functional Molecules of the Changbai Mountain, Affiliated Ministry of Education, College of Pharmacy, Yanbian University, Yanji, Jilin, 133002, China*

[b]*Department of Pharmacology, College of Medicine, Yanbian University, Yanji, Jilin, 133002, China*

***Corresponding author: Tel: + 86 433 243-6020; Fax: + 86 433 243-6020.**

E-mail: zsquan@ybu.edu.cn (Z. S. Quan).

***Corresponding author: E-mail: ystian@ybu.edu.cn (Y. S. Tian).**

[#]These authors contributed equally to this work.

Table of contents:



^{1}H NMR and ^{13}C NMR spectra of compound **1a**



^{1}H NMR and ^{13}C NMR spectra of compound **2a**



^{1}H NMR and ^{13}C NMR spectra of compound **1c**



^{1}H NMR and ^{13}C NMR spectra of compound **2a**



^{1}H NMR and ^{13}C NMR spectra of compound **2b**



^{1}H NMR and ^{13}C NMR spectra of compound **2c**



^{1}H NMR and ^{13}C NMR spectra of compound **2d**



^{1}H NMR and ^{13}C NMR spectra of compound **2e**



^{1}H NMR and ^{13}C NMR spectra of compound **3a**



^{1}H NMR and ^{13}C NMR spectra of compound **3b**



^{1}H NMR and ^{13}C NMR spectra of compound **3c**



^{1}H NMR and ^{13}C NMR spectra of compound **3d**



^{1}H NMR and ^{13}C NMR spectra of compound **4a**



^{1}H NMR and ^{13}C NMR spectra of compound **4b**



^{1}H NMR and ^{13}C NMR spectra of compound **4c**



^{1}H NMR and ^{13}C NMR spectra of compound **4d**



^{1}H NMR and ^{13}C NMR spectra of compound **4e**



^{1}H NMR and ^{13}C NMR spectra of compound **4f**



^{1}H NMR and ^{13}C NMR spectra of compound **4g**



^{1}H NMR and ^{13}C NMR spectra of compound **4h**



^{1}H NMR and ^{13}C NMR spectra of compound **4i**



^{1}H NMR and ^{13}C NMR spectra of compound **4j**





^{1}H NMR and ^{13}C NMR spectra of compound **5a**



^{1}H NMR and ^{13}C NMR spectra of compound **5b**



^{1}H NMR and ^{13}C NMR spectra of compound **5c**



^{1}H NMR and ^{13}C NMR spectra of compound **5d**



^{1}H NMR and ^{13}C NMR spectra of compound **5e**



^{1}H NMR and ^{13}C NMR spectra of compound **6a**



^{1}H NMR and ^{13}C NMR spectra of compound **6b**



^{1}H NMR and ^{13}C NMR spectra of compound **6c**



^{1}H NMR and ^{13}C NMR spectra of compound **6d**



^{1}H NMR and ^{13}C NMR spectra of compound **6e**



Acquisition Parameter

Date of acquisition	2018-06-23T13:00:40.158+08:00
Acquisition method name	D:\Methods\flexControlMethods\go-RP_100-1500_Da.par
Acquisition operation mode	Reflector

HRMS spectra of compound **2d**



Acquisition Parameter

Date of acquisition	2018-06-23T13:01:59.814+08:00
Acquisition method name	D:\Methods\flexControlMethods\go-RP_100-1500_Da.par
Acquisition operation mode	Reflector

HRMS spectra of compound **2e**



HRMS spectra of compound **3b**



Acquisition Parameter

Date of acquisition	2018-06-20T20:10:16.411+08:00
Acquisition method name	D:\Methods\flexControlMethods\go-RP_100-1500_Da.par
Aquisition operation mode	Reflector

HRMS spectra of compound **5b**



HRMS spectra of compound **5c**



Acquisition Parameter

Date of acquisition	2018-06-20T20:10:50.974+08:00
Acquisition method name	D:\Methods\flexControlMethods\gc-RP_100-1500_Da.par
Aquisition operation mode	Reflector

HRMS spectra of compound **5d**



Acquisition Parameter

Date of acquisition	2018-06-23T13:03:24.424+08:00
Acquisition method name	D:\Methods\flexControlMethods\go-RP_100-1500_Da.par
Aquisition operation mode	Reflector

HRMS spectra of compound **6c**



Acquisition Parameter

Date of acquisition	2018-06-20T20:12:12.911+08:00
Acquisition method name	D:\Methods\flexControlMethods\gc-RP_100-1500_Da.par
Aquisition operation mode	Reflector

HRMS spectra of compound **6d**



^{1}H-NMR spectra of intermediate **Va**

^{1}H-NMR ($CDCl_3$, 300MHz, ppm): δ 8.02 (s, 1H, triazole-H), 7.76-7.72 (m, 2H, Ar-H), 7.58-7.44 (m, 3H, Ar-H), 7.30 (brs, 1H, -NH-CO-), 4.69 (d, *J*= 6 Hz, 2H, -C<u>H</u>$_2$-NH-), 4.10 (s, 2H, -C<u>H</u>$_2$-Cl).