CARDANOL AND EUGENOL BASED FLAME RETARDANT EPOXY MONOMERS FOR THERMOSTABLE NETWORKS

Yvan Ecochard,[a†] Mélanie Decostanzi,[a†] Claire Negrell,[a] Rodolphe Sonnier,[b] Sylvain Caillol[a]*

[a] ICGM, UMR 5253 – CNRS, Université de Montpellier, ENSCM, 240 Avenue Emile Jeanbrau 34296 Montpellier, France

[b] C2MA, IMT – Mines Alès, 6, avenue de Clavières, 30100 Alès, France

[†] all authors have equally contributed

*Corresponding author: Sylvain Caillol, Email: sylvain.caillol@enscm.fr

Content

I.NMR analyses

1. TEP



Figure S1: ^{1}H NMR of TEP.



Figure S2: ^{31}P NMR of TEP.

2. TEEP



Figure S3: ^{1}H NMR of TEEP.



Figure S4: ^{31}P NMR of TEEP.

3. DEP



Figure S5: ^{31}P NMR of DEP.

4. DEEP



Figure S6: ^{31}P NMR of DEEP.

5. DEP-Ph



Figure S7: ^{31}P NMR of DEP-Ph.

6. DEEP-Ph



Figure S8: ^{31}P NMR of DEEP-Ph.

7. TCP



Figure S9: ^{31}P NMR of TCP.

8. TECP



Figure S10: ^{31}P NMR of TECP.



Figure S11: COSY ^{1}H-^{1}H of TECP.

II.DSC analyses



Figure S12: DSC analyses of the materials.