

---

## **Supplementary Materials**




# **New Lead Discovery of Herbicide Safener for metolachlor Based on a Scaffold-hopping Strategy**

**Xile Deng, Wenna Zheng, Qingcai Zhan, Yanan Deng, Yong Zhou, Liyang Bai \***

Biotechnology Research Institute, Hunan Academy of Agricultural Sciences, Changsha 410125, China;  
dengxile@hunaas.cn (X.D.); zhengwenna1994@163.com (W.Z.); zhanqc@hotmail.com (Q.Z.);  
[dengyanan007@hunaas.cn](mailto:dengyanan007@hunaas.cn) (Y.D.); [qimiaobuchugan@126.com](mailto:qimiaobuchugan@126.com) (Y.Z.); lybai@hunaas.cn (L.B.)



\* Correspondence: lybai@hunaas.cn (L.B.); Tel.: +86-0731-8469-2799 (L.B.)

*N*-isobutylacetamide (**2a**)




---




*N*-isobutylacrylamide (**2b**)




*N*-isobutylpropionamide (**2c**)




*(E)*-*N*-isobutylbut-2-enamide (**2d**)




*N*-isobutylbutyramide (**2e**)




(*E*)-*N*-isobutylpent-2-enamide (**2f**)




*N*-isobutylpentanamide (**2g**)





122348 71-4 H-NMR 原文件  
E0XD PM02




122348 71-4 C-NMR 原文件  
s1b 813C





*(E)-N*-isobutylhex-2-enamide (**2h**)




*(2E, 4E)-N*-isobutylhexa-2,4-dienamide (**2i**)







### *N*-isobutylhexanamide (**2j**)




64075-37-2 H-NMR 原文件  
POXD-PN02




64075-~~57~~-2 C-NMR 原件  
slb-88~~51~~C




### *N*-isobutylheptanamide (**2k**)



142521-04-8 H-NMR 原文件  
BOXD-<sup>1</sup>NO2





14252-04-8 C-NMR 原件  
slb 88<sup>o</sup>C




---

*N*-(2-hydroxy-2-methylpropyl)acetamide (**3a**)




---


*N*-(2-hydroxy-2-methylpropyl)acrylamide (**3b**)




*N*-(2-hydroxy-2-methylpropyl)propionamide (**3c**)






zhoubang-20190114/1  
III-13-h






zhoufang-20190114/2  
III-812-c





(*E*)-*N*-(2-hydroxy-2-methylpropyl)but-2-enamide (**3d**)





*N*-(2-hydroxy-2-methylpropyl)butyramide (**3e**)





**(E)-N-(2-hydroxy-2-methylpropyl)pent-2-enamide (**3f**)**




*N*-(2-hydroxy-2-methylpropyl)pentanamide (**3g**)




**(E)-N-(2-hydroxy-2-methylpropyl)hex-2-enamide (**3h**)**






(2E,4E)-N-(2-hydroxy-2-methylpropyl)hexa-2,4-dienamide (**3i**)






*N*-(2-hydroxy-2-methylpropyl)hexanamide (**3j**)




***N*-(2-hydroxy-2-methylpropyl)heptanamide (**3k**)**




***N*-(2-methylallyl)acetamide (**4a**)**




*N*-(2-methylallyl)acrylamide (**4b**)




*N*-(2-methylallyl)propionamide (**4c**)




*N*-(2-methylallyl)butyramide (**4d**)





*N*-(2-methylallyl)butyramide (**4e**)






(*E*)-*N*-(2-methylallyl)pent-2-enamide (**4f**)





### *N*-(2-methylallyl)pentanamide (**4g**)




*(E)*-*N*-(2-methylallyl)hex-2-enamide (**4h**)




*(2E,4E)*-*N*-(2-methylallyl)hexa-2,4-dienamide (**4i**)



**N-(2-methylallyl)hexanamide (4j)**



*N*-(2-methylallyl)heptanamide (**4k**)



---