

## *Supplementary material*

# Synthesis of novel tryptamine derivatives and their biological activity as antitumor agents

Giorgia Simonetti <sup>1</sup>, Carla Boga <sup>2\*</sup>, Joseph Durante <sup>3</sup>, Gabriele Micheletti <sup>2</sup>, Dario Telese <sup>2</sup>, Paolo Caruana <sup>2</sup>, Andrea Ghelli Luserna di Rorà <sup>1</sup>, Fabio Mantellini <sup>3</sup>, Samantha Bruno <sup>4</sup>, Giovanni Martinelli <sup>1</sup>, and Natalia Calonghi <sup>5\*</sup>

<sup>1</sup> Biosciences Laboratory, IRCCS Istituto Romagnolo per lo Studio dei Tumori "Dino Amadori" - IRST S.r.l., 47014, Meldola (FC), Italy; giorgia.simonetti@irst.emr.it (G.S.); andrea.ghellilusernadiorà@irst.emr.it (A.G.); giovanni.martinelli@irst.emr.it (G.M.1)

<sup>2</sup> Department of Industrial Chemistry "Toso Montanari", Alma Mater Studiorum – Università di Bologna, Viale del Risorgimento 4, 40136 Bologna, Italy; paolo.caruana@gidi.it (P.C.); gabriele.micheletti3@unibo.it (G.M.2); dario.telese2@unibo.it (D.T.)

<sup>3</sup> Department of Biomolecular Sciences, University of Urbino "Carlo Bo", Via I Maggetti 24, 61029 Urbino (PU), Italy; fabio.mantellini@uniurb.it (F.M.); jdurante6@gmail.com (J.D.)

<sup>4</sup> Department of Experimental, Diagnostic and Specialty Medicine, University of Bologna and Institute of Hematology and Medical Oncology "L. and A. Seràgnoli", 40138, Bologna, Italy; samantha.bruno2@unibo.it (S.B.)

<sup>5</sup> Department of Pharmacy and Biotechnology, University of Bologna, 40121 Bologna, Italy; natalia.calonghi@unibo.it (N.C.)

\* Correspondence: carla.boga@unibo.it (C.B.); natalia.calonghi@unibo.it (N.C.);

Tel.: +39-051-209-3616 (C.B.); +39-051-209-1231 (N.C.)





Figure S1. <sup>1</sup>H NMR spectrum of compound 4 in DMSO-d<sub>6</sub> (600 MHz, 25 °C)



**Figure S2.** Expanded view of aromatic region of <sup>1</sup>H NMR spectrum of compound 4 in DMSO-d<sub>6</sub> (600 MHz, 25 °C)





Figure S3. <sup>13</sup>C NMR spectrum of compound 4 in DMSO-d<sub>6</sub> (150 MHz, 25 °C)



**Figure S4.** DEPT spectrum of compound **4** in DMSO-d<sub>6</sub> (150 MHz, 25 °C)




Figure S5. ESI-MS<sup>+</sup> spectrum of compound 4.




Figure S6. <sup>1</sup>H NMR spectrum of compound 5 in DMSO-d<sub>6</sub> (400 MHz, 25 °C)




Figure S7. Expanded view of aromatic region of  $^1\text{H}$  NMR spectrum of compound 5 in  $\text{DMSO-d}_6$  (400 MHz, 25  $^\circ\text{C}$ )






Figure S8. <sup>13</sup>C NMR spectrum of compound 5 in DMSO-d<sub>6</sub> (100 MHz, 25 °C)




Figure S9. DEPT spectrum of compound 5 in DMSO-d<sub>6</sub> (100 MHz, 25 °C)




Figure S10. ESI-MS<sup>+</sup> spectrum of compound 5.




Figure S11. <sup>1</sup>H NMR spectrum of compound 7 in DMSO-d<sub>6</sub> (600 MHz, 25 °C).





Figure S12. <sup>13</sup>C NMR spectrum of compound 7 in DMSO-d<sub>6</sub> (150 MHz, 25 °C)




Figure S13. DEPT spectrum of compound 7 in DMSO-d<sub>6</sub> (150 MHz, 25 °C)




Figure S14. ESI-MS<sup>+</sup> spectrum of compound 7.





Figure S15. <sup>1</sup>H NMR spectrum of compound 8 in DMSO-d<sub>6</sub> (600 MHz, 25 °C)





**Figure S16.** <sup>13</sup>C NMR spectrum of compound 8 in DMSO-d<sub>6</sub> (150 MHz, 25 °C)





Figure S17. DEPT spectrum of compound 8 in DMSO-d<sub>6</sub> (150 MHz, 25 °C)




Figure S18. ESI-MS<sup>+</sup> spectrum of compound 8.





Figure S19. <sup>1</sup>H NMR spectrum of compound 9 in DMSO-d<sub>6</sub> (400 MHz, 25 °C)



**Figure S20.** Expanded view of aromatic region of <sup>1</sup>H NMR spectrum of compound **9** in DMSO-d<sub>6</sub> (400 MHz, 25 °C)





Figure S21. <sup>13</sup>C NMR spectrum of compound 9 in DMSO-d<sub>6</sub> (100 MHz, 25 °C)






Figure S22. DEPT spectrum of compound 9 in DMSO-d<sub>6</sub> (100 MHz, 25 °C)




Figure S23. ESI-MS<sup>+</sup> spectrum of compound 9.






Figure S24.  $^1\text{H}$  NMR spectrum of compound **13** in  $\text{CDCl}_3$  (300 MHz, 25 °C)





Figure S25. <sup>13</sup>C NMR spectrum of compound 13 in CDCl<sub>3</sub> (75 MHz, 25 °C)



**Figure S26.** DEPT spectrum of compound **13** in CDCl<sub>3</sub> (75 MHz, 25 °C)




Figure S27. ESI-MS<sup>+</sup> spectrum of compound 13.




Figure S28. <sup>1</sup>H NMR spectrum of compound 14 in CD<sub>3</sub>CN (600 MHz, 25 °C)




Figure S29. <sup>13</sup>C NMR spectrum of compound 14 in CD<sub>3</sub>CN (150 MHz, 25 °C)




Figure S30. DEPT spectrum of compound **14** in CD<sub>3</sub>CN (150 MHz, 25 °C)




Figure S31. ESI-MS<sup>+</sup> spectrum of compound 14.