

Supporting Information

Antimicrobial polyketide metabolites from *Penicillium bissettii* and *P. glabrum*.

Melissa M. Cadelis^{1,2,*}, Natasha S. L. Nipper¹, Alex Grey², Soeren Geese², Shara J. van de Pas², Bevan S. Weir³, Brent R. Copp^{1,†} and Siouxsie Wiles^{2,*,†}

¹School of Chemical Sciences, University of Auckland - Waipapa Taumata Rau, Private Bag 92019, Auckland 1142, Aotearoa New Zealand

²Bioluminescent Superbugs Lab, School of Medical Sciences, University of Auckland - Waipapa Taumata Rau, Private Bag, 92019, Auckland 1142, Aotearoa New Zealand

³Manaaki Whenua - Landcare Research, Private Bag 92170, Auckland 1142, Aotearoa New Zealand

*Corresponding Author: m.cadelis@auckland.ac.nz and s.wiles@auckland.ac.nz

†These authors contributed equally to this work.

Contents

Figure S1. ¹ H NMR spectrum (400 MHz, CD ₃ OD) of 1	2
Figure S2. ¹³ C NMR spectrum (100 MHz, CD ₃ OD) of 1	3
Figure S3. ¹³ C NMR spectrum (100 MHz, CD ₃ OD) of 1- ¹³ C acetate labelled 1	4
Figure S4. ¹ H NMR spectrum (400 MHz, CD ₃ OD) of 1a	5
Figure S5. ¹³ C NMR spectrum (100 MHz, CD ₃ OD) of 1a	6
Figure S6. ¹ H NMR spectrum (400 MHz, CDCl ₃) of 1a	7
Figure S7. ¹ H NMR spectrum (400 MHz, CD ₃ OD) of 1b	8
Figure S8. ¹ H NMR spectrum (400 MHz, CDCl ₃) of 1b	9
Figure S9. ¹ H NMR spectrum (400 MHz, CDCl ₃) of 1c	10
Figure S10. ¹³ C NMR spectrum (100 MHz, CDCl ₃) of 1c	11




Figure S2. ^{13}C NMR spectrum (100 MHz, CD_3OD) of **1**


```

Current Data Parameters
NAME      1a
EXPNO     10
PROCNO    1
F2 - Acquisition Parameters
Date_      20230808
Time       12.52
INSTRUM   spect
PROBHD    5 mm PABCO BB-
PULPROG   zgpg30
TD         32768
SOLVENT   MeOD
NS         6
DS         0
SWH         8169.933 Hz
FIDRES     0.24322 Hz
AQ          2.005416 sec
RG          256
AQ          61.200 msec
RG          5.500 msec
TE          300.0 K
F1          0.10000000 sec
F2          0.10000000 sec
===== CHANNEL f1 =====
NUC1       1H
P1          12.50 usec
PL          -1.70 dB
PC          12.5042610 sec
PULPROG   zgpg30
SFO1        399.832094 MHz
===== CHANNEL f2 =====
F2 - Processing parameters
SI          1
SF          399.832094 MHz
WDW         EM
SSB         0
GB          0
PC          0.10 Hz
GC          0
EC          0.80

```




Figure S4. ¹H NMR spectrum (400 MHz, CD₃OD) of **1a**





Figure S5. ^{13}C NMR spectrum (100 MHz, CD_3OD) of **1a**



OMRONE Data Parameters
 NAME: 1c
 EXNO: 1
 PROCNO: 1
 F2 - Acquisition Parameters
 Date_: 2023109
 Time: 08:26
 INSTRM: spect
 PROBHD: 5 mm ZAGAGD HX
 PULPROG: zgpg30
 TD: 32768
 FIDRES: 0.0013
 AQ: 5.0
 SFO: 400
 D1: 0.10000000 sec
 D11: 0.10000000 sec
 D12: 0.10000000 sec
 CHANSEL: f1
 NUC1: 1H
 P1: 14.90 sec
 PL1: 1.70 dB
 PL12: 12.9242613 W
 SFO1: 399.850394 MHz
 F2 - Processing parameters
 SI: 32768
 SF: 399.8503125 MHz
 MDW: 0
 SSB: EM
 LB: 0.10 Hz
 GB: 0
 PC: 0.60




Figure S9. ¹H NMR spectrum (400 MHz, CDCl₃) of **1c**




Figure S10. ^{13}C NMR spectrum (100 MHz, CDCl_3) of **1c**