

```
R(reflections)= 0.0201( 4073)      wR2(reflections)=
S = 1.068                          0.0549( 4167)
Npar= 308
```

The following ALERTS were generated. Each ALERT has the format

test-name_ALERT_alert-type_alert-level.

Click on the hyperlinks for more details of the test.

● Alert level C

PLAT090_ALERT_3_C	Poor Data / Parameter Ratio (Zmax > 18)	7.36	Note
PLAT220_ALERT_2_C	NonSolvent Resd 1 O Ueq(max)/Ueq(min) Range	3.4	Ratio
PLAT241_ALERT_2_C	High 'MainMol' Ueq as Compared to Neighbors of	03	Check
PLAT241_ALERT_2_C	High 'MainMol' Ueq as Compared to Neighbors of	09	Check
PLAT241_ALERT_2_C	High 'MainMol' Ueq as Compared to Neighbors of	012	Check
PLAT342_ALERT_3_C	Low Bond Precision on C-C Bonds	0.00888	Ang.
PLAT601_ALERT_2_C	Unit Cell Contains Solvent Accessible VOIDS of .	39	Ang**3
PLAT975_ALERT_2_C	Check Calcd Resid. Dens. 0.98Ang From O5 .	0.55	eA-3

● Alert level G

ABSMU01_ALERT_1_G Calculation of _exptl_absorpt_correction_mu not performed for this radiation type.			
PLAT003_ALERT_2_G	Number of Uiso or Uij Restrained non-H Atoms ...	3	Report
PLAT004_ALERT_5_G	Polymeric Structure Found with Maximum Dimension	3	Info
PLAT177_ALERT_4_G	The CIF-Embedded .res File Contains DELU Records	2	Report
PLAT178_ALERT_4_G	The CIF-Embedded .res File Contains SIMU Records	3	Report
PLAT398_ALERT_2_G	Deviating C-O-C Angle From 120 for O3 .	108.0	Degree
PLAT398_ALERT_2_G	Deviating C-O-C Angle From 120 for O6 .	106.7	Degree
PLAT398_ALERT_2_G	Deviating C-O-C Angle From 120 for O9 .	107.2	Degree
PLAT398_ALERT_2_G	Deviating C-O-C Angle From 120 for O12 .	105.5	Degree
PLAT779_ALERT_4_G	Suspect or Irrelevant (Bond) Angle(s) in CIF ...	0.00	Deg.
	H01 -O5 -H01 3_566 1_555 4_656	# 83	Check
PLAT779_ALERT_4_G	Suspect or Irrelevant (Bond) Angle(s) in CIF ...	0.00	Deg.
	H02 -O11 -H02 7_456 1_555 2_675	# 92	Check
PLAT794_ALERT_5_G	Tentative Bond Valency for Ho1 (III) .	3.31	Info
PLAT794_ALERT_5_G	Tentative Bond Valency for Ho2 (III) .	3.31	Info
PLAT860_ALERT_3_G	Number of Least-Squares Restraints	14	Note
PLAT978_ALERT_2_G	Number C-C Bonds with Positive Residual Density.	0	Info

0 **ALERT level A** = Most likely a serious problem - resolve or explain
0 **ALERT level B** = A potentially serious problem, consider carefully
8 **ALERT level C** = Check. Ensure it is not caused by an omission or oversight
15 **ALERT level G** = General information/check it is not something unexpected

1 ALERT type 1 CIF construction/syntax error, inconsistent or missing data
12 ALERT type 2 Indicator that the structure model may be wrong or deficient
3 ALERT type 3 Indicator that the structure quality may be low
4 ALERT type 4 Improvement, methodology, query or suggestion
3 ALERT type 5 Informative message, check

It is advisable to attempt to resolve as many as possible of the alerts in all categories. Often the minor alerts point to easily fixed oversights, errors and omissions in your CIF or refinement strategy, so attention to these fine details can be worthwhile. In order to resolve some of the more serious problems it may be necessary to carry out additional measurements or structure refinements. However, the purpose of your study may justify the reported deviations and the more serious of these should normally be commented upon in the discussion or experimental section of a paper or in the "special_details" fields of the CIF. checkCIF was carefully designed to identify outliers and unusual parameters, but every test has its limitations and alerts that are not important in a particular case may appear. Conversely, the absence of alerts does not guarantee there are no aspects of the results needing attention. It is up to the individual to critically assess their own results and, if necessary, seek expert advice.

Publication of your CIF in IUCr journals

A basic structural check has been run on your CIF. These basic checks will be run on all CIFs submitted for publication in IUCr journals (*Acta Crystallographica*, *Journal of Applied Crystallography*, *Journal of Synchrotron Radiation*); however, if you intend to submit to *Acta Crystallographica Section C* or *E* or *IUCrData*, you should make sure that full publication checks are run on the final version of your CIF prior to submission.

Publication of your CIF in other journals

Please refer to the *Notes for Authors* of the relevant journal for any special instructions relating to CIF submission.

