

Simultaneous Enhancement of Flame Resistance and Antimicrobial Activity in Epoxy Nanocomposites Containing Phosphorus and Silver-Based Additives

Tăchiță Vlad-Bubulac ^{1,*}, Corneliu Hamciuc ¹, Diana Serbezeanu ¹, Ana-Maria Macsim ¹, Gabriela Lisa ², Ion Anghel ³, Dana-Maria Preda ³, Yuri Kalvachev ⁴ and Cristina Mihaela Rîmbu ⁵

¹ Department of Polycondensation and Thermally Stable Polymers, “Petru Poni” Institute of Macromolecular Chemistry, 41A Grigore Ghica Voda Alley, 700487 Iasi, Romania; chamciuc@icmpp.ro (C.H.); diana.serbezeanu@icmpp.ro (D.S.); macsim.ana@icmpp.ro (A.-M.M.)

² Department of Chemical Engineering, Faculty of Chemical Engineering and Environmental Protection, “Gheorghe Asachi” Technical University of Iasi, 73 Bd. Mangeron, 700050 Iasi, Romania; gapreot@yahoo.com

³ Fire Officers Faculty, Police Academy “Alexandru Ioan Cuza”, 3 Morarilor St., Sector 2, 022451 Bucharest, Romania; ion.anghel@academiadepolitie.ro (I.A.); mariadana523@yahoo.com.sg (D.-M.P.)

⁴ Institute of Catalysis, Bulgarian Academy of Sciences, Acad. G. Bonchev St., bl.11, 1113 Sofia, Bulgaria; kalvachev@ic.bas.bg

⁵ Department of Public Health, Iasi University of Life Sciences, 8 Sadoveanu Alley, 707027 Iasi, Romania; crimbu@yahoo.com

* Correspondence: tvladb@icmpp.ro

Figure S1. FTIR spectrum of BPH.

Figure S2. ¹H NMR (a), ¹³C NMR (b), ³¹P NMR (c) and TG/DTG curves of BPH (d).

Figure S3. EDX mapping of EPZ-2.

Figure S4. EDX mapping of EPZ-3.

Figure S5. EDX mapping of EPZ-2 residue.

Figure S6. EDX mapping of EPZ-3 residue.

Characterization of BPH:





Figure S1. FTIR spectrum of BPH.






Figure S2. ^1H NMR (a), ^{13}C NMR (b), ^{31}P NMR (c) and TG/DTG curves of BPH (d).




Figure S3. EDX mapping of EPZ-2.




Figure S4. EDX mapping of EPZ-3.




Figure S5. EDX mapping of EPZ-2 residue.




Figure S6. EDX mapping of EPZ-3 residue.