

CO₂ hydrogenation to methanol over In₂O₃ decorated by metals of iron triad

Tomáš Stryšovský¹, Martina Kajabová¹, Arkadii Bikbashev¹, Zuzana Kovářová¹, Radka Pocklanová¹, Robert Prucek¹, Aleš Panáček¹, Josef Kašík², Martin Petr² and Libor Kvítek^{1,*}

1 Department of Physical Chemistry, Faculty of Science, Palacký University Olomouc, 17. listopadu 12, CZ-77146 Olomouc, Czech Republic

2 Regional Center of Advanced Technologies and Materials, Czech Advanced Technology and Research Institute, Palacký University Olomouc, Šlechtitelů 241/27, CZ-77900 Olomouc, Czech Republic

* Correspondence: libor.kvitek@upol.cz; Tel.: + 420 585 634 420




Figure S1: XRD patterns of fresh (a) Fe/In₂O₃, (b) Co/In₂O₃ and (c) Ni/In₂O₃.



Figure S2: Images of fresh (a) Fe/In₂O₃, (b) Co/In₂O₃ and (c) Ni/In₂O₃.




Figure S3: H₂-TPR spectra of (a) Fe/In₂O₃, (b) Co/In₂O₃ and (c) Ni/In₂O₃.




Figure S4: CO₂-TPD spectra of (a) Fe/In₂O₃, (b) Co/In₂O₃ and (c) Ni/In₂O₃.




Figure S5: Catalytic activity of prepared catalysts: (a) CO selectivity and (b) FR, (c) CH₄ FR.




Figure S6: XRD patterns of spent (a) Fe/In₂O₃, (b) Co/In₂O₃ and (c) Ni/In₂O₃.