

## **Ibulocyidine Inhibits Migration and Invasion of TNBC Cells via MMP-9 Regulation**

Mi Ri Kwon<sup>1,2,3†</sup>, Ji Soo Park<sup>6†</sup>, Eun Jung Ko<sup>2,3</sup>, Jin Park<sup>2,3</sup>, Eun Jin Ju<sup>2,3</sup>, Seol Hwa Shin<sup>2,3</sup>, Ga Won Son<sup>1,2,3</sup>, Hye Won Lee<sup>1,2,3</sup>, Yun-Yong Park<sup>7</sup>, Myoung-Hee Kang<sup>2</sup>, Yeon Jo-o Kim<sup>4</sup>, Byeong Moon Kim<sup>6</sup>, Hee Jin Lee<sup>8</sup>, Tae Won Kim<sup>3,9</sup>, Chong Jai Kim<sup>3,8</sup>, Si Yeol Song<sup>3,4</sup>, Seok Soon Park<sup>2,3\*</sup>, Seong-Yun Jeong<sup>1,2,3,5\*</sup>.

<sup>1</sup>Department of Medical Science, Asan Medical Institute of Convergence Science and Technology, University of Ulsan College of Medicine, Seoul 05505, Republic of Korea

<sup>2</sup>Asan Institute for Life Sciences, ASAN Medical Center, Seoul 05505, Republic of Korea

<sup>3</sup>Asan Preclinical Evaluation Center for Cancer Therapeutics, ASAN Medical Center, Seoul 05505, Republic of Korea

<sup>4</sup>Department of Radiation Oncology, ASAN Medical Center, University of Ulsan College of Medicine, Seoul 05505, Republic of Korea

<sup>5</sup>Department of Biochemistry and Molecular Biology, ASAN Medical Center, University of Ulsan College of Medicine, Seoul 05505, Republic of Korea

<sup>6</sup>Department of Chemistry, Seoul National University, Seoul 08826, Republic of Korea

<sup>7</sup>Department of Life Science, Chung-Ang University, Seoul 06974, Republic of Korea

<sup>8</sup>Department of Pathology, ASAN Medical Center, University of Ulsan College of Medicine, Seoul 05505, Republic of Korea


<sup>9</sup>Department of Oncology, Asan Medical Center, University of Ulsan College of Medicine, Seoul 05505, Republic of Korea.

\*Corresponding author. Email: pssooni@amc.seoul.kr (S.S. Park), syj@amc.seoul.kr (S.-Y. Jeong).

†These authors contributed equally to this work.

## **Supplementary Figure S1**

### **Original Western blots**



**Supplementary Figure S1.** Confirmation of the experiments described in Figure 4. Colony formation assays were performed to confirm the absence of differences in tumorigenesis of IB-treated MDA-MB-231-Luc cells for 6 h. Data are shown as the mean  $\pm$  SD. Abbreviation: ns, non-significant.

# Original Western blots

Figure 2A




Figure 2B




Figure 2D




Figure 3C





Figure 3D



**Figure S1**

