

Supplementary Material Information

Identifying calmodulin and calmodulin-like protein members in *Canavalia rosea* and exploring their potential roles in abiotic stress tolerance

Qianqian Ding^{1,2,†}, Zengwang Huang^{1,2,†}, Zhengfeng Wang^{1,3,4}, Shuguang Jian^{1,3} and Mei Zhang^{1,3,*}

Citation: To be added by editorial staff during production.

Academic Editor: Firstname
Lastname

Received: date

Revised: date

Accepted: date

Published: date



Copyright: © 2024 by the authors.
Submitted for possible open access
publication under the terms and
conditions of the Creative Commons
Attribution (CC BY) license

(<https://creativecommons.org/licenses/by/4.0/>).

8
9
10

- ¹ Guangdong Provincial Key Laboratory of Applied Botany&South China Agricultural Plant Molecular Analysis and Genetic Improvement, South China Botanical Garden, Chinese Academy of Sciences, Guangzhou 510650, China;
 - ² University of the Chinese Academy of Sciences, Beijing 100039, China;
 - ³ CAS Engineering Laboratory for Vegetation Ecosystem Restoration on Islands and Coastal Zones, South China Botanical Garden, Chinese Academy of Sciences, Guangzhou 510650, China;
 - ⁴ Southern Marine Science and Engineering Guangdong Laboratory (Guangzhou), Guangzhou 511458, China;
- [#] These two authors contributed equally.
- ^{*} Correspondence and requests for materials should be addressed to Mei Zhang (zhangmei@scbg.ac.cn).


Figure S1. The 3D models of 51 CrCaMs/CrCMLs constructed using Phyre2 (<http://www.sbg.bio.ic.ac.uk/~phyre2/html/page.cgi?id=index>).

Table S1. Primer lists used in this study and the sequences information of *CrCaMs/CrCMLs*' genomic DNA, CDS, and promoter region DNA.

Table S2. *Cis*-acting elements (CEs) analysis of *CrCaMs*' and *CrCMLs*' promoters.

Table S3. FPKM values of *CrCaMs/CrCMLs* for RNA-Seq assay of *C. rosea* tissues in this study.

29 Fig. S1



30

31

32 **Tab. S1**



Table S1.xlsx

33

34 **Tab. S2**



Table S2.xlsx

35

36 **Tab. S3**



Table S3.xlsx

37