


# Supporting Information for 3-[[[(2,3-Dichlorophenyl)amino]methyl]-5-(furan-2-ylmethylidene)-1,3-thiazolidine-2,4-dione

Nadine Uwabagira <sup>1</sup> and Balladka Kunhana Sarojini <sup>1,2,\*</sup>


<sup>1</sup> Division of Biochemistry, Department of Studies in Biochemistry, Mangalore University, Karnataka, India; uwadine5@gmail.com

<sup>2</sup> Department of Studies in Industrial Chemistry, Mangalore University, Karnataka, India


\* Correspondence: bksaroj35@gmail.com; Tel.: +91-988-627-3404




**Figure S1.** Mass Spectrum of 3-[[[(2,3-Dichlorophenyl)amino]methyl]-5-(furan-2-ylmethylidene)-1,3-thiazolidine-2,4-dione.




**Figure S2a.** <sup>1</sup>H NMR spectrum of 3-[[[(2,3-Dichlorophenyl)amino]methyl]-5-(furan-2-ylmethylidene)-1,3-thiazolidine-2,4-dione.




**Figure S2b.** Extended aromatic region of  $^1\text{H}$  NMR spectrum of 3-(((2,3-Dichlorophenyl)amino)methyl)-5-(furan-2-ylmethylidene)-1,3-thiazolidine-2,4-dione.



**Figure S2c.** Extended aliphatic region of  $^1\text{H}$  NMR spectrum of 3-(((2,3-Dichlorophenyl)amino)methyl)-5-(furan-2-ylmethylidene)-1,3-thiazolidine-2,4-dione.



**Figure S3.**  $^{13}\text{C}$  NMR spectrum of 3-[(2,3-Dichlorophenyl)amino]methyl}-5-(furan-2-ylmethylidene)-1,3-thiazolidine-2,4-dione.



**Figure S4.** FTIR spectrum of 3-[(2,3-Dichlorophenyl)amino]methyl}-5-(furan-2-ylmethylidene)-1,3-thiazolidine-2,4-dione.