


## SUPPORTING INFORMATION

### 4,6-bis((E)-2-(4'-N,N-diphenylamino-[1,1'-biphenyl]-4-yl)vinyl)-2-phenylpyrimidine


Lacina Diarra, Françoise Robin-le Guen and Sylvain Achelle \*

Univ Rennes, CNRS, ISCR (Institut des Sciences Chimiques de Rennes)—UMR 6226, F-35000 Rennes, France;  
diarralacina97@yahoo.fr (L.D.); francoise.le-guen@univ-rennes1.fr (F.R.-l.G.)


\* Correspondence: sylvain.achelle@univ-rennes1.fr; Tel.: +33-296-469-448




**Figure S1:** Emission spectra of **1** in *n*-heptane after addition of a few drops of TFA ( $\lambda_{\text{exc}} = 530$  nm)




**Figure S2:** <sup>1</sup>H nmr spectrum (300 MHz) of **2** in CDCl<sub>3</sub>



**Figure S3:** <sup>13</sup>C nmr spectrum (75MHz) of **2** in CDCl<sub>3</sub>



**Figure S4:** <sup>1</sup>H nmr spectrum (300 MHz) of **1** in CDCl<sub>3</sub>



**Figure S5:** <sup>13</sup>C nmr spectrum (75 MHz) of **1** in CDCl<sub>3</sub>