

Supplementary Materials:

4,7-Di(9*H*-carbazol-9-yl)-[1,2,5]oxadiazolo[3,4-*d*]pyridazineTimofey N. Chmovzh ^{1,2}, Timofey A. Kudryashev ¹, Karim S. Gaisin ¹ and Oleg A. Rakitin ^{1,*}

¹ N. D. Zelinsky Institute of Organic Chemistry, Russian Academy of Sciences, 47 Leninsky Prospekt, 119991 Moscow, Russia

² Nanotechnology Education and Research Center, South Ural State University, 76 Lenina Avenue, 454080 Chelyabinsk, Russia

* Correspondence: orakitin@ioc.ac.ru; Tel.: +7-499-1355327

Figure S1. ¹H NMR spectrum of 4,7-di(9*H*-carbazol-9-yl)-[1,2,5]oxadiazolo[3,4-*d*]pyridazine **2**.






Figure S2. ^{13}C NMR spectrum of 4,7-di(9*H*-carbazol-9-yl)-[1,2,5]oxadiazolo[3,4-*d*]pyridazine **2**.**Figure S3.** IR spectrum of 4,7-di(9*H*-carbazol-9-yl)-[1,2,5]oxadiazolo[3,4-*d*]pyridazine **2**.


Figure S4. HRMS spectrum of 4,7-di(9H-carbazol-9-yl)-[1,2,5]oxadiazolo[3,4-d]pyridazine **2**.

Figure S5. Mass-spectrum of 4,7-di(9*H*-carbazol-9-yl)-[1,2,5]oxadiazolo[3,4-*d*]pyridazine 2.




Figure S6. UV-spectrum of 4,7-di(9H-carbazol-9-yl)-[1,2,5]oxadiazolo[3,4-d]pyridazine **2** with 5×10^{-5} mol/mL concentration.




Figure S7. Luminescence-spectrum of 4,7-di(9H-carbazol-9-yl)-[1,2,5]oxadiazolo[3,4-d]pyridazine **2** with 5×10^{-5} mol/mL concentration.

