

**Table S12:** Number of observations (N), Hill's N2, estimated optima and tolerance limits for median pH, TP and pGOP. Bold if confidence interval ≤10% of entire gradient.

Taxon	N	N2	pH (10 % = 0.6 units)			TP (mg.L <sup>-1</sup> ; 10 % = 0.286 mg.L <sup>-1</sup> )			pGOP (mg.L <sup>-1</sup> ; 10 % = 4.3 mg.L <sup>-1</sup> )		
			optimum	low	high	optimum	low	high	optimum	low	high
<i>Albertia naidis</i>	4	4.0	7.9	7.6	8.2	<b>0.035</b>	<b>0.035</b>	<b>0.035</b>	<b>1.3</b>	<b>0.5</b>	<b>3.3</b>
<i>Anuraeopsis fissa</i>	5	2.9	<b>7.9</b>	<b>7.7</b>	<b>8.1</b>	0.280	0.105	0.747	2.2	0.6	7.6
<i>Ascioporrecta hyalina</i>	5	3.9	6.2	4.5	8.5	<b>0.101</b>	<b>0.034</b>	<b>0.301</b>	2.0	0.4	9.2
<i>Aspelta circinator</i>	9	3.6	5.9	5.2	6.8	<b>0.050</b>	<b>0.035</b>	<b>0.071</b>	<b>1.5</b>	<b>0.8</b>	<b>2.8</b>
<i>Aspelta curvidactyla</i>	7	3.4	7.3	6.9	7.8	<b>0.036</b>	<b>0.030</b>	<b>0.043</b>	<b>1.6</b>	<b>0.6</b>	<b>4.2</b>
<i>Asplanchna priodonta</i>	7	2.9	7.8	7.2	8.5	<b>0.095</b>	<b>0.056</b>	<b>0.162</b>	15.3	6.6	35.5
<i>Beauchampia crucigera</i>	6	4.1	7.3	6.9	7.7	<b>0.066</b>	<b>0.035</b>	<b>0.122</b>	<b>3.0</b>	<b>1.8</b>	<b>5.1</b>
<i>Brachionus angularis</i>	8	4.6	7.2	6.6	7.9	0.146	0.044	0.490	5.9	1.8	19.1
<i>Brachionus calyciflorus</i>	7	5.6	8.2	7.7	8.8	0.484	0.188	1.247	21.8	12.1	39.5
<i>Brachionus quadridentatus</i>	56	16.1	7.9	7.5	8.4	0.263	0.106	0.656	14.3	7.5	27.5
<i>Brachionus sericus</i>	3	2.6	<b>4.5</b>	<b>4.2</b>	<b>4.8</b>	<b>0.067</b>	<b>0.032</b>	<b>0.137</b>	<b>2.7</b>	<b>2.4</b>	<b>3.1</b>
<i>Brachionus urceolaris</i>	24	3.1	<b>7.6</b>	<b>7.4</b>	<b>7.9</b>	<b>0.157</b>	<b>0.083</b>	<b>0.299</b>	15.2	8.3	27.6
<i>Bryceella stylata</i>	5	2.1	<b>4.1</b>	<b>3.9</b>	<b>4.2</b>	<b>0.035</b>	<b>0.035</b>	<b>0.035</b>	2.2	0.8	5.6
<i>Cephalodella apocolea</i>	14	2.7	6.9	5.9	7.9	<b>0.038</b>	<b>0.030</b>	<b>0.047</b>	<b>1.8</b>	<b>0.9</b>	<b>3.3</b>
<i>Cephalodella auriculata</i>	100	19.4	6.4	4.7	8.6	<b>0.070</b>	<b>0.028</b>	<b>0.176</b>	2.2	0.6	8.6
<i>Cephalodella eva</i>	16	6.8	7.8	7.2	8.4	<b>0.055</b>	<b>0.030</b>	<b>0.098</b>	2.4	1.1	5.6
<i>Cephalodella forficula</i>	30	6.8	7.6	6.9	8.5	<b>0.164</b>	<b>0.076</b>	<b>0.351</b>	4.2	1.7	10.5
<i>Cephalodella gibba</i>	101	13.1	5.7	4.0	8.3	<b>0.085</b>	<b>0.030</b>	<b>0.242</b>	1.7	0.3	8.6
<i>Cephalodella gracilis</i>	43	6.7	5.5	4.3	7.2	<b>0.099</b>	<b>0.037</b>	<b>0.268</b>	2.6	0.7	9.6
<i>Cephalodella hoodii</i>	51	13.4	7.7	7.1	8.2	<b>0.129</b>	<b>0.054</b>	<b>0.309</b>	3.5	0.9	12.8
<i>Cephalodella inquilina</i>	3	2.4	<b>4.3</b>	<b>4.1</b>	<b>4.6</b>	<b>0.035</b>	<b>0.035</b>	<b>0.035</b>	<b>1.2</b>	<b>0.7</b>	<b>1.9</b>
<i>Cephalodella intuta</i>	40	15.6	7.1	6.1	8.4	<b>0.070</b>	<b>0.032</b>	<b>0.153</b>	4.3	1.8	10.1
<i>Cephalodella megaloccephala</i>	38	21.8	7.9	7.3	8.5	<b>0.117</b>	<b>0.043</b>	<b>0.317</b>	3.5	0.9	13.6
<i>Cephalodella parasitica</i>	5	2.9	5.8	4.3	7.8	<b>0.043</b>	<b>0.028</b>	<b>0.067</b>	<b>1.9</b>	<b>1.1</b>	<b>3.3</b>
<i>Cephalodella segersi</i>	60	12.8	8.1	7.4	8.8	0.478	0.155	1.476	2.8	0.5	14.4
<i>Cephalodella</i> sp. 1	40	7.1	7.7	7.1	8.3	<b>0.110</b>	<b>0.056</b>	<b>0.214</b>	5.2	2.3	11.7
<i>Cephalodella</i> sp. 6	3	1.3	5.3	4.6	6.0	<b>0.042</b>	<b>0.023</b>	<b>0.077</b>	6.8	4.6	10.1
<i>Cephalodella sterea</i>	64	13.5	8.0	7.1	9.1	0.273	0.123	0.607	11.7	3.7	37.2
<i>Collotheca ornata cornuta</i>	3	1.2	<b>7.8</b>	<b>7.7</b>	<b>8.0</b>	0.366	0.182	0.735	<b>1.9</b>	<b>1.7</b>	<b>2.1</b>

<i>Collotheca</i> sp. 1	67	13.3	7.7	6.8	8.7	0.180	0.055	0.588	4.3	1.3	13.7
<i>Colurella adriatica</i>	97	38.9	8.0	7.5	8.6	0.132	0.048	0.361	3.1	0.9	10.5
<i>Colurella colurus</i>	42	11.4	8.2	7.8	8.6	0.135	0.050	0.364	3.2	1.3	8.1
<i>Colurella obtusa</i>	49	23.6	7.6	7.0	8.3	0.166	0.050	0.549	2.3	0.7	7.5
<i>Colurella uncinata</i>	45	10.9	7.4	6.9	7.9	0.407	0.105	1.583	1.9	0.4	10.5
<i>Conochilus hippocrepis</i>	4	1.6	<b>6.4</b>	<b>6.3</b>	<b>6.5</b>	<b>0.038</b>	<b>0.031</b>	<b>0.047</b>	<b>0.8</b>	<b>0.3</b>	<b>2.1</b>
<i>Dicranophorus forcipatus</i>	15	5.1	7.6	7.3	8.0	0.230	0.085	0.626	4.6	1.7	12.3
<i>Dicranophorus luetkeni</i>	13	5.2	6.5	6.0	7.2	<b>0.065</b>	<b>0.037</b>	<b>0.114</b>	4.1	1.5	11.3
<i>Dissotrocha aculeata</i>	14	3.4	7.0	6.5	7.6	0.151	0.044	0.511	3.2	1.2	8.4
<i>Encentrum uncinatum</i>	6	4.2	7.4	6.4	8.5	0.189	0.067	0.539	5.4	1.9	15.8
<i>Euchlanis deflexa</i>	54	10.1	7.9	7.4	8.4	<b>0.130</b>	<b>0.052</b>	<b>0.324</b>	5.1	1.5	17.2
<i>Euchlanis dilatata</i>	59	9.1	8.1	7.6	8.5	<b>0.087</b>	<b>0.031</b>	<b>0.247</b>	2.3	0.7	7.0
<i>Euchlanis incisa</i>	13	6.0	8.0	7.6	8.4	<b>0.079</b>	<b>0.031</b>	<b>0.200</b>	3.3	1.6	7.0
<i>Euchlanis meneta</i>	12	3.6	4.3	3.9	4.7	<b>0.037</b>	<b>0.029</b>	<b>0.047</b>	<b>1.6</b>	<b>0.6</b>	<b>4.8</b>
<i>Euchlanis oropha</i>	5	2.8	<b>7.6</b>	<b>7.4</b>	<b>7.8</b>	0.670	0.236	1.907	<b>0.8</b>	<b>0.1</b>	<b>3.9</b>
<i>Euchlanis triquetra</i>	6	4.1	7.4	6.8	7.9	<b>0.075</b>	<b>0.053</b>	<b>0.107</b>	5.9	3.4	10.2
<i>Filinia longiseta</i>	4	3.5	7.3	6.7	7.9	<b>0.088</b>	<b>0.025</b>	<b>0.309</b>	1.7	0.5	5.4
<i>Floscularia ringens</i>	17	4.0	<b>7.7</b>	<b>7.4</b>	<b>8.0</b>	0.171	0.068	0.431	3.5	1.4	8.7
<i>Kellicottia bostoniensis</i>	8	2.2	6.3	5.9	6.7	<b>0.043</b>	<b>0.030</b>	<b>0.061</b>	<b>1.9</b>	<b>1.2</b>	<b>2.9</b>
<i>Kellicottia longispina</i>	5	2.6	<b>8.2</b>	<b>8.1</b>	<b>8.4</b>	<b>0.037</b>	<b>0.029</b>	<b>0.049</b>	<b>1.7</b>	<b>0.6</b>	<b>4.8</b>
<i>Keratella cochlearis</i>	43	22.1	7.5	6.7	8.3	0.094	0.028	0.315	2.2	0.7	7.5
<i>Keratella quadrata</i>	19	4.7	7.8	7.0	8.6	0.209	0.097	0.450	8.0	3.6	18.0
<i>Keratella serrulata</i>	4	1.6	<b>4.1</b>	<b>4.0</b>	<b>4.2</b>	<b>0.035</b>	<b>0.035</b>	<b>0.035</b>	<b>3.3</b>	<b>2.3</b>	<b>4.7</b>
<i>Keratella tecta</i>	13	4.1	7.8	7.1	8.6	0.187	0.089	0.392	14.0	8.5	23.1
<i>Lecane arcuata</i>	9	4.6	7.5	7.0	8.1	0.235	0.096	0.576	6.3	1.4	27.7
<i>Lecane bifurca</i>	3	2.3	5.8	4.8	7.2	<b>0.062</b>	<b>0.031</b>	<b>0.126</b>	<b>0.8</b>	<b>0.4</b>	<b>1.6</b>
<i>Lecane bulla</i>	29	9.3	7.5	7.0	8.0	<b>0.075</b>	<b>0.043</b>	<b>0.132</b>	5.1	1.7	14.8
<i>Lecane clara</i>	7	3.9	4.9	4.1	6.0	<b>0.053</b>	<b>0.028</b>	<b>0.102</b>	<b>1.9</b>	<b>1.0</b>	<b>3.8</b>
<i>Lecane closterocerca</i>	154	87.0	7.7	6.9	8.5	0.157	0.059	0.418	3.2	0.9	11.4
<i>Lecane depressa</i>	6	2.6	5.3	4.1	6.7	<b>0.039</b>	<b>0.030</b>	<b>0.049</b>	1.7	0.5	6.7
<i>Lecane flexilis</i>	64	13.4	6.3	4.8	8.3	<b>0.061</b>	<b>0.027</b>	<b>0.135</b>	1.6	0.4	5.7
<i>Lecane furcata</i>	7	1.8	8.0	7.5	8.6	<b>0.040</b>	<b>0.023</b>	<b>0.072</b>	<b>0.5</b>	<b>0.2</b>	<b>1.7</b>

<i>Lecane gwileti</i>	3	2.5	8.5	7.8	9.3	<b>0.219</b>	<b>0.134</b>	<b>0.357</b>	10.5	3.8	29.2
<i>Lecane hamata</i>	46	14.1	6.9	6.4	7.5	<b>0.125</b>	<b>0.060</b>	<b>0.259</b>	4.0	1.7	9.2
<i>Lecane ludwigii</i>	11	3.4	6.8	6.5	7.1	<b>0.061</b>	<b>0.042</b>	<b>0.089</b>	4.5	2.2	9.3
<i>Lecane luna</i>	28	7.3	8.1	7.6	8.7	<b>0.087</b>	<b>0.036</b>	<b>0.212</b>	0.9	0.2	4.8
<i>Lecane lunaris</i>	83	22.1	5.5	4.2	7.2	<b>0.049</b>	<b>0.028</b>	<b>0.084</b>	2.0	0.7	5.4
<i>Lecane perpusilla</i>	7	4.9	4.3	3.8	4.9	<b>0.052</b>	<b>0.027</b>	<b>0.101</b>	<b>0.8</b>	<b>0.2</b>	<b>2.7</b>
<i>Lecane pyriformis</i>	4	1.7	7.2	5.4	9.5	0.159	0.066	0.383	17.4	4.0	75.9
<i>Lecane quadridentata</i>	4	1.8	8.1	7.9	8.5	<b>0.126</b>	<b>0.051</b>	<b>0.311</b>	<b>0.5</b>	<b>0.3</b>	<b>0.8</b>
<i>Lecane signifera</i>	6	1.8	5.1	4.6	5.6	<b>0.059</b>	<b>0.043</b>	<b>0.079</b>	<b>2.5</b>	<b>1.3</b>	<b>4.7</b>
<i>Lecane stenroosi</i>	3	2.5	7.6	7.0	8.2	<b>0.044</b>	<b>0.028</b>	<b>0.068</b>	<b>4.6</b>	<b>3.4</b>	<b>6.3</b>
<i>Lecane stichaea</i>	20	7.1	5.2	4.3	6.3	<b>0.043</b>	<b>0.031</b>	<b>0.059</b>	<b>0.9</b>	<b>0.4</b>	<b>2.4</b>
<i>Lecane tenuiseta</i>	38	15.1	6.8	5.7	8.2	<b>0.089</b>	<b>0.032</b>	<b>0.243</b>	2.4	0.6	10.0
<i>Lecane ungulata</i>	6	3.8	<b>7.0</b>	<b>6.7</b>	<b>7.3</b>	<b>0.035</b>	<b>0.035</b>	<b>0.035</b>	<b>1.7</b>	<b>1.0</b>	<b>3.1</b>
<i>Lepadella acuminata</i>	50	12.2	7.2	6.5	7.9	0.119	0.037	0.383	2.4	0.7	7.6
<i>Lepadella bidentata</i>	10	1.7	<b>7.6</b>	<b>7.4</b>	<b>7.9</b>	0.552	0.174	1.754	<b>0.4</b>	<b>0.2</b>	<b>0.8</b>
<i>Lepadella favorita</i>	3	2.3	7.6	7.0	8.1	0.139	0.027	0.725	<b>1.0</b>	<b>0.6</b>	<b>1.8</b>
<i>Lepadella oblonga</i>	16	5.8	7.5	6.8	8.2	<b>0.077</b>	<b>0.041</b>	<b>0.144</b>	2.7	0.9	7.8
<i>Lepadella ovalis</i>	65	17.9	7.6	7.1	8.1	0.206	0.096	0.444	2.6	0.6	11.2
<i>Lepadella patella</i>	124	41.0	7.5	6.2	8.9	0.111	0.038	0.330	2.2	0.5	9.1
<i>Lepadella quadricarinata</i>	40	12.7	7.8	7.3	8.4	<b>0.092</b>	<b>0.034</b>	<b>0.253</b>	<b>0.7</b>	<b>0.2</b>	<b>2.0</b>
<i>Lepadella rhomboides</i>	9	4.0	7.9	7.4	8.6	0.538	0.249	1.162	5.6	1.0	30.1
<i>Lepadella triba</i>	7	2.2	6.4	5.7	7.3	<b>0.044</b>	<b>0.029</b>	<b>0.068</b>	<b>2.1</b>	<b>1.3</b>	<b>3.2</b>
<i>Lepadella triptera</i>	22	11.3	7.5	6.8	8.3	0.099	0.030	0.330	1.5	0.4	6.1
<i>Limnias ceratophylli</i>	35	9.3	7.7	7.0	8.5	<b>0.113</b>	<b>0.047</b>	<b>0.268</b>	9.5	4.0	23.0
<i>Limnias melicerta</i>	3	2.9	7.6	7.2	8.1	0.137	0.047	0.398	8.6	4.7	15.7
<i>Lindia torulosa</i>	5	2.2	<b>7.8</b>	<b>7.7</b>	<b>7.9</b>	<b>0.064</b>	<b>0.034</b>	<b>0.119</b>	<b>1.1</b>	<b>0.6</b>	<b>2.1</b>
<i>Lophocharis salpina</i>	4	2.0	<b>7.6</b>	<b>7.5</b>	<b>7.8</b>	1.107	0.676	1.814	14.5	3.7	56.9
<i>Microcodon clavus</i>	7	1.8	6.5	5.7	7.5	<b>0.036</b>	<b>0.032</b>	<b>0.041</b>	<b>1.7</b>	<b>1.0</b>	<b>3.1</b>
<i>Monommata aeschyna</i>	16	6.5	7.1	6.5	7.8	0.123	0.034	0.448	2.3	0.7	7.4
<i>Monommata dentata</i>	3	1.8	<b>7.3</b>	<b>7.2</b>	<b>7.3</b>	<b>0.057</b>	<b>0.041</b>	<b>0.078</b>	<b>1.3</b>	<b>0.9</b>	<b>1.7</b>
<i>Monommata viridis</i>	3	1.3	<b>5.0</b>	<b>4.7</b>	<b>5.3</b>	<b>0.035</b>	<b>0.035</b>	<b>0.035</b>	5.1	2.5	10.4
<i>Mytilina mucronata</i>	44	19.5	7.7	7.1	8.3	0.406	0.165	1.002	2.4	0.7	9.0

<i>Mytilina ventralis</i>	32	10.0	7.8	7.1	8.6	0.343	0.117	1.007	<b>0.7</b>	<b>0.2</b>	<b>2.1</b>
<i>Notommata allantois</i>	3	2.3	<b>6.5</b>	<b>6.3</b>	<b>6.7</b>	<b>0.043</b>	<b>0.035</b>	<b>0.052</b>	1.8	0.6	5.8
<i>Notommata cf. cyrtopus</i>	6	2.1	7.2	6.9	7.5	<b>0.041</b>	<b>0.027</b>	<b>0.063</b>	<b>2.3</b>	<b>1.6</b>	<b>3.5</b>
<i>Notommata cyrtopus</i>	19	8.0	7.4	6.9	8.0	<b>0.066</b>	<b>0.032</b>	<b>0.135</b>	2.4	0.7	8.2
<i>Notommata glyphura</i>	17	4.8	7.7	7.2	8.2	0.525	0.141	1.951	1.6	0.2	13.6
<i>Notommata tripus</i>	9	4.4	7.4	6.1	8.9	<b>0.036</b>	<b>0.032</b>	<b>0.039</b>	<b>0.8</b>	<b>0.2</b>	<b>2.7</b>
<i>Platyias quadricornis</i>	6	2.1	<b>7.6</b>	<b>7.4</b>	<b>7.8</b>	<b>0.166</b>	<b>0.080</b>	<b>0.343</b>	13.5	6.1	29.6
<i>Pleurotrocha petromyzon</i>	26	6.8	7.9	7.2	8.5	0.140	0.048	0.404	3.0	0.7	12.9
<i>Polyarthra dolichoptera</i>	24	2.3	8.2	7.5	8.9	<b>0.124</b>	<b>0.062</b>	<b>0.248</b>	6.5	2.7	15.6
<i>Polyarthra major</i>	3	2.0	8.2	7.3	9.2	<b>0.159</b>	<b>0.079</b>	<b>0.320</b>	8.4	2.5	28.6
<i>Polyarthra vulgaris</i>	5	3.1	7.0	6.5	7.6	0.118	0.026	0.540	<b>1.0</b>	<b>0.4</b>	<b>2.4</b>
<i>Pompholyx sulcata</i>	6	4.2	8.1	7.4	8.8	0.187	0.074	0.468	9.9	4.4	22.2
<i>Proales fallaciosa</i>	48	13.1	7.8	7.0	8.7	0.165	0.066	0.416	5.0	1.5	16.4
<i>Ptygura furcillata</i>	45	18.3	8.0	7.6	8.4	0.182	0.061	0.536	3.8	0.9	17.2
<i>Ptygura</i> sp. 1	85	3.5	6.7	6.1	7.4	<b>0.098</b>	<b>0.048</b>	<b>0.199</b>	4.4	1.3	14.9
<i>Ptygura</i> sp. 2	15	20.0	7.4	6.5	8.4	<b>0.099</b>	<b>0.037</b>	<b>0.263</b>	3.7	1.0	14.2
<i>Resticula melandocus</i>	5	2.3	5.1	4.0	6.5	<b>0.038</b>	<b>0.027</b>	<b>0.053</b>	<b>1.8</b>	<b>1.2</b>	<b>2.7</b>
<i>Rotaria neptunia</i>	11	1.8	<b>7.7</b>	<b>7.6</b>	<b>7.8</b>	1.133	0.737	1.740	17.0	4.1	69.7
<i>Squatinella bifurca</i>	3	1.4	4.2	3.9	4.6	<b>0.035</b>	<b>0.035</b>	<b>0.035</b>	<b>0.3</b>	<b>0.1</b>	<b>1.2</b>
<i>Squatinella mutica</i>	3	2.0	6.4	6.0	6.8	<b>0.036</b>	<b>0.030</b>	<b>0.044</b>	<b>1.8</b>	<b>0.8</b>	<b>4.3</b>
<i>Stephanoceros fimbriatus</i>	15	2.6	7.3	6.8	7.8	<b>0.082</b>	<b>0.038</b>	<b>0.175</b>	6.5	3.7	11.4
<i>Synchaeta oblonga</i>	7	3.5	7.0	5.6	8.8	<b>0.106</b>	<b>0.053</b>	<b>0.209</b>	3.6	1.3	9.6
<i>Synchaeta pectinata</i>	4	3.5	5.6	4.9	6.4	<b>0.059</b>	<b>0.039</b>	<b>0.089</b>	<b>1.9</b>	<b>1.1</b>	<b>3.5</b>
<i>Taphrocampa annulosa</i>	22	8.2	6.3	5.6	7.0	<b>0.048</b>	<b>0.027</b>	<b>0.085</b>	<b>1.8</b>	<b>0.9</b>	<b>3.8</b>
<i>Taphrocampa selenura</i>	5	3.2	<b>6.6</b>	<b>6.3</b>	<b>6.9</b>	<b>0.042</b>	<b>0.032</b>	<b>0.055</b>	1.7	0.5	5.2
<i>Testudinella elliptica</i>	6	2.0	<b>7.6</b>	<b>7.4</b>	<b>7.7</b>	0.354	0.119	1.049	<b>1.3</b>	<b>0.9</b>	<b>2.0</b>
<i>Testudinella incisa</i>	13	3.9	7.1	6.7	7.6	<b>0.056</b>	<b>0.033</b>	<b>0.095</b>	<b>1.4</b>	<b>0.6</b>	<b>3.3</b>
<i>Testudinella mucronata</i>	54	11.2	7.6	7.2	8.0	<b>0.126</b>	<b>0.063</b>	<b>0.252</b>	3.9	1.7	9.3
<i>Testudinella parva</i>	6	1.9	7.2	6.8	7.5	<b>0.039</b>	<b>0.030</b>	<b>0.051</b>	<b>2.3</b>	<b>1.4</b>	<b>3.7</b>
<i>Testudinella patina</i>	111	30.9	7.6	7.1	8.2	0.303	0.105	0.875	3.5	1.0	12.8
<i>Testudinella truncata</i>	7	2.0	<b>7.7</b>	<b>7.4</b>	<b>7.9</b>	<b>0.072</b>	<b>0.051</b>	<b>0.104</b>	<b>2.1</b>	<b>1.1</b>	<b>3.9</b>
<i>Trichocerca bidens</i>	12	2.2	5.4	4.5	6.4	<b>0.045</b>	<b>0.025</b>	<b>0.080</b>	<b>2.9</b>	<b>1.5</b>	<b>5.7</b>

<i>Trichocerca brachyura</i>	24	5.2	8.1	7.4	9.0	0.250	0.109	0.575	4.0	1.0	16.9
<i>Trichocerca cylindrica</i>	3	2.7	<b>6.8</b>	<b>6.6</b>	<b>7.0</b>	<b>0.055</b>	<b>0.041</b>	<b>0.073</b>	<b>5.5</b>	<b>4.2</b>	<b>7.0</b>
<i>Trichocerca intermedia</i>	10	5.3	5.9	4.7	7.4	<b>0.041</b>	<b>0.026</b>	<b>0.066</b>	<b>1.1</b>	<b>0.3</b>	<b>3.8</b>
<i>Trichocerca longiseta</i>	5	2.6	8.2	7.7	8.7	<b>0.039</b>	<b>0.027</b>	<b>0.056</b>	<b>1.0</b>	<b>0.4</b>	<b>2.5</b>
<i>Trichocerca obtusidens</i>	57	17.1	7.3	6.8	7.8	<b>0.152</b>	<b>0.074</b>	<b>0.311</b>	4.6	1.7	12.6
<i>Trichocerca porcellus</i>	41	14.9	7.2	6.3	8.2	<b>0.069</b>	<b>0.031</b>	<b>0.155</b>	<b>1.6</b>	<b>0.7</b>	<b>3.8</b>
<i>Trichocerca pusilla</i>	7	4.5	7.3	6.9	7.8	<b>0.132</b>	<b>0.078</b>	<b>0.225</b>	4.7	1.6	13.7
<i>Trichocerca rattus</i>	63	23.6	7.6	7.1	8.2	0.145	0.047	0.453	2.2	0.8	6.1
<i>Trichocerca similis</i>	20	2.1	7.4	6.7	8.2	0.179	0.078	0.411	8.3	4.1	16.9
<i>Trichocerca tenuior</i>	15	8.7	7.8	7.4	8.2	0.149	0.055	0.402	7.1	2.6	19.5
<i>Trichocerca tigris</i>	3	2.1	7.5	6.7	8.4	<b>0.035</b>	<b>0.035</b>	<b>0.035</b>	<b>0.6</b>	<b>0.5</b>	<b>0.7</b>
<i>Trichocerca weberi</i>	23	6.0	7.7	7.2	8.3	0.396	0.121	1.303	<b>0.9</b>	<b>0.3</b>	<b>2.9</b>
<i>Trichotria pocillum</i>	22	3.4	8.0	7.6	8.4	<b>0.048</b>	<b>0.023</b>	<b>0.103</b>	<b>1.8</b>	<b>0.9</b>	<b>3.8</b>
<i>Trichotria tetractis</i>	7	3.2	6.6	5.7	7.7	<b>0.043</b>	<b>0.024</b>	<b>0.078</b>	<b>2.3</b>	<b>1.3</b>	<b>3.9</b>