

Supplementary Materials

Table S1. List of species according to recent nomenclature found in the Central Beetles Collection together with Korlević Collection and the Redenšek Beetles Collection of the Croatian Natural History Museum.

Family	Species
Anthicidae	<i>Anthelephila pedestris</i> (Rossi, 1790)
Anthicidae	<i>Anthicus antherinus</i> (Linnaeus, 1760)
Anthicidae	<i>Hirticollis hispidus</i> (Rossi, 1792)
Anthicidae	<i>Notoxus brachycerus</i> (Faldermann, 1837)
Anthicidae	<i>Omonadus floralis</i> (Linnaeus, 1758)
Anthribidae	<i>Anthribus nebulosus</i> (Forster & J.R., 1770)
Anthribidae	<i>Platyrhinus resinosus</i> (Scopoli & J.A., 1763)
Anthribidae	<i>Platystomos albinus</i> (Linnaeus, 1758)
Anthribidae	<i>Tropideres albirostris</i> (Schoenherr, 1823)
Attelabidae	<i>Attelabus nitens</i> (Voss, 1925)
Attelabidae	<i>Rhynchites bacchus</i> (Stephens, 1839)
Attelabidae	<i>Rhynchites pubescens</i> (J.C.Fabricius, 1775)
Bostrichidae	<i>Bostrichus capucinus</i> (Linnaeus, 1758)
Buprestidae	<i>Agrilus angustulus</i> (Illiger, 1803)
Buprestidae	<i>Agrilus hastulifer</i> (Ratzeburg, 1837)
Buprestidae	<i>Agrilus integerrimus</i> (Ratzeburg, 1837)
Buprestidae	<i>Agrilus laticornis</i> (Illiger, 1803)
Buprestidae	<i>Anthaxia cichorii</i> (Olivier, 1790)
Buprestidae	<i>Anthaxia nitidula</i> (Linnaeus, 1758)
Buprestidae	<i>Anthaxia podolica</i> (Mannerheim, 1837)
Buprestidae	<i>Anthaxia quadripunctata</i> (Linnaeus, 1758)
Buprestidae	<i>Anthaxia salicis</i> (Fabricius, 1776)
Buprestidae	<i>Chrysobothris affinis</i> (Fabricius, 1794)
Buprestidae	<i>Coraebus elatus</i> (Fabricius, 1787)
Buprestidae	<i>Lamprodila mirifica</i> (Mulsant, 1855)
Buprestidae	<i>Trachys minutus</i> (Linnaeus, 1758)
Byrrhidae	<i>Byrrhus pilula</i> (Linnaeus, 1758)
Byrrhidae	<i>Curimopsis paleata</i> (Erichson, 1846)
Byrrhidae	<i>Cytilus sericeus</i> (Forster, 1771)
Byrrhidae	<i>Pedilophorus auratus</i> (Duftschmid, 1825)
Byturidae	<i>Byturus ochraceus</i> (Scriba, 1790)
Byturidae	<i>Byturus tomentosus</i> (De Geer, 1774)
Byturidae	<i>Lamprobyrrhulus nitidus</i> (Schaller, 1783)
Cantharidae	<i>Ancistronycha erichsonii</i> (Bach, 1854)
Cantharidae	<i>Cantharis obscura</i> (Linnaeus, 1758)
Cantharidae	<i>Cantharis paludosa</i> (Fallén, 1807)
Cantharidae	<i>Cantharis rufa</i> (Linnaeus, 1758)
Cantharidae	<i>Cordicantharis longicollis</i> (Kiesenwetter, 1859)

Family	Species
Cantharidae	<i>Malthodes fuscus</i> (Waltl, 1838)
Cantharidae	<i>Metacantharis clypeata</i> (Illiger, 1798)
Cantharidae	<i>Rhagonycha elongata</i> (Fallén, 1807)
Carabidae	<i>Abax parallelepipedus</i> (Piller & Mitterpacher, 1783)
Carabidae	<i>Abax parallelus</i> (Duftschmid, 1812)
Carabidae	<i>Acupalpus flavicollis</i> (Sturm, 1825)
Carabidae	<i>Acupalpus meridianus</i> (Linnaeus, 1760)
Carabidae	<i>Agonum thoreyi</i> (Dejean, 1828)
Carabidae	<i>Agonum viduum</i> (Panzer, 1796)
Carabidae	<i>Amara aenea</i> (DeGeer, 1774)
Carabidae	<i>Amara famelica</i> (Zimmermann, 1832)
Carabidae	<i>Amara lucida</i> (Duftschmid, 1812)
Carabidae	<i>Amara nitida</i> (Sturm, 1825)
Carabidae	<i>Amara tricuspidata</i> (Dejean, 1831)
Carabidae	<i>Anisodactylus signatus</i> (Panzer, 1796)
Carabidae	<i>Anophthalmus kaufmanni</i> (Ganglbauer, 1900)
Carabidae	<i>Asaphidion caraboides</i> (Schränk, 1781)
Carabidae	<i>Asaphidion flavipes</i> (Linnaeus, 1760)
Carabidae	<i>Badister unipustulatus</i> (Bonelli, 1813)
Carabidae	<i>Bembidion andreae</i> (Fabricius, 1787)
Carabidae	<i>Bembidion articulatum</i> (Panzer, 1796)
Carabidae	<i>Bembidion assimile</i> (Gyllenhal, 1810)
Carabidae	<i>Bembidion decorum</i> (Panzer, 1799)
Carabidae	<i>Bembidion deletum</i> (Audinet-Serville, 1821)
Carabidae	<i>Bembidion dentellum</i> (Thunberg, 1787)
Carabidae	<i>Bembidion foraminosum</i> (Sturm, 1825)
Carabidae	<i>Bembidion lampros</i> (Herbst, 1784)
Carabidae	<i>Bembidion minimum</i> (Fabricius, 1792)
Carabidae	<i>Bembidion modestum</i> (Fabricius, 1801)
Carabidae	<i>Bembidion obliquum</i> (Sturm, 1825)
Carabidae	<i>Bembidion octomaculatum</i> (Goeze, 1777)
Carabidae	<i>Bembidion punctulatum</i> (Drapiez, 1820)
Carabidae	<i>Bembidion pygmaeum</i> (Fabricius, 1792)
Carabidae	<i>Bembidion quadrimaculatum</i> (Linnaeus, 1760)
Carabidae	<i>Bembidion quadripustulatum</i> (Audinet-Serville, 1821)
Carabidae	<i>Bembidion saxatile</i> (Gyllenhal, 1827)
Carabidae	<i>Bembidion semipunctatum</i> (Donovan, 1806)
Carabidae	<i>Bembidion splendidum</i> (Sturm, 1825)
Carabidae	<i>Bembidion testaceum</i> (Duftschmid, 1812)
Carabidae	<i>Bembidion varium</i> (G.A.Olivier, 1795)
Carabidae	<i>Brachinus crepitans</i> (Linnaeus, 1758)
Carabidae	<i>Brachinus explodens</i> (Duftschmid, 1812)

Family	Species
Carabidae	<i>Calathus melanocephalus</i> (Linnaeus, 1758)
Carabidae	<i>Calosoma inquisitor</i> (Linnaeus, 1758)
Carabidae	<i>Carabus convexus</i> (Fabricius, 1775)
Carabidae	<i>Carabus coriaceus</i> (Linnaeus, 1758)
Carabidae	<i>Carabus gigas</i> (Creutzer, 1799)
Carabidae	<i>Carabus granulatus</i> (Linnaeus, 1758)
Carabidae	<i>Carabus intricatus</i> (Linnaeus, 1760)
Carabidae	<i>Carabus nemoralis</i> (O.F.Müller, 1764)
Carabidae	<i>Chlaenius nitidulus</i> (Schränk, 1781)
Carabidae	<i>Cicindela campestris</i> (Linnaeus, 1758)
Carabidae	<i>Cicindela sylvicola</i> (Dejean, 1822)
Carabidae	<i>Cychrus attenuatus</i> (Fabricius, 1792)
Carabidae	<i>Diachromus germanus</i> (Linnaeus, 1758)
Carabidae	<i>Dyschirius nitidus</i> (Dejean, 1825)
Carabidae	<i>Dyschirius pusillus</i> (Dejean, 1825)
Carabidae	<i>Dyschirius rufipes</i> (Dejean, 1825)
Carabidae	<i>Elaphrus riparius</i> (Linnaeus, 1758)
Carabidae	<i>Epaphius secalis</i> (Paykull, 1790)
Carabidae	<i>Gynandromorphus etruscus</i> (Quensel, 1806)
Carabidae	<i>Harpalus atratus</i> (Latreille, 1804)
Carabidae	<i>Harpalus distinguendus</i> (Duftschmid, 1812)
Carabidae	<i>Harpalus griseus</i> (Panzer, 1796)
Carabidae	<i>Harpalus honestus</i> (Duftschmid, 1812)
Carabidae	<i>Harpalus pumilus</i> (Sturm, 1818)
Carabidae	<i>Harpalus rubripes</i> (Duftschmid, 1812)
Carabidae	<i>Harpalus rufipes</i> (DeGeer, 1774)
Carabidae	<i>Harpalus tardus</i> (Panzer, 1796)
Carabidae	<i>Lebia cyanocephala</i> (Linnaeus, 1758)
Carabidae	<i>Lionychus quadrillum</i> (Duftschmid, 1812)
Carabidae	<i>Microlestes maurus</i> (Sturm, 1827)
Carabidae	<i>Microlestes minutulus</i> (Goeze, 1777)
Carabidae	<i>Omophron limbatum</i> (Fabricius, 1777)
Carabidae	<i>Parophonus maculicornis</i> (Duftschmid, 1812)
Carabidae	<i>Pterostichus cursorius</i> (Dejean, 1828)
Carabidae	<i>Pterostichus fasciatopunctatus</i> (Creutzer, 1799)
Carabidae	<i>Pterostichus oblongopunctatus</i> (Fabricius, 1787)
Carabidae	<i>Pterostichus striatopunctatus</i> (Duftschmid, 1812)
Carabidae	<i>Pterostichus transversalis</i> (Duftschmid, 1812)
Carabidae	<i>Stenolophus teutonus</i> (Schränk, 1781)
Carabidae	<i>Syntomus obscuroguttatus</i> (Duftschmid, 1812)
Carabidae	<i>Tachys bistriatus</i> (Duftschmid, 1812)
Carabidae	<i>Trechus rubens</i> (Fabricius, 1792)

Family	Species
Cerambycidae	<i>Aegomorphus clavipes</i> (Schränk, 1781)
Cerambycidae	<i>Aegosoma scabricorne</i> (Scopoli, 1763)
Cerambycidae	<i>Agapanthia villosoviridescens</i> (Degeer, 1775)
Cerambycidae	<i>Alosterna tabacicolor</i> (Degeer, 1775)
Cerambycidae	<i>Anaglyptus mysticus</i> (Linnaeus, 1758)
Cerambycidae	<i>Anastrangalia dubia</i> (Scopoli, 1763)
Cerambycidae	<i>Anastrangalia sanguinolenta</i> (Linnaeus, 1761)
Cerambycidae	<i>Anoplodera rufipes</i> (Schaller, 1783)
Cerambycidae	<i>Anoplodera sexguttata</i> (Fabricius, 1775)
Cerambycidae	<i>Arhopalus rusticus</i> (Linnaeus, 1758)
Cerambycidae	<i>Aromia moschata</i> (Linnaeus, 1758)
Cerambycidae	<i>Asemum striatum</i> (Linnaeus, 1758)
Cerambycidae	<i>Axinopalpis gracilis</i> (Krynicky, 1832)
Cerambycidae	<i>Brachyta bifasciata</i> (Olivier, 1792)
Cerambycidae	<i>Callidium violaceum</i> (Linnaeus, 1758)
Cerambycidae	<i>Callimus angulatus</i> (Schränk, 1789)
Cerambycidae	<i>Cerambyx cerdo</i> (Linnaeus, 1758)
Cerambycidae	<i>Cerambyx miles</i> (Bonelli, 1823)
Cerambycidae	<i>Cerambyx nodulosus</i> (Germar, 1817)
Cerambycidae	<i>Cerambyx scopolii</i> (Fuesslin, 1775)
Cerambycidae	<i>Chlorophorus figuratus</i> (Scopoli, 1763)
Cerambycidae	<i>Chlorophorus sartor</i> (Müller, 1766)
Cerambycidae	<i>Chlorophorus varius</i> (Müller, 1766)
Cerambycidae	<i>Clytus arietis</i> (Linnaeus, 1758)
Cerambycidae	<i>Clytus rhamni</i> (Germar, 1817)
Cerambycidae	<i>Cortodera femorata</i> (Fabricius, 1787)
Cerambycidae	<i>Cortodera holosericea</i> (Fabricius, 1801)
Cerambycidae	<i>Cortodera humeralis</i> (Schaller, 1783)
Cerambycidae	<i>Cotyachryson cinereus</i> (Blanchard, 1851)
Cerambycidae	<i>Deilus fugax</i> (Olivier, 1790)
Cerambycidae	<i>Dinoptera collaris</i> (Linnaeus, 1758)
Cerambycidae	<i>Dorcadion arenarium</i> (Scopoli, 1763)
Cerambycidae	<i>Dorcadion pedestre</i> (Poda, 1761)
Cerambycidae	<i>Ergates faber</i> (Linnaeus, 1761)
Cerambycidae	<i>Evodinus clathratus</i> (Fabricius, 1793)
Cerambycidae	<i>Exocentrus adspersus</i> (Mulsant, 1846)
Cerambycidae	<i>Gaurotes virginea</i> (Linnaeus, 1758)
Cerambycidae	<i>Grammoptera abdominalis</i> (Stephens, 1831)
Cerambycidae	<i>Grammoptera ruficornis</i> (Fabricius, 1781)
Cerambycidae	<i>Grammoptera ustulata</i> (Schaller, 1783)
Cerambycidae	<i>Herophila tristis</i> (Linnaeus, 1767)
Cerambycidae	<i>Hylotrupes bajulus</i> (Linnaeus, 1758)

Family	Species
Cerambycidae	<i>Judolia sexmaculata</i> (Linnaeus, 1758)
Cerambycidae	<i>Lamia textor</i> (Linnaeus, 1758)
Cerambycidae	<i>Leiopus nebulosus</i> (Linnaeus, 1758)
Cerambycidae	<i>Leptura aethiops</i> (Poda, 1761)
Cerambycidae	<i>Leptura annularis</i> (Fabricius, 1801)
Cerambycidae	<i>Leptura aurulenta</i> (Fabricius, 1793)
Cerambycidae	<i>Leptura quadrifasciata</i> (Linnaeus, 1758)
Cerambycidae	<i>Mesosa nebulosa</i> (Fabricius, 1781)
Cerambycidae	<i>Molorchus minor</i> (Linnaeus, 1758)
Cerambycidae	<i>Monochamus sartor</i> (Fabricius, 1787)
Cerambycidae	<i>Monochamus sutor</i> (Linnaeus, 1758)
Cerambycidae	<i>Morimus funereus</i> (Mulsant, 1862)
Cerambycidae	<i>Oberea linearis</i> (Linnaeus, 1761)
Cerambycidae	<i>Oberea oculata</i> (Linnaeus, 1758)
Cerambycidae	<i>Oberea pedemontana</i> (Chevrolat, 1856)
Cerambycidae	<i>Opsilia molybdaena</i> (Vives & Alonso-Zarazaga, 2000)
Cerambycidae	<i>Oxymirus cursor</i> (Linnaeus, 1758)
Cerambycidae	<i>Pachyta quadrimaculata</i> (Linnaeus, 1758)
Cerambycidae	<i>Pachytodes cerambyciformis</i> (Schränk, 1781)
Cerambycidae	<i>Pachytodes erraticus</i> (Dalman, 1817)
Cerambycidae	<i>Paracorymbia fulva</i> (Degeer, 1775)
Cerambycidae	<i>Parmena balteus</i> (Linnaeus, 1767)
Cerambycidae	<i>Pedostrangalia revestita</i> (Linnaeus, 1767)
Cerambycidae	<i>Pedostrangalia verticalis</i> (Germar, 1822)
Cerambycidae	<i>Phymatodes rufipes</i> (Fabricius, 1776)
Cerambycidae	<i>Phymatodes testaceus</i> (Linnaeus, 1758)
Cerambycidae	<i>Phytoecia affinis</i> (Harrer, 1784)
Cerambycidae	<i>Phytoecia argus</i> (Frölich, 1793)
Cerambycidae	<i>Phytoecia cylindrica</i> (Linnaeus, 1758)
Cerambycidae	<i>Phytoecia icterica</i> (Schaller, 1783)
Cerambycidae	<i>Phytoecia pustulata</i> (Schränk, 1776)
Cerambycidae	<i>Pidonia lurida</i> (Fabricius, 1793)
Cerambycidae	<i>Plagionotus arcuatus</i> (Linnaeus, 1758)
Cerambycidae	<i>Plagionotus detritus</i> (Linnaeus, 1758)
Cerambycidae	<i>Poecilium alni</i> (Linnaeus, 1767)
Cerambycidae	<i>Poecilium pusillus</i> (Fabricius, 1787)
Cerambycidae	<i>Pogonocherus fasciculatus</i> (Degeer, 1775)
Cerambycidae	<i>Pogonocherus hispidulus</i> (Piller & Mitterpacher, 1783)
Cerambycidae	<i>Pogonocherus hispidus</i> (Linnaeus, 1758)
Cerambycidae	<i>Pogonocherus ovatus</i> (Goeze, 1777)
Cerambycidae	<i>Prionus coriarius</i> (Linnaeus, 1758)
Cerambycidae	<i>Pseudovadonia livida</i> (Fabricius, 1776)

Family	Species
Cerambycidae	<i>Purpuricenus kaehleri</i> (Linnaeus, 1758)
Cerambycidae	<i>Pyrrhidium sanguineum</i> (Linnaeus, 1758)
Cerambycidae	<i>Rhagium bifasciatum</i> (Fabricius, 1775)
Cerambycidae	<i>Rhagium inquisitor</i> (Linnaeus, 1758)
Cerambycidae	<i>Rhagium mordax</i> (Degeer, 1775)
Cerambycidae	<i>Rhagium sycophanta</i> (Schränk, 1781)
Cerambycidae	<i>Rhamnusium bicolor</i> (Schränk, 1781)
Cerambycidae	<i>Ropalopus clavipes</i> (Fabricius, 1775)
Cerambycidae	<i>Ropalopus macropus</i> (Germar, 1824)
Cerambycidae	<i>Ropalopus ungaricus</i> (Herbst, 1784)
Cerambycidae	<i>Rosalia alpina</i> (Linnaeus, 1758)
Cerambycidae	<i>Rutpela maculata</i> (Poda von Neuhaus, 1761)
Cerambycidae	<i>Saphanus piceus</i> (Laicharting, 1784)
Cerambycidae	<i>Semanotus undatus</i> (Linnaeus, 1758)
Cerambycidae	<i>Spondylis buprestoides</i> (Linnaeus, 1758)
Cerambycidae	<i>Stenocorus meridianus</i> (Linnaeus, 1758)
Cerambycidae	<i>Stenopterus rufus</i> (Linnaeus, 1767)
Cerambycidae	<i>Stenostola dubia</i> (Laicharting, 1784)
Cerambycidae	<i>Stenurella bifasciata</i> (Müller, 1776)
Cerambycidae	<i>Stenurella melanura</i> (Linnaeus, 1758)
Cerambycidae	<i>Stenurella nigra</i> (Linnaeus, 1758)
Cerambycidae	<i>Stenurella septempunctata</i> (Fabricius, 1793)
Cerambycidae	<i>Stictoleptura cordigera</i> (Fuesslin, 1775)
Cerambycidae	<i>Stictoleptura erythroptera</i> (Hagenbach, 1822)
Cerambycidae	<i>Stictoleptura maculicornis</i> (Sautière & Jacquot, 2006)
Cerambycidae	<i>Stictoleptura rubra</i> (Linnaeus, 1758)
Cerambycidae	<i>Stictoleptura scutellata</i> (Fabricius, 1781)
Cerambycidae	<i>Strangalia attenuata</i> (Linnaeus, 1758)
Cerambycidae	<i>Tetrops praeustus</i> (Linnaeus, 1758)
Cerambycidae	<i>Vadonia unipunctata</i> (Fabricius, 1787)
Cerambycidae	<i>Vesperus luridus</i> (Rossi, 1794)
Cerambycidae	<i>Xylotrechus rusticus</i> (Linnaeus, 1758)
Chrysomelidae	<i>Agelastica alni</i> (Linnaeus, 1758)
Chrysomelidae	<i>Altica helianthemii</i> (Allard, 1859)
Chrysomelidae	<i>Altica quercetorum</i> (Foudras, 1860)
Chrysomelidae	<i>Bromius obscurus</i> (Linnaeus, 1758)
Chrysomelidae	<i>Bruchidius cisti</i> (Fabricius, 1775)
Chrysomelidae	<i>Bruchus atomarius</i> (Linnaeus, 1761)
Chrysomelidae	<i>Calomicrus circumfusus</i> (Marsham, 1802)
Chrysomelidae	<i>Cassida murraea</i> (Linnaeus, 1767)
Chrysomelidae	<i>Cassida nebulosa</i> (Linnaeus, 1758)
Chrysomelidae	<i>Cassida nobilis</i> (Linnaeus, 1758)

Family	Species
Chrysomelidae	<i>Cassida vibex</i> (Linnaeus, 1767)
Chrysomelidae	<i>Cassida viridis</i> (Linnaeus, 1758)
Chrysomelidae	<i>Chaetocnema concinna</i> (Marsham, 1802)
Chrysomelidae	<i>Chaetocnema hortensis</i> (Geoffroy, 1785)
Chrysomelidae	<i>Chaetocnema semicoerulea</i> (Koch, 1803)
Chrysomelidae	<i>Chrysochus asclepiadeus</i> (Pallas, 1776)
Chrysomelidae	<i>Chrysolina fastuosa</i> (Scopoli, 1763)
Chrysomelidae	<i>Chrysolina globosa</i> (Panzer, 1805)
Chrysomelidae	<i>Chrysolina marginata</i> (Linnaeus, 1758)
Chrysomelidae	<i>Chrysolina purpurascens</i> (Germar, 1822)
Chrysomelidae	<i>Chrysolina sanguinolenta</i> (Linnaeus, 1758)
Chrysomelidae	<i>Chrysolina sturmi</i> (Westhoff, 1882)
Chrysomelidae	<i>Chrysomela populi</i> (Linnaeus, 1758)
Chrysomelidae	<i>Chrysomela saliceti</i> (Weise, 1884)
Chrysomelidae	<i>Crepidodera aurata</i> (Marsham, 1802)
Chrysomelidae	<i>Crepidodera aurea</i> (Geoffroy, 1785)
Chrysomelidae	<i>Crepidodera fulvicornis</i> (Fabricius, 1792)
Chrysomelidae	<i>Crepidodera lamina</i> (Bedel, 1901)
Chrysomelidae	<i>Cryptocephalus anticus</i> (Suffrian, 1848)
Chrysomelidae	<i>Cryptocephalus biguttatus</i> (Scopoli, 1763)
Chrysomelidae	<i>Cryptocephalus bipunctatus</i> (Linnaeus, 1758)
Chrysomelidae	<i>Cryptocephalus elegantulus</i> (Gravenhorst, 1807)
Chrysomelidae	<i>Cryptocephalus exiguus</i> (Schneider, 1792)
Chrysomelidae	<i>Cryptocephalus flavipes</i> (Fabricius, 1781)
Chrysomelidae	<i>Cryptocephalus hypochaeridis</i> (Linnaeus, 1758)
Chrysomelidae	<i>Cryptocephalus moraei</i> (Linnaeus, 1758)
Chrysomelidae	<i>Cryptocephalus ocellatus</i> (Drapiez, 1819)
Chrysomelidae	<i>Cryptocephalus pygmaeus</i> (Fabricius, 1792)
Chrysomelidae	<i>Cryptocephalus quinquepunctatus</i> (Scopoli, 1763)
Chrysomelidae	<i>Cryptocephalus rufipes</i> (Goeze, 1777)
Chrysomelidae	<i>Cryptocephalus violaceus</i> (Laicharting, 1781)
Chrysomelidae	<i>Diorhabda elongata</i> (Brullé, 1832)
Chrysomelidae	<i>Epitrix atropae</i> (Foudras, 1860)
Chrysomelidae	<i>Galeruca melanocephala</i> (Ponza, 1805)
Chrysomelidae	<i>Galeruca rufa</i> (Germar, 1824)
Chrysomelidae	<i>Galeruca tanaceti</i> (Linnaeus, 1758)
Chrysomelidae	<i>Gastrophysa polygoni</i> (Linnaeus, 1758)
Chrysomelidae	<i>Gonioctena fornicata</i> (Brüggemann, 1873)
Chrysomelidae	<i>Hermaphysa mercurialis</i> (Fabricius, 1792)
Chrysomelidae	<i>Hispa atra</i> (Linnaeus, 1767)
Chrysomelidae	<i>Labidostomis cyanicornis</i> (Germar, 1822)
Chrysomelidae	<i>Labidostomis humeralis</i> (Schneider, 1792)

Family	Species
Chrysomelidae	<i>Labidostomis longimana</i> (Linnaeus, 1761)
Chrysomelidae	<i>Labidostomis tridentata</i> (Linnaeus, 1758)
Chrysomelidae	<i>Leptinotarsa decemlineata</i> (Say, 1824)
Chrysomelidae	<i>Liliocercis merdigera</i> (Linnaeus, 1758)
Chrysomelidae	<i>Longitarsus linnaei</i> (Duftschmid, 1825)
Chrysomelidae	<i>Luperus xanthopoda</i> (Schrank, 1781)
Chrysomelidae	<i>Oulema melanopus</i> (Linnaeus, 1758)
Chrysomelidae	<i>Pachnophorus tessellatus</i> (Duftschmid, 1825)
Chrysomelidae	<i>Pachybrachis hieroglyphicus</i> (Laicharting, 1781)
Chrysomelidae	<i>Phratora vulgatissima</i> (Linnaeus, 1758)
Chrysomelidae	<i>Phyllotreta armoraciae</i> (Koch, 1803)
Chrysomelidae	<i>Phyllotreta cruciferae</i> (Goeze, 1777)
Chrysomelidae	<i>Phyllotreta ochripes</i> (Curtis, 1837)
Chrysomelidae	<i>Phyllotreta striolata</i> (Fabricius, 1801)
Chrysomelidae	<i>Phyllotreta undulata</i> (Kutschera, 1860)
Chrysomelidae	<i>Plagioderma versicolora</i> (Laicharting, 1781)
Chrysomelidae	<i>Plateumaris consimilis</i> (Schrank, 1781)
Chrysomelidae	<i>Prasocuris phellandrii</i> (Linnaeus, 1758)
Chrysomelidae	<i>Psylliodes affinis</i> (Paykull, 1799)
Chrysomelidae	<i>Psylliodes attenuata</i> (Koch, 1803)
Chrysomelidae	<i>Smaragdina affinis</i> (Illiger, 1794)
Chrysomelidae	<i>Smaragdina aurita</i> (Linnaeus, 1767)
Chrysomelidae	<i>Smaragdina salicina</i> (Scopoli, 1763)
Chrysomelidae	<i>Smaragdina xanthaspis</i> (Germar, 1824)
Chrysomelidae	<i>Timarcha metallica</i> (Laicharting, 1781)
Ciidae	<i>Cis boleti</i> (Scopoli, 1763)
Cleridae	<i>Korynetes caeruleus</i> (De Geer, 1775)
Cleridae	<i>Opilo domesticus</i> (Sturm, 1837)
Cleridae	<i>Tillus elongatus</i> (Linnaeus, 1758)
Cleridae	<i>Trichodes faviarius</i> (Illiger, 1802)
Coccinellidae	<i>Adalia bipunctata</i> (Linnaeus, 1758)
Coccinellidae	<i>Adalia decempunctata</i> (Linnaeus, 1758)
Coccinellidae	<i>Aphidecta oblitterata</i> (Linnaeus, 1758)
Coccinellidae	<i>Calvia decemguttata</i> (Linnaeus, 1767)
Coccinellidae	<i>Calvia quatuordecimguttata</i> (Linnaeus, 1758)
Coccinellidae	<i>Ceratomegilla undecimnotata</i> (Schneider, 1792)
Coccinellidae	<i>Chilocorus bipustulatus</i> (Linnaeus, 1758)
Coccinellidae	<i>Coccinella magnifica</i> (Redtenbacher, 1843)
Coccinellidae	<i>Coccinella septempunctata</i> (Linnaeus, 1758)
Coccinellidae	<i>Coccinula quatuordecimpustulata</i> (Linnaeus, 1758)
Coccinellidae	<i>Cynegetis impunctata</i> (Linnaeus, 1758)
Coccinellidae	<i>Exochomus quadripustulatus</i> (Linnaeus, 1758)

Family	Species
Coccinellidae	<i>Halyzia sedecimguttata</i> (Linnaeus, 1758)
Coccinellidae	<i>Hippodamia variegata</i> (Goeze, 1777)
Coccinellidae	<i>Hyperaspis reppensis</i> (Herbst, 1783)
Coccinellidae	<i>Myzia oblongoguttata</i> (Linnaeus, 1758)
Coccinellidae	<i>Nephus quadrimaculatus</i> (Herbst, 1783)
Coccinellidae	<i>Oenopia conglobata</i> (Linnaeus, 1758)
Coccinellidae	<i>Platynaspis luteorubra</i> (Goeze, 1777)
Coccinellidae	<i>Propylea quatuordecimpunctata</i> (Linnaeus, 1758)
Coccinellidae	<i>Psyllobora vigintiduopunctata</i> (Linnaeus, 1758)
Coccinellidae	<i>Scymnus frontalis</i> (Fabricius, 1787)
Coccinellidae	<i>Scymnus rubromaculatus</i> (Goeze, 1777)
Coccinellidae	<i>Tytthaspis sedecimpunctata</i> (Linnaeus, 1758)
Coccinellidae	<i>Vibidia duodecimguttata</i> (Poda, 1761)
Cryptophagidae	<i>Antherophagus pallens</i> (Linnaeus, 1758)
Cryptophagidae	<i>Cryptophagus distinguendus</i> (Sturm, 1845)
Curculionidae	<i>Cionus tuberculosus</i> (Scopoli & J.A., 1763)
Curculionidae	<i>Curculio nucum</i> (Linnaeus, 1758)
Curculionidae	<i>Curculio venosus</i> (Gravenhorst, 1807)
Curculionidae	<i>Dodecastichus inflatus</i> (Gyllenhal, 1834)
Curculionidae	<i>Glocianus maculaalba</i> (Herbst, 1795)
Curculionidae	<i>Hylesinus fraxini</i> (Panzer, 1799)
Curculionidae	<i>Liparus glabirostris</i> (Kuster, 1849)
Curculionidae	<i>Sitophilus oryzae</i> (Schoenherr, 1838)
Dascillidae	<i>Dascillus cervinus</i> (Linnaeus, 1758)
Dermestidae	<i>Anthrenus pimpinellae</i> (Fabricius, 1775)
Dermestidae	<i>Anthrenus scrophulariae</i> (Linnaeus, 1758)
Dermestidae	<i>Attagenus pantherinus</i> (Ahrens, 1814)
Dermestidae	<i>Attagenus pellio</i> (Linnaeus, 1758)
Dermestidae	<i>Attagenus punctatus</i> (Scopoli, 1772)
Dermestidae	<i>Attagenus unicolor</i> (Brahm, 1791)
Dermestidae	<i>Dermestes bicolor</i> (Fabricius, 1781)
Dermestidae	<i>Dermestes frischii</i> (Kugelann, 1792)
Dermestidae	<i>Dermestes lanarius</i> (Illiger, 1801)
Dermestidae	<i>Dermestes lardarius</i> (Linnaeus, 1758)
Dermestidae	<i>Dermestes undulatus</i> (Brahm, 1790)
Dryophthoridae	<i>Sitophilus granarius</i> (C.Linnaeus, 1758)
Dryopidae	<i>Dryops auriculatus</i> (Geoffroy, 1785)
Dryopidae	<i>Dryops ernesti</i> (Des Gozis, 1886)
Dryopidae	<i>Dryops luridus</i> (Erichson, 1847)
Dryopidae	<i>Pomatinus substriatus</i> (Müller, 1806)
Dytiscidae	<i>Hydaticus transversalis</i> (Pontoppidan, 1763)
Dytiscidae	<i>Hydroglyphus geminus</i> (Fabricius, 1792)

Family	Species
Dytiscidae	<i>Hydroporus memnonius</i> (Nicolai, 1822)
Dytiscidae	<i>Hydroporus planus</i> (Fabricius, 1782)
Dytiscidae	<i>Porhydrus lineatus</i> (Fabricius, 1775)
Elateridae	<i>Actenicerus sjaelandicus</i> (Müller, 1764)
Elateridae	<i>Adrastus montanus</i> (Scopoli, 1763)
Elateridae	<i>Adrastus pallens</i> (Fabricius, 1792)
Elateridae	<i>Adrastus rachifer</i> (Geoffroy, 1785)
Elateridae	<i>Agriotes acuminatus</i> (Stephens, 1830)
Elateridae	<i>Agriotes lineatus</i> (Linnaeus, 1767)
Elateridae	<i>Agriotes obscurus</i> (Linnaeus, 1758)
Elateridae	<i>Agriotes pilosellus</i> (Schönherr, 1817)
Elateridae	<i>Agriotes sputator</i> (Linnaeus, 1758)
Elateridae	<i>Agriotes ustulatus</i> (Schaller, 1783)
Elateridae	<i>Agrypnus murinus</i> (Linnaeus, 1758)
Elateridae	<i>Ampedus balteatus</i> (Linnaeus, 1758)
Elateridae	<i>Ampedus cinnabarinus</i> (Eschscholtz, 1829)
Elateridae	<i>Ampedus elongatulus</i> (Fabricius, 1787)
Elateridae	<i>Ampedus erythrogonus</i> (Müller, 1821)
Elateridae	<i>Ampedus nigrinus</i> (Herbst, 1784)
Elateridae	<i>Ampedus pomonae</i> (Stephens, 1830)
Elateridae	<i>Ampedus pomorum</i> (Herbst, 1784)
Elateridae	<i>Ampedus praeustus</i> (Fabricius, 1792)
Elateridae	<i>Ampedus rufipennis</i> (Stephens, 1830)
Elateridae	<i>Ampedus sanguineus</i> (Linnaeus, 1758)
Elateridae	<i>Ampedus sanguinolentus</i> (Schränk, 1776)
Elateridae	<i>Ampedus sinuatus</i> Germar, 1844
Elateridae	<i>Anostirus castaneus</i> (Linnaeus, 1758)
Elateridae	<i>Anostirus purpureus</i> (Poda, 1761)
Elateridae	<i>Athous austriacus</i> (Desbrochers des Loges, 1873)
Elateridae	<i>Athous bicolor</i> (Goeze, 1777)
Elateridae	<i>Athous haemorrhoidalis</i> (Fabricius, 1801)
Elateridae	<i>Athous jejunos</i> (Kiesenwetter, 1858)
Elateridae	<i>Athous subfuscus</i> (Müller, 1764)
Elateridae	<i>Athous vittatus</i> (Fabricius, 1792)
Elateridae	<i>Betarmon bisbimaculatus</i> (Fabricius, 1803)
Elateridae	<i>Calambus bipustulatus</i> (Linnaeus, 1767)
Elateridae	<i>Cardiophorus gramineus</i> (Scopoli, 1763)
Elateridae	<i>Cardiophorus ruficollis</i> (Linnaeus, 1758)
Elateridae	<i>Cidnopus pilosus</i> (Leske, 1785)
Elateridae	<i>Ctenicera pectinicornis</i> (Linnaeus, 1758)
Elateridae	<i>Ctenicera virens</i> (Schränk, 1781)
Elateridae	<i>Dalopius marginatus</i> (Linnaeus, 1758)

Family	Species
Elateridae	<i>Denticollis linearis</i> (Linnaeus, 1758)
Elateridae	<i>Dicronychus cinereus</i> (Herbst, 1784)
Elateridae	<i>Dicronychus equiseti</i> (Herbst, 1784)
Elateridae	<i>Drapetes mordelloides</i> (Host, 1789)
Elateridae	<i>Drasterius bimaculatus</i> (Rossi, 1790)
Elateridae	<i>Elater ferrugineus</i> (Linnaeus, 1758)
Elateridae	<i>Hemicrepidius hirtus</i> (Herbst, 1784)
Elateridae	<i>Hemicrepidius niger</i> (Linnaeus, 1758)
Elateridae	<i>Ischnodes sanguinicollis</i> (Panzer, 1793)
Elateridae	<i>Lacon punctatus</i> (Herbst, 1779)
Elateridae	<i>Melanotus castanipes</i> (Paykull, 1800)
Elateridae	<i>Melanotus crassicollis</i> (Erichson, 1841)
Elateridae	<i>Melanotus punctolineatus</i> (Pelerin, 1829)
Elateridae	<i>Negastrius pulchellus</i> (Linnaeus, 1761)
Elateridae	<i>Nothodes parvulus</i> (Panzer, 1799)
Elateridae	<i>Pheletes quercus</i> (Olivier, 1790)
Elateridae	<i>Procræus tibialis</i> (Lacordaire, 1835)
Elateridae	<i>Prosternon tessellatum</i> (Linnaeus, 1758)
Elateridae	<i>Quasimus minutissimus</i> (Germar, 1823)
Elateridae	<i>Selatosomus aeneus</i> (Linnaeus, 1758)
Elateridae	<i>Selatosomus confluens</i> (Gebler, 1829)
Elateridae	<i>Selatosomus cruciatus</i> (Linnaeus, 1758)
Elateridae	<i>Selatosomus latus</i> (Fabricius, 1801)
Elateridae	<i>Stenagostus rhombeus</i> (Olivier, 1790)
Elateridae	<i>Synaptus filiformis</i> (Fabricius, 1781)
Elateridae	<i>Zorochros dermestoides</i> (Herbst, 1806)
Elmidae	<i>Elmis maugetii</i> (Latreille, 1802)
Elmidae	<i>Limnius perrisi</i> (Dufour, 1843)
Endomychidae	<i>Endomychus coccineus</i> (Linnaeus, 1758)
Erotylidae	<i>Dacne bipustulata</i> (Thunberg, 1781)
Erotylidae	<i>Dacne rufifrons</i> (Fabricius, 1775)
Erotylidae	<i>Triplax aenea</i> (Schaller, 1783)
Erotylidae	<i>Triplax elongata</i> (Lacordaire, 1842)
Erotylidae	<i>Triplax rufipes</i> (Fabricius, 1787)
Erotylidae	<i>Triplax russica</i> (Linnaeus, 1758)
Erotylidae	<i>Tritoma bipustulata</i> (Fabricius, 1775)
Geotrupidae	<i>Anoplotrupes stercorosus</i> (Scriba, 1791)
Geotrupidae	<i>Geotrupes mutator</i> (Marsham, 1802)
Halipilidae	<i>Peltodytes caesus</i> (Duftschmid, 1805)
Helophoridae	<i>Helophorus aquaticus</i> (Linnaeus, 1758)
Helophoridae	<i>Helophorus griseus</i> (Herbst, 1793)
Helophoridae	<i>Helophorus nubilus</i> (Fabricius, 1777)

Family	Species
Heteroceridae	<i>Augyles sericans</i> (Kiesenwetter, 1843)
Heteroceridae	<i>Heterocerus fenestratus</i> (Thunberg, 1784)
Heteroceridae	<i>Heterocerus flexuosus</i> (Stephens, 1828)
Heteroceridae	<i>Heterocerus fossor</i> (Kiesenwetter, 1843)
Heteroceridae	<i>Heterocerus fuscus</i> (Kiesenwetter, 1843)
Heteroceridae	<i>Heterocerus marginatus</i> (Fabricius, 1787)
Heteroceridae	<i>Heterocerus obsoletus</i> (Curtis, 1828)
Histeridae	<i>Atholus corvinus</i> (Germar, 1817)
Histeridae	<i>Chalcionellus decemstriatus</i> (P.Rossi, 1792)
Histeridae	<i>Haeterius ferrugineus</i> (Olivier, 1789)
Histeridae	<i>Hister quadrimaculatus</i> (Linnaeus, 1758)
Histeridae	<i>Hister quadrinotatus</i> (Scriba, 1790)
Histeridae	<i>Margarinotus bipustulatus</i> (Schränk, 1781)
Histeridae	<i>Margarinotus brunneus</i> (Fabricius, 1775)
Histeridae	<i>Margarinotus obscurus</i> (Kugelann, 1792)
Histeridae	<i>Margarinotus punctiventer</i> (Marseul, 1854)
Histeridae	<i>Margarinotus purpurascens</i> (Herbst, 1791)
Histeridae	<i>Platysoma angustatum</i> (Hoffmann, 1803)
Hydraenidae	<i>Hydraena riparia</i> (Kugelann, 1794)
Hydraenidae	<i>Ochthebius minimus</i> (Fabricius, 1792)
Hydrophilidae	<i>Berosus signaticollis</i> (T.Charpentier, 1825)
Hydrophilidae	<i>Limnoxenus niger</i> (Gmelin, 1790)
Hydrophilidae	<i>Sphaeridium bipustulatum</i> (Fabricius, 1781)
Leiodidae	<i>Scioldrepoides fumatus</i> (Spence, 1813)
Lucanidae	<i>Aesalus scarabaeoides</i> (Panzer, 1793)
Lucanidae	<i>Ceruchus chrysomelinus</i> (Hochenwarth, 1785)
Lucanidae	<i>Dorcus parallelipedus</i> (Linnaeus, 1758)
Lucanidae	<i>Lucanus cervus</i> (Linnaeus, 1758)
Lucanidae	<i>Platycerus caraboides</i> (Linnaeus, 1758)
Lucanidae	<i>Sinodendron cylindricum</i> (Linnaeus, 1758)
Malachiidae	<i>Axinotarsus pulicarius</i> (Fabricius, 1777)
Malachiidae	<i>Axinotarsus ruficollis</i> (Olivier, 1790)
Malachiidae	<i>Malachius aeneus</i> (Linnaeus, 1761)
Malachiidae	<i>Malachius bipustulatus</i> (Linnaeus, 1758)
Melandryidae	<i>Serropalpus barbatus</i> (Schaller, 1783)
Meloidae	<i>Lytta vesicatoria</i> (Linnaeus, 1758)
Meloidae	<i>Meloe brevicollis</i> (Panzer, 1793)
Meloidae	<i>Meloe cicatricosus</i> (Leach, 1815)
Meloidae	<i>Meloe proscarabaeus</i> (Linnaeus, 1758)
Meloidae	<i>Meloe rugosus</i> (Marsham, 1802)
Meloidae	<i>Meloe scabriusculus</i> (Brandt & Erichson, 1832)
Meloidae	<i>Meloe violaceus</i> (Marsham, 1802)

Family	Species
Monotomidae	<i>Rhizophagus perforatus</i> (Erichson, 1845)
Mycetophagidae	<i>Mycetophagus multipunctatus</i> (Fabricius, 1792)
Mycetophagidae	<i>Mycetophagus quadripustulatus</i> (Linnaeus, 1761)
Nitidulidae	<i>Astylogethes subrugosus</i> (Gyllenhal, 1808)
Nitidulidae	<i>Carpophilus hemipterus</i> (Linnaeus, 1758)
Nitidulidae	<i>Epuraea aestiva</i> (Linnaeus, 1758)
Nitidulidae	<i>Epuraea marseuli</i> (Reitter, 1873)
Nitidulidae	<i>Epuraea terminalis</i> (Mannerheim, 1843)
Nitidulidae	<i>Meligethes denticulatus</i> (Heer, 1841)
Nitidulidae	<i>Meligethes pedicularius</i> (Gyllenhal, 1808)
Nitidulidae	<i>Meligethes ruficornis</i> (LeConte, 1859)
Nitidulidae	<i>Meligethes umbrosus</i> (Sturm, 1845)
Nitidulidae	<i>Omosita discoidea</i> (Fabricius, 1775)
Nitidulidae	<i>Pocadius ferrugineus</i> (Fabricius, 1775)
Nitidulidae	<i>Xerogethes discoideus</i> (Erichson, 1845)
Nosodendridae	<i>Nosodendron fasciculare</i> (Olivier, 1790)
Oedemeridae	<i>Ischnomera sanguinicollis</i> (Fabricius, 1787)
Oedemeridae	<i>Oedemera femorata</i> (Scopoli, 1763)
Oedemeridae	<i>Oedemera lurida</i> (Marsham, 1802)
Oedemeridae	<i>Oedemera podagrariae</i> (Linnaeus, 1767)
Oedemeridae	<i>Oedemera pthysica</i> (Scopoli, 1763)
Oedemeridae	<i>Oedemera virescens</i> (Linnaeus, 1767)
Ptinidae	<i>Xestobium austriacum</i> (Reitter, 1890)
Pyrochroidae	<i>Pyrochroa coccinea</i> (Linnaeus, 1761)
Salpingidae	<i>Salpingus ruficollis</i> (Linnaeus, 1761)
Salpingidae	<i>Vincenzellus ruficollis</i> (Panzer, 1794)
Scarabaeidae	<i>Acanthobodilus immundus</i> (Creutzer, 1799)
Scarabaeidae	<i>Amphimallon assimile</i> (Herbst, 1790)
Scarabaeidae	<i>Amphimallon ruficorne</i> (Fabricius, 1775)
Scarabaeidae	<i>Amphimallon solstitiale</i> (Linnaeus, 1758)
Scarabaeidae	<i>Anisoplia tempestiva</i> (Erichson, 1848)
Scarabaeidae	<i>Anomala dubia</i> (Scopoli, 1763)
Scarabaeidae	<i>Anomala vitis</i> (Fabricius, 1775)
Scarabaeidae	<i>Anoxia orientalis</i> (Krynicky, 1832)
Scarabaeidae	<i>Anoxia pilosa</i> (Fabricius, 1792)
Scarabaeidae	<i>Aphodius alpinus</i> (Drapiez, 1819)
Scarabaeidae	<i>Aphodius ater</i> (De Geer, 1774)
Scarabaeidae	<i>Aphodius bimaculatus</i> (Laxman, 1770)
Scarabaeidae	<i>Aphodius consputus</i> (Creutzer, 1799)
Scarabaeidae	<i>Aphodius depressus</i> (Kugelann, 1792)
Scarabaeidae	<i>Aphodius distinctus</i> (Müller, 1776)
Scarabaeidae	<i>Aphodius erraticus</i> (Linnaeus, 1758)

Family	Species
Scarabaeidae	<i>Aphodius fimetarius</i> (Linnaeus, 1758)
Scarabaeidae	<i>Aphodius fossor</i> (Linnaeus, 1758)
Scarabaeidae	<i>Aphodius granarius</i> (Linnaeus, 1767)
Scarabaeidae	<i>Aphodius haemorrhoidalis</i> (Linnaeus, 1758)
Scarabaeidae	<i>Aphodius immundus</i> (Creutzer, 1799)
Scarabaeidae	<i>Aphodius lividus</i> (Olivier, 1789)
Scarabaeidae	<i>Aphodius luridus</i> (Fabricius, 1775)
Scarabaeidae	<i>Aphodius merdarius</i> (Fabricius, 1775)
Scarabaeidae	<i>Aphodius obliteratedus</i> (Panzer, 1823)
Scarabaeidae	<i>Aphodius prodromus</i> (Brahm, 1790)
Scarabaeidae	<i>Aphodius pubescens</i> (Sturm, 1800)
Scarabaeidae	<i>Aphodius punctatosulcatus</i> (Sturm, 1805)
Scarabaeidae	<i>Aphodius pusillus</i> (Herbst, 1789)
Scarabaeidae	<i>Aphodius rufescens</i> (Fabricius, 1801)
Scarabaeidae	<i>Aphodius rufipes</i> (Linnaeus, 1758)
Scarabaeidae	<i>Aphodius satellitus</i> (Herbst, 1789)
Scarabaeidae	<i>Aphodius sticticus</i> (Panzer, 1798)
Scarabaeidae	<i>Aphodius subterraneus</i> (Linnaeus, 1758)
Scarabaeidae	<i>Aphodius varians</i> (Duftschmid, 1805)
Scarabaeidae	<i>Aplidia transversa</i> (Fabricius, 1801)
Scarabaeidae	<i>Caccobius schreberi</i> (Linnaeus, 1767)
Scarabaeidae	<i>Cetonia aurata</i> (Linnaeus, 1758)
Scarabaeidae	<i>Chilothorax distinctus</i> (Müller, 1776)
Scarabaeidae	<i>Copris lunaris</i> (Linnaeus, 1758)
Scarabaeidae	<i>Elaphocera dalmatina</i> (Motschulsky, 1859)
Scarabaeidae	<i>Euoniticellus fulvus</i> (Goeze, 1777)
Scarabaeidae	<i>Firminus lautiusculus</i> (Schaufuss, 1864)
Scarabaeidae	<i>Gnorimus nobilis</i> (Linnaeus, 1758)
Scarabaeidae	<i>Gnorimus variabilis</i> (Linnaeus, 1758)
Scarabaeidae	<i>Holochelus aequinoctialis</i> (Herbst, 1790)
Scarabaeidae	<i>Hoplia argentea</i> (Poda, 1761)
Scarabaeidae	<i>Hoplia philanthus</i> (Fuessly, 1775)
Scarabaeidae	<i>Hoplia praticola</i> (Duftschmidt, 1805)
Scarabaeidae	<i>Hymenoplia chevrolati</i> (Mulsant, 1842)
Scarabaeidae	<i>Maladera holosericea</i> (Scopoli, 1772)
Scarabaeidae	<i>Melolontha albida</i> (Fivaldszky, 1835)
Scarabaeidae	<i>Melolontha hippocastani</i> (Fabricius, 1801)
Scarabaeidae	<i>Melolontha melolontha</i> (Linnaeus, 1758)
Scarabaeidae	<i>Miltotrogus vernus</i> (Germar, 1823)
Scarabaeidae	<i>Mimela aurata</i> (Fabricius, 1801)
Scarabaeidae	<i>Omaloplia ruricola</i> (Fabricius, 1775)
Scarabaeidae	<i>Onthophagus furcatus</i> (Fabricius, 1781)

Family	Species
Scarabaeidae	<i>Onthophagus lemur</i> (Fabricius, 1781)
Scarabaeidae	<i>Onthophagus nuchicornis</i> (Linnaeus, 1758)
Scarabaeidae	<i>Onthophagus ovatus</i> (Linnaeus, 1767)
Scarabaeidae	<i>Onthophagus taurus</i> (Schreber, 1759)
Scarabaeidae	<i>Onthophagus vacca</i> (Linnaeus, 1767)
Scarabaeidae	<i>Onthophagus verticicornis</i> (Laicharting, 1781)
Scarabaeidae	<i>Onthophagus vitulus</i> (Fabricius, 1776)
Scarabaeidae	<i>Oryctes nasicornis</i> (Linnaeus, 1758)
Scarabaeidae	<i>Osmoderma eremita</i> (Scopoli, 1763)
Scarabaeidae	<i>Oxyomus sylvestris</i> (Scopoli, 1763)
Scarabaeidae	<i>Oxythyrea funesta</i> (Poda, 1761)
Scarabaeidae	<i>Phyllopertha horticola</i> (Linnaeus, 1758)
Scarabaeidae	<i>Pleurophorus caesus</i> (Panzer, 1796)
Scarabaeidae	<i>Polyphylla fullo</i> (Linnaeus, 1758)
Scarabaeidae	<i>Protaetia aeruginosa</i> (Linnaeus, 1767)
Scarabaeidae	<i>Protaetia affinis</i> (Andersch, 1797)
Scarabaeidae	<i>Protaetia cuprea</i> (Fabricius, 1775)
Scarabaeidae	<i>Protaetia fieberi</i> (Kraatz, 1880)
Scarabaeidae	<i>Protaetia lugubris</i> (Herbst, 1786)
Scarabaeidae	<i>Protaetia speciosissima</i> (Scopoli, 1786)
Scarabaeidae	<i>Psammodius asper</i> (Fabricius, 1775)
Scarabaeidae	<i>Rhizotrogus aestivus</i> (Olivier, 1789)
Scarabaeidae	<i>Serica brunnea</i> (Linnaeus, 1758)
Scarabaeidae	<i>Sisyphus schaefferi</i> (Linnaeus, 1758)
Scarabaeidae	<i>Trichius abdominalis</i> (Ménétrières, 1832)
Scarabaeidae	<i>Trichius fasciatus</i> (Linnaeus, 1758)
Scarabaeidae	<i>Trichius rosaceus</i> (Voet, 1769)
Scarabaeidae	<i>Tropinota hirta</i> (Poda, 1761)
Scarabaeidae	<i>Tropinota squalida</i> (Scopoli, 1763)
Scarabaeidae	<i>Valgus hemipterus</i> (Linnaeus, 1758)
Scirtidae	<i>Elodes marginata</i> (Fabricius, 1798)
Scaptiidae	<i>Anaspis thoracica</i> (Linnaeus, 1758)
Silphidae	<i>Ablattaria laevigata</i> (Fabricius, 1775)
Silphidae	<i>Aclypea undata</i> (Müller & O.F., 1776)
Silphidae	<i>Necrodes littoralis</i> (Linnaeus, 1758)
Silphidae	<i>Nicrophorus humator</i> (Gleditsch, 1767)
Silphidae	<i>Nicrophorus interruptus</i> (Stephens, 1830)
Silphidae	<i>Nicrophorus vespilloides</i> (Herbst, 1783)
Silphidae	<i>Oiceoptoma thoracicum</i> (Linnaeus, 1758)
Silphidae	<i>Silpha obscura</i> (Linnaeus, 1758)
Silphidae	<i>Thanatophilus rugosus</i> (Linnaeus, 1758)
Silphidae	<i>Thanatophilus sinuatus</i> (Fabricius, 1775)

Family	Species
Silvanidae	<i>Silvanus unidentatus</i> (Olivier, 1790)
Staphylinidae	<i>Abemus chloropterus</i> (Creutzer, 1796)
Staphylinidae	<i>Amphichroum canaliculatum</i> (Erichson, 1840)
Staphylinidae	<i>Anotylus rugosus</i> (Fabricius, 1775)
Staphylinidae	<i>Aploderus caelatus</i> (Gravenhorst, 1802)
Staphylinidae	<i>Atheta spelaea</i> (Erichson, 1839)
Staphylinidae	<i>Atrecus affinis</i> (Paykull, 1789)
Staphylinidae	<i>Autalia impressa</i> (Olivier & A.G., 1795)
Staphylinidae	<i>Bolitochara pulchra</i> (Gravenhorst, 1806)
Staphylinidae	<i>Brachygluta haematica</i> (Reichenbach, 1816)
Staphylinidae	<i>Creophilus maxillosus</i> (Linnaeus, 1758)
Staphylinidae	<i>Deleaster dichrous</i> (Gravenhorst, 1802)
Staphylinidae	<i>Dinothenarus chrysocomus</i> (Mannerheim, 1830)
Staphylinidae	<i>Eusphalerum longipenne</i> (Erichson, 1839)
Staphylinidae	<i>Eusphalerum tenenbaumi</i> (Bernhauer, 1932)
Staphylinidae	<i>Haploglossa pulla</i> (Gyllenhal, 1827)
Staphylinidae	<i>Hypnogyra angularis</i> (Ganglbauer, 1895)
Staphylinidae	<i>Lesteva pubescens</i> (Mannerheim, 1830)
Staphylinidae	<i>Nicrophorus investigator</i> (Zetterstedt, 1824)
Staphylinidae	<i>Ocypus olens</i> (Müller & O.F., 1764)
Staphylinidae	<i>Ontholestes murinus</i> (Linnaeus, 1758)
Staphylinidae	<i>Ontholestes tessellatus</i> (Geoffroy, 1785)
Staphylinidae	<i>Othius punctulatus</i> (Goeze, 1777)
Staphylinidae	<i>Oxyporus rufus</i> (Linnaeus, 1758)
Staphylinidae	<i>Paederidus ruficollis</i> (Fabricius, 1777)
Staphylinidae	<i>Paederus fuscipes</i> (Curtis, 1826)
Staphylinidae	<i>Quedius unicolor</i> (Kiesenwetter, 1847)
Staphylinidae	<i>Reichenbachia antennata</i> (Leach, 1817)
Staphylinidae	<i>Rugilus rufipes</i> (Germar, 1836)
Staphylinidae	<i>Rybaxis longicornis</i> (Leach, 1817)
Staphylinidae	<i>Scaphidium quadrimaculatum</i> (Olivier, 1790)
Staphylinidae	<i>Scaphisoma agaricinum</i> (Linnaeus, 1758)
Staphylinidae	<i>Staphylinus erythropterus</i> (Linnaeus, 1758)
Staphylinidae	<i>Tachinus humeralis</i> (Gravenhorst, 1802)
Staphylinidae	<i>Tachinus laticollis</i> (Gravenhorst, 1802)
Staphylinidae	<i>Tachinus lignorum</i> (Linnaeus, 1758)
Tenebrionidae	<i>Blaps lethifera</i> (Marsham, 1802)
Tenebrionidae	<i>Blaps mortisaga</i> (Linnaeus, 1758)
Tenebrionidae	<i>Bolitophagus interruptus</i> (Illiger, 1800)
Tenebrionidae	<i>Bolitophagus reticulatus</i> (Linnaeus, 1767)
Tenebrionidae	<i>Centorus procerus</i> (Mulsant, 1854)
Tenebrionidae	<i>Corticeus fasciatus</i> (Fabricius, 1790)

Family	Species
Tenebrionidae	<i>Corticeus pini</i> (Panzer, 1799)
Tenebrionidae	<i>Corticeus unicolor</i> (Piller & Mitterpacher, 1783)
Tenebrionidae	<i>Crypticus quisquilius</i> (Linnaeus, 1760)
Tenebrionidae	<i>Cteniopus sulphureus</i> (Linnaeus, 1758)
Tenebrionidae	<i>Diaperis boleti</i> (Linnaeus, 1758)
Tenebrionidae	<i>Eledona agricola</i> (Herbst, 1783)
Tenebrionidae	<i>Enoplopus velikensis</i> Piller & Mitterpacher, 1783
Tenebrionidae	<i>Gnaptor spinimanus</i> (Pallas, 1781)
Tenebrionidae	<i>Gonodera luperus</i> (Herbst, 1783)
Tenebrionidae	<i>Helops caeruleus</i> (Linnaeus, 1758)
Tenebrionidae	<i>Helops coeruleus</i> (Linnaeus, 1758)
Tenebrionidae	<i>Helops rossii</i> (Germar, 1817)
Tenebrionidae	<i>Hypophloeus bicolor</i> (Olivier, 1790)
Tenebrionidae	<i>Iphthiminus italicus</i> (Truqui, 1857)
Tenebrionidae	<i>Laena viennensis</i> (Sturm, 1807)
Tenebrionidae	<i>Lagria hirta</i> (Linnaeus, 1758)
Tenebrionidae	<i>Menepphilus cylindricus</i> (Herbst, 1784)
Tenebrionidae	<i>Nalassus dermestoides</i> (Illiger, 1798)
Tenebrionidae	<i>Nalassus laevioctostriatus</i> (Goeze, 1777)
Tenebrionidae	<i>Neomida haemorrhoidalis</i> (Fabricius, 1787)
Tenebrionidae	<i>Omophlus lepturoides</i> (Fabricius, 1787)
Tenebrionidae	<i>Opatrum sabulosum</i> (Linnaeus, 1761)
Tenebrionidae	<i>Palorus depressus</i> (Fabricius, 1790)
Tenebrionidae	<i>Platydema dejeanii</i> (Laporte de Castelnau & Brullé, 1831)
Tenebrionidae	<i>Pseudocistela ceramoides</i> (Linnaeus, 1758)
Tenebrionidae	<i>Scaphidema metallicum</i> (Fabricius, 1792)
Tenebrionidae	<i>Stenomax aeneus</i> (Scopoli, 1763)
Tenebrionidae	<i>Tenebrio molitor</i> (Linnaeus, 1758)
Tenebrionidae	<i>Tenebrio obscurus</i> (Fabricius, 1792)
Tenebrionidae	<i>Trachyscelis aphodioides</i> (Latreille, 1809)
Tenebrionidae	<i>Tribolium castaneum</i> (Herbst, 1797)
Tenebrionidae	<i>Uloma culinaris</i> (Linnaeus, 1758)
Trogossitidae	<i>Tenebroides mauritanicus</i> (Linnaeus, 1758)
Zopheridae	<i>Bitoma crenata</i> (Fabricius, 1775)
Zopheridae	<i>Pycnomerus terebrans</i> (Olivier, 1790)

Table S2. List of families found in the Central Beetles Collection together with Korlević Collection and the Redenšek Beetles Collection of the Croatian Natural History Museum with the locations where they were found.

Anthicidae	Cleridae	Mycetophagidae
Botanički vrt	Medvednica	Kraljičin zdenac
Cmrok	Sv. Jakob	Medvednica
Medvednica	Zagreb	Trnje
Sv. Jakob	Coccinellidae	Zagreb
Tuškanac	Kraljičin zdenac	Nitidulidae
Zagreb	Medvednica	Cmrok
Anthribidae	Sv. Jakob	Medvednica
Sv. Jakob	Zagreb	Podsused
Zagreb	Cryptophagidae	Sv. Jakob
Attelabidae	Kraljičin zdenac	Tuškanac
Lipa	Veternica	Zagreb
Zagreb	Curculionidae	Zagreb Sava
Bostrichidae	Zagreb	Zelengaj
Sv. Jakob	Dascillidae	Nosodendridae
Buprestidae	Maksimir	Zagreb
Cmrok	Sv. Jakob	Oedemeridae
Glavica	Dermestidae	Maksimir
Medvednica	Zagreb	Sv. Jakob
Sv. Jakob	Dryopidae	Zagreb
Zagreb	Podsused	Ptinidae
Byrrhidae	Sigečica	Zagreb
Maksimir	Zagreb	Pyrochroidae
Medvednica	Dytiscidae	Zagreb
Zagreb	Podsused	Salpingidae
Zagreb Sava	Zagreb	Sv. Jakob
Byturidae	Elateridae	Zagreb
Maksimir	Borongaj	Scarabaeidae
Zagreb	Botanički vrt	Bliznec
Cantharidae	Cmrok	Borčec
Medvednica	Gornji grad	Borongaj
Sv. Jakob	Gračani	Botanički vrt
Zagreb	Kraljičin zdenac	Cmrok
Carabidae	Laščina	Donji grad
Bizečka peć	Lipa	Gornji grad
Borčec	Maksimir	Gračani
Cmrok	Markuševac	Grenešinska Dubrava
Jelenovac	Medvedgrad	Jakuševac
Kraljičin zdenac	Medvednica	Jazbina

Maksimir	Mirogoj	Josipovac
Medvedgrad	Podsused	Kraljičin zdenac
Medvednica	Prekrižje	Ksaver
Mrzljak Zagrebačka gora	Sv. Jakob	Maksimir
Podsused	Šašinovec	Medvednica
Sigečica	Trnje	Mirogoj
Sv. Jakob	Zagreb	Podsused
Tuškanac	Zagreb Sava	Rauchova lugarnica
Veternica	Elmidae	Rebro
Zagreb	Podsused	Stenjevec
Zagreb Sava	Endomychidae	Sv. Jakob
Cerambycidae	Sv. Jakob	Šestine
Baćun	Erotylidae	Šestinski kraljevec
Bidrovec	Kraljičin zdenac	Teškovec
Bizečka peć	Maksimir	Trg žrtava fašizma
Blato	Medvednica	Trnje
Botanički vrt	Prekrižje	Tuškanac
Bukovac	Trnje	Vrapče
Cmrok	Zagreb	Zagreb
Dolje	Zelengaj	Zagreb Sava
Dubravkin put	Geotrupidae	Zagrebačka Dubrava
Gračani	Sv. Jakob	Zelengaj
Grenešinska Dubrava	Zagreb	Scirtidae
Jelenovac	Helophoridae	Lipa
Josipovac	Maksimir	Scaptiidae
Kaptol	Zagreb	Medvednica
Kraljičin zdenac	Heteroceridae	Silphidae
Ksaver	Kraljičin zdenac	Lipa
Lipa	Maksimir	Maksimir
Maksimir	Podsused	Sv. Jakob
Markuševac	Zagreb Sava	Zagreb
Medvedgrad	Histeridae	Silvanidae
Medvednica	Medvednica	Zagreb
Medveščak	Zagreb	Staphylinidae
Mirogoj	Hydraenidae	Bizečka peć
Podsused	Podsused	Cmrok
Prekrižje	Zagreb	Jelenovac
Rebro	Hydrophilidae	Kraljičin zdenac
Remete	Kraljičin zdenac	Maksimir
Stenjevec	Zagreb	Sigečica
Susedgrad	Zagreb Sava	Sv. Jakob
Sv. Jakob	Leiodidae	Tuškanac
Šestine	Sv. Jakob	Zagreb

Tomislav dom	Veternica	Zagreb Sava
Trnje	Zagreb	Zelengaj
Tuškanac	Lucanidae	Tenebrionidae
Veternica	Gračani	Botanički vrt
Zagreb	Kaptol	Cmrok
Zagreb Sava	Kraljičin zdenac	Gornji grad
Zagrebačka Dubrava	Maksimir	Jelenovac
Chrysomelidae	Medvednica	Kraljičin zdenac
Jelenovac	Sv. Jakob	Maksimir
Kraljičin zdenac	Trnje	Medvednica
Lipa	Zagreb	Mikulići
Maksimir	Malachiidae	Mirogoj
Medvednica	Kraljičin zdenac	Sv. Jakob
Podsused	Zagreb	Šestine
Sv. Jakob	Melandryidae	Trnje
Zagreb	Medvednica	Zagreb
Žitnjak	Meloidae	Zelengaj
Ciidae	Zagreb	Trogossitidae
Sigečica	Monotomidae	Zagreb
Zagreb	Zagreb	Zopheridae
		Jelenovac
		Sv. Jakob
		Zagreb