

**Table S1.** Floristic list of regenerative plant species, relative frequency/density and natural regeneration index for each habitat. The species list is presented in alphabetical order. UFO: unexploited forests, DFO: degraded forests, PCF: post-cultivation fallows. dbh < 1 cm: seedlings, 1 cm ≤ dbh < 10 cm: saplings, -: species not inventoried, *n*= number of genera, species, or individuals inventoried. RF (relative frequency) and RD (relative density) values are expressed in percentage.

Species	Family	dbh<1cm						1 cm≤dbh<10 cm					
		UFO		DFO		PCF		UFO		DFO		PCF	
		(n=6628)		(n=6660)		(n=4676)		(n=948)		(n=2384)		(n=1756)	
		FR	DR	FR	DR	FR	DR	FR	DR	FR	DR	FR	DR
<i>Acacia hockii</i> De Wild.	Fabaceae	-	-	0.31	0.06	0.39	0.09	-	-	-	-	-	-
<i>Albizia adianthifolia</i> (Schumach.) W. Wight	Fabaceae	4.17	6.76	4.62	9.01	5.50	5.39	4.86	3.38	5.17	6.71	5.54	5.47
<i>Albizia antunesiana</i> Harms	Fabaceae	4.17	4.16	3.08	2.52	5.11	3.25	2.78	1.69	4.13	1.85	4.54	6.15
<i>Albizia versicolor</i> Welw. ex Oliv.	Fabaceae	1.04	0.97	0.62	0.12	0.39	0.17	0.69	0.42	1.55	1.68	2.02	2.05
<i>Allophylus africanus</i> P. Beauv.	Sapindaceae	-	-	0.31	0.12	1.18	1.03	-	-	-	-	-	-
<i>Anisophyllea boehmii</i> Engl.	Anisophylleaceae	3.13	1.39	2.77	2.88	1.97	1.71	3.47	2.95	2.07	0.67	7.06	3.19
<i>Annona senegalensis</i> Pers.	Annonaceae	0.35	0.12	-	-	0.79	0.17	-	-	-	-	1.51	1.37
<i>Azanza garckeana</i> (F. Hoffm.) Exell & Hillc.	Malvaceae	-	-	-	-	0.39	0.09	-	-	-	-	1.01	0.91
<i>Baphia bequaertii</i> De Wild.	Fabaceae	5.56	7.91	4.31	5.29	5.11	6.50	3.47	3.38	5.68	5.70	3.53	7.06
<i>Bobgunnia madagascariensis</i> (Desv.) J.H. Kirkbr. & Wiersama	Fabaceae	0.69	0.12	1.23	0.90	0.79	0.26	1.39	1.27	3.10	1.17	1.51	0.91
<i>Boscia mossambicensis</i> Klotzsch	Capparaceae	-	-	0.31	0.06	-	-	-	-	-	-	-	-
<i>Brachystegia boehmii</i> Taub.	Fabaceae	0.69	0.18	<b>2.16</b>	0.54	0.39	0.26	0.69	0.42	0.52	0.17	0.50	0.46
<i>Brachystegia longifolia</i> Benth.	Fabaceae	0.35	0.06	0.31	0.12	0.39	0.17	-	-	-	-	0.50	0.23
<i>Brachystegia spiciformis</i> Benth.	Fabaceae	5.56	12.61	4.93	13.33	6.29	10.61	10.42	15.19	6.71	5.54	6.05	7.97
<i>Brachystegia taxifolia</i> Harms	Fabaceae	1.04	0.84	0.62	0.12	-	-	-	-	-	-	-	-
<i>Brachystegia wangermeeana</i> De Wild.	Fabaceae	4.51	10.80	4.93	20.48	5.90	27.89	6.94	17.30	6.20	29.53	7.56	23.46
<i>Bridelia duvigneaudii</i> J. Léonard	Phyllanthaceae	2.08	0.78	2.16	1.38	0.79	0.26	-	-	-	-	-	-
<i>Cassia abbreviata</i> Oliv.	Fabaceae	-	-	0.31	0.06	-	-	-	-	-	-	-	-
<i>Chrysophyllum bangweolense</i> R.E.Fr.	Sapotaceae	-	-	0.62	0.18	-	-	-	-	-	-	0.50	0.23
<i>Combretum collinum</i> Fresen.	Combretaceae	-	-	-	-	1.18	0.43	-	-	-	-	1.01	0.46
<i>Combretum molle</i> R.Br ex G. Don	Combretaceae	2.43	1.21	0.92	0.42	3.54	3.08	0.69	0.84	1.03	0.50	1.51	1.37
<i>Combretum zeyheri</i> Sond.	Combretaceae	-	-	0.62	0.18	-	-	0.69	0.42	1.55	2.85	1.51	0.91
<i>Diospyros mveroensis</i> F. White	Ebenaceae	-	-	-	-	0.39	0.09	-	-	-	-	-	-
<i>Diplorhynchus condylocarpon</i> (Müll. Arg.) Pichon	Apocynaceae	2.78	2.96	4.31	2.46	1.18	0.86	3.47	5.91	<b>5.68</b>	8.39	2.02	1.82
<i>Ekebergia benguelensis</i> Welw. ex C.DC.	Meliaceae	2.08	0.54	1.54	0.36	2.36	1.45	-	-	1.55	0.50	2.02	1.14

<i>Erythrophleum africanum</i> (Welw. ex Benth.) Harms	Fabaceae	2.08	0.66	1.85	0.54	-	-	2.08	1.27	2.07	0.67	0.50	0.23
<i>Faurea rochetiana</i> (A. Rich.) Pic.Serm.	Proteaceae	0.69	0.18	-	0.12	-	-	-	-	0.52	0.34	-	-
<i>Ficus</i> sp	Moraceae	-	-	-	-	-	-	0.69	0.42	-	-	0.50	0.23
<i>Ficus thonningii</i> Blume	Moraceae	0.35	0.06	-	-	-	-	0.69	0.42	-	-	-	-
<i>Garcinia huillensis</i> Oliv.	Clusiaceae	<b>3.13</b>	1.15	2.16	0.48	1.57	0.34	-	-	-	-	0.50	0.23
<i>Gardenia ternifolia</i> Schumach. & Thonn.	Rubiaceae	-	-	-	-	-	-	-	-	-	-	0.50	0.23
<i>Haplocoelum foliolosum</i> (Hiern) Bullock	Sapindaceae	0.35	0.06	0.62	0.12	1.18	0.26	-	-	-	-	-	-
<i>Harungana madagascariensis</i> Lam. ex Poir.	Clusiaceae	1.04	0.36	<b>2.77</b>	2.04	1.57	1.28	-	-	-	-	1.01	0.46
<i>Hexalobus monopetalus</i> (A. Rich.) Engl. & Diels	Annonaceae	-	-	0.92	0.24	0.39	0.09	1.39	0.84	1.03	0.34	0.50	0.23
<i>Hymenocardia acida</i> Tul.	Phyllanthaceae	-	-	1.23	1.26	1.18	5.99	0.69	0.42	1.55	1.34	1.01	0.46
<i>Isoberlinia angolensis</i> (Benth.) Hoyle & Brenan	Fabaceae	3.82	11.04	4.62	5.23	3.54	4.53	4.86	2.95	2.07	4.53	3.53	6.61
<i>Isoberlinia tomentosa</i> (Harms) Craib & Stapf	Fabaceae	0.35	0.18	-	-	-	-	-	-	<b>4.13</b>	4.53	2.02	2.28
<i>Julbernardia globiflora</i> (Benth.) Troupin	Fabaceae	-	-	0.31	0.42	0.79	0.17	-	-	-	-	-	-
<i>Julbernardia paniculata</i> (Benth.) Troupin	Fabaceae	0.69	0.12	<b>1.85</b>	1.44	-	-	0.69	0.84	1.55	0.67	1.01	1.14
<i>Landolphia kirkii</i> Dyer ex Hook. f.	Apocynaceae	0.35	0.06	0.31	0.66	-	-	0.69	0.84	-	-	-	-
<i>Lannea discolor</i> (Sond.) Angl.	Anacardiaceae	0.69	0.18	1.23	0.96	0.39	0.17	1.39	0.84	3.10	1.17	2.52	1.59
<i>Markhamia obtusifolia</i> (Boulanger) Sprague	Bignoniaceae	0.35	0.12	1.23	0.66	1.97	1.20	1.39	0.84	1.03	1.01	-	-
<i>Marquesia macroura</i> Gilg	Dipterocarpaceae	0.69	0.36	2.46	1.02	1.18	1.11	2.78	2.11	1.55	0.67	-	-
<i>Monotes africanus</i> A. DC.	Dipterocarpaceae	0.35	0.06	0.62	0.18	-	-	-	-	1.55	0.50	-	-
<i>Monotes katangensis</i> (De Wild.) De Wild.	Dipterocarpaceae	1.39	0.54	1.54	1.20	0.39	0.09	3.47	3.38	1.03	0.84	0.50	0.23
<i>Multidentia crassa</i> (Hiern) Bridson	Rubiaceae	-	-	-	-	-	-	-	-	-	-	0.50	0.23
<i>Mystroxydon aethiopicum</i> (Thunb.) Lœs.	Celastraceae	0.69	0.24	0.92	0.90	0.39	0.09	-	-	1.03	0.50	-	-
<i>Ochna schweinfurthiana</i> F. Hoffm.	Ochnaceae	4.17	3.02	3.69	3.78	3.93	2.65	4.17	2.53	3.10	2.18	1.51	0.91
<i>Olax obtusifolia</i> De Wild.	Olacaceae	0.69	0.24	0.92	0.18	-	-	<b>3.47</b>	2.53	-	-	-	-
<i>Oldfieldia dactylophylla</i> (Welw. ex Oliv.) Léonard	Euphorbiaceae	-	-	0.31	0.12	-	-	-	-	-	-	-	-
<i>Parinari curatellifolia</i> Planch. ex Benth.	Chrysobalanaceae	1.74	0.48	1.85	0.84	1.57	0.86	2.08	1.27	4.13	3.69	3.53	2.96
<i>Pericopsis angolensis</i> (Baker) Meeuwen	Fabaceae	2.08	3.50	1.23	1.02	0.39	0.26	1.39	1.27	1.55	1.01	0.50	0.23
<i>Philenoptera katangensis</i> (De Wild.) Schrire	Fabaceae	-	-	0.31	0.18	-	-	-	-	0.52	0.17	0.50	0.23

<i>Phyllanthus muellerianus</i> (Kuntze) Exell	Phyllanthaceae	-	-	-	-	<b>1.97</b>	0.60	-	-	0.52	0.17	0.50	0.23
<i>Phyllocosmus lemaireanus</i> (De Wild. & T. Durand) T. Durand & H. Durand	Ixonanthaceae	2.78	2.41	3.08	2.58	3.93	1.97	2.78	2.53	2.58	1.01	0.50	0.23
<i>Piliostigma thonningii</i> (Schumach.) Milne-Redh.	Fabaceae	-	-	-	-	-	-	0.69	0.42	-	-	1.01	0.46
<i>Protea angolensis</i> Welw.	Proteaceae	-	-	0.62	0.84	0.39	0.09	-	-	-	-	-	-
<i>Pseudolachnostylis maprouneifolia</i> Pax	Phyllanthaceae	2.78	2.35	3.39	1.80	3.14	1.80	2.08	2.53	2.07	1.01	<b>5.04</b>	3.19
<i>Psorospermum febrifugum</i> Spach	Clusiaceae	<b>4.51</b>	4.47	2.77	2.04	4.32	1.88	-	-	1.03	0.34	3.02	1.37
<i>Pterocarpus angolensis</i> DC.	Fabaceae	0.35	0.06	-	-	0.39	0.17	5.56	5.49	3.10	1.17	3.02	1.59
<i>Pterocarpus tinctorius</i> Welw.	Fabaceae	1.74	1.93	0.92	0.18	0.39	0.09	0.69	0.42	-	-	-	-
<i>Rothmannia engleriana</i> (K. Schum.) Keay	Rubiaceae	3.82	2.53	2.16	1.50	4.72	3.25	1.39	0.84	-	-	1.01	0.46
<i>Salacia rhodesiaca</i> Blakelock	Celastraceae	2.43	3.86	1.85	0.66	0.39	0.26	1.39	1.27	-	-	-	-
<i>Schrebera trichoclada</i> Welw.	Oleaceae	0.69	0.12	-	-	1.57	0.60	-	-	-	-	1.51	1.59
<i>Steganotaenia araliacea</i> Hochst.	Apiaceae	0.69	0.36	-	-	0.39	0.17	-	-	-	-	-	-
<i>Sterculia quinqueloba</i> (Garcke) K. Schum.	Malvaceae	-	-	-	-	-	-	-	-	-	-	0.50	0.23
<i>Strychnos cocculoides</i> Boulanger	Loganiaceae	0.35	0.06	1.54	0.42	1.97	1.37	2.08	1.27	1.55	0.67	1.51	0.68
<i>Strychnos pungens</i> Soler.	Loganiaceae	-	-	-	-	0.39	0.09	-	-	-	-	-	-
<i>Strychnos</i> sp	Loganiaceae	-	-	1.23	0.42	1.18	0.26	1.39	0.84	-	-	0.50	0.23
<i>Strychnos spinosa</i> Lam.	Loganiaceae	-	-	-	-	0.39	0.09	0.69	0.42	1.03	0.50	1.51	0.68
<i>Syzygium guineense</i> (Willd.) DC. subsp. macrocarpum	Myrtaceae	3.13	1.03	1.23	0.48	2.75	1.97	1.39	0.84	1.55	1.01	3.53	2.05
<i>Terminalia mollis</i> M.A. Lawson	Combretaceae	-	-	-	-	-	-	-	-	-	-	0.50	0.23
<i>Uapaca benguelensis</i> Müll.Arg.	Phyllanthaceae	2.08	1.57	1.54	1.14	-	-	-	-	-	-	-	-
<i>Uapaca kirkiana</i> Müll. Arg.	Phyllanthaceae	<b>4.51</b>	3.14	2.46	2.70	0.79	0.34	4.17	3.80	3.62	2.35	2.02	1.37
<i>Uapaca nitida</i> Müll. Arg.	Phyllanthaceae	1.74	1.39	0.62	0.12	1.18	0.34	2.08	2.11	1.55	0.67	1.01	0.46
<i>Uapaca pilosa</i> Hutch.	Phyllanthaceae	-	-	0.31	0.06	-	-	-	-	-	-	-	-
<i>Uapaca robynsii</i> De Wild.	Phyllanthaceae	1.04	0.42	-	-	-	-	1.39	0.84	1.55	0.50	-	-
<i>Vitex doniana</i> Sweet	Lamiaceae	0.35	0.06	0.62	0.18	0.79	0.34	0.69	0.42	1.03	0.34	2.02	1.14
<i>Vitex fischeri</i> Gürke	Lamiaceae	-	-	-	-	-	-	-	-	0.52	0.17	-	-
<i>Vitex madiensis</i> Oliv.	Lamiaceae	0.35	0.06	0.92	0.42	1.97	0.68	-	-	-	-	0.50	0.23
<i>Vitex mombassae</i> Vatke	Lamiaceae	0.35	0.12	0.62	0.12	1.97	0.77	-	-	1.55	0.67	-	-
<i>Zanha africana</i> (Radlk.) Exell	Sapindaceae	-	-	0.31	0.12	0.39	0.09	-	-	-	-	-	-

**Table S2.** Floristic list of regenerative plant species, showing natural regeneration index (ratio between juveniles and adults) for each habitat (values in bold). The species list is presented in alphabetical order, and in case of tied values, the species concerned are counted as one. UFO: unexploited forests, DFO: degraded forests, PCF: post-cultivation fallows. dbh < 1 cm: seedlings, 1 cm ≤ dbh < 10 cm: saplings, 0: species not inventoried in the regeneration stratum but inventoried in the adult individual's stratum of the habitat, -: species inventoried in the regeneration stratum but not in the adult individual's stratum of the habitat.

Species	dbh < 1 cm			1 cm ≤ dbh < 10 cm		
	UFO	DFO	PCF	UFO	DFO	PCF
<i>Acacia hockii</i> De Wild.	0	-	-	0	0	0
<i>Albizia adianthifolia</i> (Schumach.) W. Wight	29.87	12.50	15.75	2.13	3.33	6.00
<i>Albizia antunesiana</i> Harms	23.00	12.92	50.67	1.33	3.38	36.00
<i>Albizia versicolor</i> Welw. ex Oliv.	32.00	1.33	1.33	2.00	6.67	6.00
<i>Allophylus africanus</i> P. Beauv.	0.00	-	-	0.00	0.00	0.00
<i>Anisophyllea boehmii</i> Engl.	18.40	48.00	40.00	5.60	4.00	28.00
<i>Annona senegalensis</i> Pers.	-	0.00	4.00	0.00	0.00	12.00
<i>Azanza garckeana</i> (F. Hoffm.) Exell & Hillc.	0.00	0.00	1.33	0.00	0.00	5.33
<i>Baphia bequaertii</i> De Wild.	23.82	16.76	50.67	1.45	6.48	20.67
<i>Bobgunnia madagascariensis</i> (Desv.) J.H. Kirkbr. & Wiersama	1.33	30.00	-	2.00	14.00	-
<i>Boscia mossambicensis</i> Klotzsch	0.00	-	0.00	0.00	0.00	0.00
<i>Brachystegia boehmii</i> Taub.	-	-	-	-	-	-
<i>Brachystegia longifolia</i> Benth.	-	4.00	-	0.00	0.00	-
<i>Brachystegia spiciformis</i> Benth.	7.81	15.86	31.00	1.35	2.36	8.75
<i>Brachystegia taxifolia</i> Harms	-	-	0.00	0.00	0.00	0.00
<i>Brachystegia wangermeeana</i> De Wild.	4.39	16.43	42.06	1.01	8.48	13.29
<i>Bridelia duvigneaudii</i> J. Léonard	-	-	-	0.00	0.00	0.00
<i>Cassia abbreviata</i> Oliv.	0.00	-	0.00	0.00	0.00	0.00
<i>Chrysophyllum bangweolense</i> R.E.Fr.	0.00	-	0.00	0.00	0.00	-
<i>Combretum collinum</i> Fresen.	0.00	0.00	-	0.00	0.00	-
<i>Combretum molle</i> R.Br ex G. Don	40.00	9.33	72.00	4.00	4.00	12.00
<i>Combretum zeyheri</i> Sond.	0.00	6.00	0.00	-	34.00	16.00
<i>Diospyros mveroensis</i> F. White	0.00	0.00	-	0.00	0.00	0.00
<i>Diplorhynchus condylocarpon</i> (Müll. Arg.) Pichon	19.60	5.47	6.67	5.60	6.67	5.33
<i>Ekebergia benguelensis</i> Welw. ex C.DC.	36.00	24.00	-	0.00	12.00	-
<i>Erythrophleum africanum</i> (Welw. ex Benth.) Harms	6.29	5.14	0.00	1.71	2.29	1.33
<i>Faurea rochetiana</i> (A. Rich.) Pic.Serm.	-	4.00	0.00	0.00	4.00	0.00
<i>Ficus</i> sp	0.00	0.00	0.00	-	0.00	-
<i>Ficus thonningii</i> Blume	-	0.00	0.00	-	0.00	0.00
<i>Garcinia huillensis</i> Oliv.	-	16.00	16.00	0.00	0.00	4.00
<i>Gardenia ternifolia</i> Schumach. & Thonn.	0.00	0.00	0.00	0.00	0.00	-
<i>Haplocoelum foliolosum</i> (Hiern) Bullock	-	-	-	0.00	0.00	0.00
<i>Harungana madagascariensis</i> Lam. ex Poir.	-	136.00	-	0.00	0.00	-
<i>Hexalobus monopetalus</i> (A. Rich.) Engl. & Diels	0.00	-	-	-	-	-
<i>Hymenocardia acida</i> Tul.	0.00	42.00	-	-	16.00	-
<i>Isobерlinia angolensis</i> (Benth.) Hoyle & Brenan	45.75	38.67	42.40	1.75	12.00	23.20
<i>Isobерlinia tomentosa</i> (Harms) Craib & Stapf	-	0.00	0.00	0.00	21.60	8.00
<i>Julbernardia globiflora</i> (Benth.) Troupin	0.00	28.00	-	0.00	0.00	0.00
<i>Julbernardia paniculata</i> (Benth.) Troupin	1.60	24.00	0.00	1.60	4.00	20.00
<i>Landolphia kirkii</i> Dyer ex Hook. f.	-	-	0.00	-	0.00	0.00
<i>Lannea discolor</i> (Sond.) Angl.	3.00	5.33	-	2.00	2.33	-

<i>Markhamia obtusifolia</i> (Boulanger) Sprague	2.67	44.00	-	2.67	24.00	0.00
<i>Marquesia macroura</i> Gilg	1.04	3.78	-	0.87	0.89	0.00
<i>Monotes africanus</i> A. DC.	4.00	-	0.00	0.00	-	0.00
<i>Monotes katangensis</i> (De Wild.) De Wild.	3.00	16.00	-	2.67	4.00	-
<i>Multidentia crassa</i> (Hiern) Bridson	0.00	0.00	0.00	0.00	0.00	-
<i>Mystroxydon aethiopicum</i> (Thunb.) Lœs.	16.00	60.00	-	0.00	12.00	0.00
<i>Ochna schweinfurthiana</i> F. Hoffm.	33.33	252.00	62.00	4.00	52.00	8.00
<i>Olax obtusifolia</i> De Wild.	16.00	-	0.00	24.00	0.00	0.00
<i>Oldfieldia dactylophylla</i> (Welw. ex Oliv.) Léonard	0.00	-	0.00	0.00	0.00	0.00
<i>Parinari curatellifolia</i> Planch. ex Benth.	5.33	3.50	10.00	2.00	5.50	13.00
<i>Pericopsis angolensis</i> (Baker) Meeuwen	21.09	9.71	-	1.09	3.43	-
<i>Philenoptera katangensis</i> (De Wild.) Schrire	0.00	-	0.00	0.00	-	-
<i>Phyllanthus muellerianus</i> (Kuntze) Exell	0.00	0.00	28.00	0.00	-	4.00
<i>Phyllocosmus lemaireanus</i> (De Wild. & T. Durand) T. Durand & H. Durand	32.00	43.00	92.00	4.80	6.00	4.00
<i>Piliostigma thonningii</i> (Schumach.) Milne-Redh.	0.00	0.00	0.00	-	0.00	-
<i>Protea angolensis</i> Welw.	0.00	-	-	0.00	0.00	0.00
<i>Pseudolachnostylis maprouneifolia</i> Pax	78.00	17.14	42.00	12.00	3.43	28.00
<i>Psorospermum febrifugum</i> Spach	296.00	68.00	-	0.00	4.00	-
<i>Pterocarpus angolensis</i> DC.	0.29	0.00	1.60	3.71	3.50	5.60
<i>Pterocarpus tinctorius</i> Welw.	-	12.00	-	-	0.00	0.00
<i>Rothmannia engleriana</i> (K. Schum.) Keay	-	-	152.00	-	0.00	8.00
<i>Salacia rhodesiaca</i> Blakelock	-	-	-	-	0.00	0.00
<i>Schrebera trichoclada</i> Welw.	-	0.00	28.00	0.00	0.00	28.00
<i>Steganotaenia araliacea</i> Hochst.	-	0.00	-	0.00	0.00	0.00
<i>Sterculia quinqueloba</i> (Garcke) K. Schum.	0.00	0.00	0.00	0.00	0.00	2.00
<i>Strychnos cocculoides</i> Boulanger	1.33	28.00	64.00	4.00	16.00	12.00
<i>Strychnos pungens</i> Soler.	0.00	0.00	-	0.00	0.00	0.00
<i>Strychnos</i> sp	0.00	28.00	12.00	2.67	0.00	4.00
<i>Strychnos spinosa</i> Lam.	0.00	0.00	-	4.00	-	-
<i>Syzygium guineense</i> (Willd.) DC.	-	10.67	18.40		8.00	7.20
<i>Terminalia mollis</i> M.A. Lawson	0.00	0.00	0.00	0.00	0.00	-
<i>Uapaca benguelensis</i> Müll.Arg.	-	38.00	0.00	0.00	0.00	0.00
<i>Uapaca kirkiana</i> Müll. Arg.	13.00	6.43	4.00	2.25	2.00	6.00
<i>Uapaca nitida</i> Müll. Arg.	11.50	0.73	16.00	2.50	1.45	8.00
<i>Uapaca pilosa</i> Hutch.	0.00	-	0.00	0.00	0.00	0.00
<i>Uapaca robynsii</i> De Wild.	9.33	0.00	0.00	2.67	-	0.00
<i>Vitex doniana</i> Sweet	4.00	2.40	5.33	4.00	1.60	6.67
<i>Vitex fischeri</i> Gürke	0.00	0.00	0.00	0.00	0.57	0.00
<i>Vitex madiensis</i> Oliv.	-	-	-	0.00	0.00	-
<i>Vitex mombassae</i> Vatke	-	8.00	-	0.00	16.00	0.00
<i>Zanha africana</i> (Radlk.) Exell	0.00	-	-	0.00	0.00	0.00