

Supporting Information

Synthesis of NIR-II Absorbing Gelatin Stabilized Gold Nanorods and Its Photothermal therapy Application against fibroblast histiocytoma cells.

Adewale O. Oladipo ^{1,2}, Thabang C. Lebepe ^{1,2}, Sundararajan Parani ^{1,2}, Rodney Maluleke ^{1,2}, Vuyelwa Ncapayi ^{1,2}, Grace I.M. Mbaz ^{1,2}, Sandile P. Songca ³, Tetsuya Kodama ^{4*} and Oluwatobi S. Oluwafemi ^{1,2**}

¹ Department of Chemical Sciences, University of Johannesburg, P.O. Box 17011, Doornfontein 2028, Johannesburg, South Africa.

² Centre for Nanomaterials Science Research, University of Johannesburg, Johannesburg 2028, South Africa.

³ Department of Chemistry, University of KwaZulu-Natal, Private Bag X 54001, Durban, 4000, South Africa

⁴ Graduate School of biomedical engineering, Tohoku University, 4-1 Seiryō, Aoba Sendai, 980-8575, Japan.

Correspondence: kodama@tohoku.ac.jp (T.K); oluwafemi.oluwatobi@gmail.com (O.S.O)




Figure S1 Au-NRs UV-Vis-NIR spectrum insert TEM images of Au-NRs




Figure S2 Dynamic light scattering average size distribution of bare-Au-NRs and gelatin coated Au-NRs at different ratios.




Figure S3 UV-Vis-NIR spectrum of gelatin coated Au-NRs at different volume.




Figure S4 UV-Vis-NIR spectra of gelatin@Au-NRs after synthesis and a year later




Figure S5 UV-Vis-NIR spectra of DMEM only