

Supplementary Material

Synthesis and Biological Evaluation of a Fused Structure of Indolizine and Pyrrolo[1,2-c]pyrimidine: Identification of Its Potent Anticancer Activity Against Liver Cancer Cells

Seonghyeon Nam,[‡] Yechan Lee,[‡] So-Hyeon Park, Wan Namkung*, and Ikyon Kim*

College of Pharmacy and Yonsei Institute of Pharmaceutical Sciences, Yonsei University
85 Songdogwahak-ro, Yeonsu-gu, Incheon, 21983, Republic of Korea

* Corresponding authors.



Tel.: +82 32 749 4519; fax: +82 32 749 4105; e-mail: wnamkung@yonsei.ac.kr



Tel.: +82 32 749 4515; fax: +82 32 749 4105; e-mail: ikyonkim@yonsei.ac.kr





[‡] These authors contributed equally.



Table of Contents





Copies of ^1H and ^{13}C NMR spectra of 4	S3
Copies of ^1H and ^{13}C NMR spectra of 5	S4-31
Copies of ^1H and ^{13}C NMR spectra of 8	S32
Copies of ^1H and ^{13}C NMR spectra of 9	S33
Copies of ^1H and ^{13}C NMR spectra of 10	S34-37











































5k



5k

