

SUPPORTING INFORMATION

The Essential Oil from *Conyza bonariensis* (L.) Cronquist (Asteraceae) Exerts In Vitro Antimelanoma Effect by Inducing Apoptosis and Modulating the MAPKs, NF- κ B, and PKB/AKT Signaling Pathways

Rafael Carlos Ferreira ¹, Sâmia Sousa Duarte ¹, Valgrícia Matias de Sousa ¹, Ramon Ramos Marques de Souza ¹, Karinne Kelly Gadelha Marques ¹, Renata Albuquerque de Abrantes ¹, Yuri Manguiera do Nascimento ¹, Natália Ferreira de Sousa ¹, Marcus Tullius Scotti ¹, Luciana Scotti ¹, Josean Fachine Tavares ¹, Juan Carlos Ramos Gonçalves ¹, Marcelo Sobral da Silva ¹ and Marianna Vieira Sobral ^{1,*}

¹ Postgraduate Program in Natural Products and Bioactive Synthetics, Federal University of Paraíba, João Pessoa 58051-970, PB, Brazil

* Correspondence: mariannavbs@gmail.com

CONTENT

Figure S1. Chromatogram of the essential oil from *Conyza bonariensis* (L.) aerial parts (CBEO)....3

Figure S2. ^1H NMR spectrum of the essential oil from *Conyza bonariensis* (L.) aerial parts (CBEO)
.....3




Figure S1. Chromatogram of the essential oil from *Conyza bonariensis* (L.) aerial parts (CBEO)




Figure S2. ^1H NMR spectrum of the essential oil from *Conyza bonariensis* (L.) aerial parts (CBEO)