

A Comprehensive Physiologically Based Pharmacokinetic Model for Predicting Vildagliptin Pharmacokinetics: Insights into Dosing in Renal Impairment

Mahnoor Pasha¹, Ammara Zamir¹, Muhammad Fawad Rasool^{1*}, Hamid Saeed², Tanveer Ahmad³, Nawaf Shalih Alqahtani⁴, Lamya Saif Alqahtani⁵ and Faleh Alqahtani^{6*}

¹Department of Pharmacy Practice, Faculty of Pharmacy, Bahauddin Zakariya University, 60800, Multan, Pakistan; mahnoorpashaoc15@gmail.com (M.P); ammarazamir20@gmail.com (A.Z); fawadrasool@bzu.edu.pk (M.F.R)

² Section of Pharmaceutics, University College of Pharmacy, Allama Iqbal Campus, University of the Punjab, 54000, Lahore, Pakistan; hamid.pharmacy@pu.edu.pk (H.S)

³ Institute for Advanced Biosciences (IAB), CNRS UMR5309, INSERM U1209, Grenoble Alpes University, La Tronche, 38700, France; tanveer.ahmad@univ-grenoble-alpes.fr (T.A)

⁴King Abdulaziz Medical City- Riyadh Region Ministry of National Guard, Health Affairs; Alkahtanina3@mnga.med.sa (N.S.A)

⁵Department of Cardiology, Prince Sultan Cardiac Center, Riyadh, 11625, Saudi Arabia; lalqahtani@pscmed.sa (L.S.A)

⁶Department of Pharmacology and Toxicology, College of Pharmacy, King Saud University, Riyadh, 11451, Saudi Arabia; afaleh@ksu.edu.sa. (F.A)

* Correspondence: fawadrasool@bzu.edu.pk (M.F.R), afaleh@ksu.edu.sa (F.A)




Figure S1: Comparison of observed and predicted plasma concentration vs time profiles of vildagliptin at different oral doses. (Dose in mg) (a) 25^[1], (b) 50^[1], (c) 50^[1], (d) 100^[1] and (e) 100^[1], (f) 200^[1], and (g) 200^[1] respectively. (...): Values of reported data, (—): Values of simulated data, (---): highest and lowest values, (...) 5th and 95th percentile.







Figure S2: Comparison of observed and predicted plasma concentration vs time profiles of vildagliptin at different dosage levels. (Dose in mg) (a) 25^[2], (b) 50^[2], and (c) 100^[2] respectively. (...): Values of reported data, (—): Values of simulated data, (---): highest and lowest values, (...) 5th and 95th percentile

(a) 100% Females



(b) 100% Males




Figure S3: Comparison of observed and predicted plasma concentration vs time profiles of vildagliptin in males and females. Oral dose of 100 mg^[1] showing that gender imbalance has no effect on simulations.
(...): Values of reported data, (—): Values of simulated data, (---): highest and lowest values, (...) 5th and 95th percentile




Figure S4: Comparison of observed and predicted plasma concentration vs time profiles of vildagliptin in different ethnic populations (....): Values of reported data, (—): Values of simulated data, (---): highest and lowest values, (...) 5th and 95th percentile

Table S1: Vildagliptin half-life ($t_{1/2}$) in healthy and diseased population

Dose (mg)	Half Life ($t_{1/2}$) from predicted data	Reference
Oral administration in Healthy individuals		
25 ^a	2.07	[1]
25 ^b	2.06	[1]
25	2.13	[2]
50 ^a	1.98	[1]
50 ^b	1.92	[1]
50	1.93	[2]
50	1.95	[3]
100 ^a	2.06	[1]
100 ^b	2.01	[1]
100	2.1	[2]
100	2.08	[4]
200 ^a	2.06	[1]
200 ^b	2.11	[1]
200	2.13	[2]
IV administration in Healthy individuals		
25	2.06	[3]
Oral administration in the CKD population		
50	1.99	[5]
50 (Mod)	3.30	[5]
50(severe)	4.88	[5]

References

1. He, Y., et al. Pharmacokinetics and pharmacodynamics of vildagliptin in healthy Chinese volunteers. in CLINICAL PHARMACOLOGY & THERAPEUTICS. 2008. NATURE PUBLISHING GROUP 75 VARICK STREET, 9TH FLOOR, NEW YORK, NY 10013-1917 USA.
2. Sunkara, G., et al., Dose proportionality and the effect of food on vildagliptin, a novel dipeptidyl peptidase IV inhibitor, in healthy volunteers. J Clin Pharmacol, 2007. 47(9): p. 1152-8.
3. He, Y.-L., et al., The absolute oral bioavailability and population-based pharmacokinetic modelling of a novel dipeptidylpeptidase-IV inhibitor, vildagliptin, in healthy volunteers. Clinical pharmacokinetics, 2007. 46(9): p. 787-802.
4. He, H., et al., Absorption, metabolism, and excretion of [¹⁴C] vildagliptin, a novel dipeptidyl peptidase 4 inhibitor, in humans. Drug metabolism and disposition, 2009. 37(3): p. 536-544.
5. He, Y.L., et al., Pharmacokinetics of vildagliptin in patients with varying degrees of renal impairment. Int J Clin Pharmacol Ther, 2013. 51(9): p. 693-703.