

Article

Aurantoside C targets and induces apoptosis in Triple Negative Breast Cancer cells

Sumi Shrestha^{1,2}, Anabel Sorolla², Jane Fromont³, Pilar Blancafort^{2*}, and Gavin R. Flematti^{1*}

¹ School of Molecular Sciences, The University of Western Australia, Crawley, Western Australia, 6009, Australia;

² Cancer Epigenetics, Harry Perkins Institute of Medical Research, QEII Medical Centre and Centre for Medical Research, The University of Western Australia, Crawley, Western Australia, 6009, Australia;

³ Western Australian Museum, Welshpool, Western Australia 6106, Australia;


* Correspondence: gavin.flematti@uwa.edu.au; Tel.: +61 6488 4461 (Chemistry) (G.R.F)


pilar.blancafort@uwa.edu.au; Tel.: +61 8615 1099 (Cancer Biology) (P.B)

Received: date; Accepted: date; Published: date

Contents:

- S1. ¹H NMR of Aurantoside C (C828) in CD₃OD (500MHz)
- S2. ¹³C NMR of Aurantoside C (C828) in CD₃OD (500MHz)
- S3. Cell viability of C828 in A. SUM159PT cells, B. MCF7 cells, and C. MCF10A cells at 24 h, 48 h and 72 h

S1. ^1H NMR of Aurantioside C (C828) in CD_3OD (500MHz)

S2. ^{13}C NMR of Aurantioside C (C828) in CD_3OD (500MHz)

S3. Cell viability of C828 in A. SUM159PT cells, B. MCF7 cells, and C. MCF10A cells at 24 h, 48 h and 72 h

