

Supplementary Information

Table of Contents

The 18S rRNA gene sequences data of *Cladosporium* sp. HNWSW-1

Figure S1. The ^1H NMR (600 MHz, $\text{CD}_3\text{COCD}_3-d_6$) spectrum of compound **1**

Figure S2. The DEPTQ (150 MHz, $\text{CD}_3\text{COCD}_3-d_6$) spectrum of compound **1**

Figure S3. The ^1H - ^1H COSY (600 MHz, $\text{CD}_3\text{COCD}_3-d_6$) spectrum of compound **1**

Figure S4. Slice 1 of ^1H - ^1H COSY (600 MHz, $\text{CD}_3\text{COCD}_3-d_6$) spectrum of compound **1**

Figure S5. Slice 2 of ^1H - ^1H COSY (600 MHz, $\text{CD}_3\text{COCD}_3-d_6$) spectrum of compound **1**

Figure S6. The HSQC (600 MHz, $\text{CD}_3\text{COCD}_3-d_6$) spectrum of compound **1**

Figure S7. Slice 1 of HSQC (600 MHz, $\text{CD}_3\text{COCD}_3-d_6$) spectrum of compound **1**

Figure S8. Slice 2 of HSQC (600 MHz, $\text{CD}_3\text{COCD}_3-d_6$) spectrum of compound **1**

Figure S9. The HMBC (600 MHz, $\text{CD}_3\text{COCD}_3-d_6$) spectrum of compound **1**

Figure S10. Slice 1 of HMBC (600 MHz, $\text{CD}_3\text{COCD}_3-d_6$) spectrum of compound **1**

Figure S11. Slice 2 of HMBC (600 MHz, $\text{CD}_3\text{COCD}_3-d_6$) spectrum of compound **1**

Figure S12. Slice 3 of HMBC (600 MHz, $\text{CD}_3\text{COCD}_3-d_6$) spectrum of compound **1**

Figure S13. Slice 4 of HMBC (600 MHz, $\text{CD}_3\text{COCD}_3-d_6$) spectrum of compound **1**

Figure S14. Slice 5 of HMBC (600 MHz, $\text{CD}_3\text{COCD}_3-d_6$) spectrum of compound **1**

Figure S15. The ROESY (600 MHz, $\text{CD}_3\text{COCD}_3-d_6$) spectrum of compound **1**

Figure S16. Slice 1 of ROESY (600 MHz, $\text{CD}_3\text{COCD}_3-d_6$) spectrum of compound **1**

Figure S17. Slice 2 of ROESY (600 MHz, $\text{CD}_3\text{COCD}_3-d_6$) spectrum of compound **1**

Figure S18. The HRESIMS spectrum of compound **1**

Figure S19. The ^1H NMR (500 MHz, CDCl_3-d) spectrum of compound **2**

Figure S20. The ^{13}C NMR and DEPT-135 (125 MHz, CDCl_3-d) spectrum of compound **2**

Figure S21. Enlarged ^{13}C NMR (125 MHz, CDCl_3-d) spectrum of compound **2**

Figure S22. The ^1H - ^1H COSY (500 MHz, CDCl_3-d) spectrum of compound **2**

Figure S23. Slice 1 of ^1H - ^1H COSY (500 MHz, CDCl_3-d) spectrum of compound **2**

Figure S24. Slice 2 of ^1H - ^1H COSY (500 MHz, CDCl_3 -*d*) spectrum of compound **2**

Figure S25. Slice 3 of ^1H - ^1H COSY (500 MHz, CDCl_3 -*d*) spectrum of compound **2**

Figure S26. The HSQC (500 MHz, CDCl_3 -*d*) spectrum of compound **2**

Figure S27. Slice 1 of the HSQC (500 MHz, CDCl_3 -*d*) spectrum of compound **2**

Figure S28. Slice 2 of the HSQC (500 MHz, CDCl_3 -*d*) spectrum of compound **2**

Figure S29. Slice 3 of the HSQC (500 MHz, CDCl_3 -*d*) spectrum of compound **2**

Figure S30. The HMBC (500 MHz, CDCl_3 -*d*) spectrum of compound **2**

Figure S31. Slice 1 of the HMBC (500 MHz, CDCl_3 -*d*) spectrum of compound **2**

Figure S32. Slice 2 of the HMBC (500 MHz, CDCl_3 -*d*) spectrum of compound **2**

Figure S33. Slice 3 of the HMBC (500 MHz, CDCl_3 -*d*) spectrum of compound **2**

Figure S34. Slice 4 of the HMBC (500 MHz, CDCl_3 -*d*) spectrum of compound **2**

Figure S35. Slice 5 of the HMBC (500 MHz, CDCl_3 -*d*) spectrum of compound **2**

Figure S36. Slice 6 of the HMBC (500 MHz, CDCl_3 -*d*) spectrum of compound **2**

Figure S37. The ROESY (500 MHz, CDCl_3 -*d*) spectrum of compound **2**

Figure S38. Slice 1 of the ROESY (500 MHz, CDCl_3 -*d*) spectrum of compound **2**

Figure S39. The HRESIMS spectrum of compound **2**

Figure S40. The ^1H NMR (500 MHz, CD_3OH -*d*₄) spectrum of compound **3**

Figure S41. Enlarged ^1H NMR (500 MHz, CD_3OH -*d*₄) spectrum of compound **3**

Figure S42. The ^{13}C NMR and DEPT-135 (125 MHz, CD_3OH -*d*₄) spectrum of compound **3**

Figure S43. The ^1H - ^1H COSY (500 MHz, CD_3OH -*d*₄) spectrum of compound **3**

Figure S44. The HSQC (500 MHz, CD_3OH -*d*₄) spectrum of compound **3**

Figure S45. Slice 1 of the HSQC (500 MHz, CD_3OH -*d*₄) spectrum of compound **3**

Figure S46. Slice 2 of the HSQC (500 MHz, CD_3OH -*d*₄) spectrum of compound **3**

Figure S47. The HMBC (500 MHz, CD_3OH -*d*₄) spectrum of compound **3**

Figure S48. Slice 1 of HMBC (500 MHz, CD_3OH -*d*₄) spectrum of compound **3**

Figure S49. Slice 2 of HMBC (500 MHz, CD_3OH -*d*₄) spectrum of compound **3**

Figure S50. The HRESIMS spectrum of compound **3**

The 18S rDNA Gene Sequences Data of *Cladosporium* sp. HNWSW-1

5'-TTCCGTAGGTGAACCTGCGGAGGGATCATTACAGTGACCCCGGTCTAAC
CACCGGGATGTTTCATAACCCTTTGTTGTCCGACTCTGTTGCCTCCGGGGCG
ACCCTGCCTTCGGGCGGGGGCTCCGGGTGGACACTTCAAACCTTTCGCGTA
ACTTTGCAGTCTGAGTAAACTTAATTAATAAATTAAACTTTTAACAACGGA
TCTCTTGGTTCTGGCATCGATGAAGAACGCAGCGAAATGCGATAAGTAATG
TGAATTGCAGAATTCAGTGAATCATCGAATCTTTGAACGCACATTGCGCCC
CCTGGTATTCCGGGGGGCATGCCTGTTCGAGCGTCATTTCACTCAAGC
CTCGCTTGGTATTGGGCAACGCGGTCCGCCGCGTGCCTCAAATCGACCGGC
TGGGTCTTCTGTCCCCTAAGCGTTGTGGAACTATTCGCTAAAGGGTGCTC
GGGAGGCTACGCCGTAAAACAAACCCATTTCTAAGGTTGACCTCGGATCAG
GTAGGGATACCCGCTGAACTTAAGCATATCAATAAGCGGAGGA-3'

Figure S1. The ^1H NMR (600 MHz, $\text{CD}_3\text{COCD}_3-d_6$) spectrum of compound **1**




Figure S2. The DEPTQ (150 MHz, $\text{CD}_3\text{COCD}_3-d_6$) spectrum of compound **1**




Figure S3. The ^1H - ^1H COSY (600 MHz, CD_3COCD_3 - d_6) spectrum of compound **1**




Figure S4. Slice 1 of ^1H - ^1H COSY (600 MHz, CD_3COCD_3 - d_6) spectrum of compound **1**




Figure S5. Slice 2 of ^1H - ^1H COSY (600 MHz, $\text{CD}_3\text{COCD}_3\text{-}d_6$) spectrum of compound **1**




Figure S6. The HSQC (600 MHz, $\text{CD}_3\text{COCD}_3\text{-}d_6$) spectrum of compound **1**




Figure S7. Slice 1 of HSQC (600 MHz, CD₃COCD₃-d₆) spectrum of compound **1**




Figure S8. Slice 2 of HSQC (600 MHz, CD₃COCD₃-d₆) spectrum of compound **1**




Figure S9. The HMBC (600 MHz, $\text{CD}_3\text{COCD}_3-d_6$) spectrum of compound **1**




Figure S10. Slice 1 of HMBC (600 MHz, $\text{CD}_3\text{COCD}_3-d_6$) spectrum of compound **1**




Figure S11. Slice 2 of HMBC (600 MHz, CD₃COCD₃-d₆) spectrum of compound **1**




Figure S12. Slice 3 of HMBC (600 MHz, CD₃COCD₃-d₆) spectrum of compound **1**




Figure S13. Slice 4 of HMBC (600 MHz, $\text{CD}_3\text{COCD}_3-d_6$) spectrum of compound **1**




Figure S14. Slice 5 of HMBC (600 MHz, $\text{CD}_3\text{COCD}_3-d_6$) spectrum of compound **1**




Figure S15. The ROESY (600 MHz, $\text{CD}_3\text{COCD}_3-d_6$) spectrum of compound **1**




Figure S16. Slice 1 of ROESY (600 MHz, $\text{CD}_3\text{COCD}_3-d_6$) spectrum of compound **1**




Figure S17. Slice 2 of ROESY (600 MHz, CD₃COCD₃-d₆) spectrum of compound **1**




Figure S18. The HRESIMS spectrum of compound **1**




Figure S19. The ^1H NMR (500 MHz, CDCl_3 - d) spectrum of compound **2**




Figure S20. The ^{13}C NMR and DEPT-135 (125 MHz, CDCl_3 - d) spectrum of compound **2**




Figure S21. Enlarged ^{13}C NMR (125 MHz, CDCl_3-d) spectrum of compound **2**




Figure S22. The ^1H - ^1H COSY (500 MHz, CDCl_3-d) spectrum of compound **2**




Figure S23. Slice 1 of ^1H - ^1H COSY (500 MHz, CDCl_3 -*d*) spectrum of compound **2**




Figure S24. Slice 2 of ^1H - ^1H COSY (500 MHz, CDCl_3 -*d*) spectrum of compound **2**




Figure S25. Slice 3 of ^1H - ^1H COSY (500 MHz, CDCl_3 -*d*) spectrum of compound **2**




Figure S26 The HSQC (500 MHz, CDCl_3 -*d*) spectrum of compound **2**




Figure S27. Slice 1 of the HSQC (500 MHz, CDCl₃-d) spectrum of compound **2**




Figure S28. Slice 2 of the HSQC (500 MHz, CDCl₃-d) spectrum of compound **2**




Figure S29. Slice 3 of the HSQC (500 MHz, CDCl₃-d) spectrum of compound **2**




Figure S30. The HMBC (500 MHz, CDCl₃-d) spectrum of compound **2**




Figure S31. Slice 1 of the HMBC (500 MHz, CDCl₃-d) spectrum of compound **2**




Figure S32. Slice 2 of the HMBC (500 MHz, CDCl₃-d) spectrum of compound **2**




Figure S33. Slice 3 of the HMBC (500 MHz, CDCl₃-d) spectrum of compound **2**




Figure S34. Slice 4 of the HMBC (500 MHz, CDCl₃-d) spectrum of compound **2**




Figure S35. Slice 5 of the HMBC (500 MHz, CDCl₃-d) spectrum of compound 2




Figure S36. Slice 6 of the HMBC (500 MHz, CDCl₃-d) spectrum of compound 2




Figure S37. The ROESY (500 MHz, CDCl_3 -*d*) spectrum of compound **2**




Figure S38. Slice 1 of the ROESY (500 MHz, CDCl_3 -*d*) spectrum of compound **2**




Figure S39. The HRESIMS spectrum of compound 2




Figure S40. The ¹H NMR (500 MHz, CD₃OH-*d*₄) spectrum of compound 3




Figure S41. Enlarged ^1H NMR (500 MHz, $\text{CD}_3\text{OH}-d_4$) spectrum of compound **3**




Figure S42. The ^{13}C NMR and DEPT-135 (125 MHz, $\text{CD}_3\text{OH}-d_4$) spectrum of compound **3**




Figure S43. The ^1H - ^1H COSY (500 MHz, $\text{CD}_3\text{OH}-d_4$) spectrum of compound **3**




Figure S44. The HSQC (500 MHz, $\text{CD}_3\text{OH}-d_4$) spectrum of compound **3**




Figure S45. Slice 1 of HSQC (500 MHz, CD₃OH-*d*₄) spectrum of compound **3**




Figure S46. Slice 2 of HSQC (500 MHz, CD₃OH-*d*₄) spectrum of compound **3**




Figure S47. The HMBC (500 MHz, CD₃OH-*d*₄) spectrum of compound **3**




Figure S48. Slice 1 of HMBC (500 MHz, CD₃OH-*d*₄) spectrum of compound **3**




Figure S49. Slice 2 of HMBC (500 MHz, CD₃OH-*d*₄) spectrum of compound 3




Figure S50. The HRESIMS spectrum of compound 3

