

Table S.1. ANOVA summary tables obtained after the comparison of: A) Biochemical composition of the different species (Cyanobacteria and Rhodophyta separately). B) Phenolic compounds content extracted in each solvent. C) Antioxidant activity in the different solvents and using the two methods and D) Photoprotective capacity among species. DF: Degrees of freedom.

A)	Content of:	Source of variability	DF	F	p-value
C		Cyanobacteria	4	15846.46	<0.01
		Rhodophyta	4	132.53	<0.01
N		Cyanobacteria	4	36666.20	<0.01
		Rhodophyta	4	45.15	<0.01
C:N		Cyanobacteria	4	24648.35	<0.01
		Rhodophyta	4	44.84	<0.01
Carbohydrates		Cyanobacteria	4	88.10	<0.01
		Rhodophyta	4	32.62	<0.01
Lipids		Cyanobacteria	4	24.09	<0.01
		Rhodophyta	4	61.49	<0.01
Total proteins		Cyanobacteria	4	36666.20	<0.01
		Rhodophyta	4	45.15	<0.01
Soluble proteins		Cyanobacteria	4	1121.17	<0.01
		Rhodophyta	4	413.94	<0.01
Phenolic compounds H ₂ O _d		Cyanobacteria	4	1313.88	<0.01
		Rhodophyta	4	1250.78	<0.01
Phenolic compounds Ethanol:H ₂ O _d (1:1)		Cyanobacteria	4	514.03	<0.01
		Rhodophyta	4	2147.31	<0.01
Phenolic compounds Ethanol:H ₂ O _d (4:1)		Cyanobacteria	4	128.17	<0.01
		Rhodophyta	4	347.43	<0.01
Phenolic compounds Ethanol		Cyanobacteria	4	434.32	<0.01
		Rhodophyta	4	353.95	<0.01
Phycocyanin		Cyanobacteria	4	13243.98	<0.01
		Rhodophyta	4	412.520	<0.01
Phycocyanin		Cyanobacteria	4	6276.09	<0.01
		Rhodophyta	4	15.39	<0.01
Chlorophyll		Cyanobacteria	4	74.48	<0.01
		Rhodophyta	4	79.95	<0.01
Carotenoids		Cyanobacteria	4	123.46	<0.01
		Rhodophyta	4	74.48	<0.01
Scytonemin		Cyanobacteria	4	119.35	<0.01
MAAs		Cyanobacteria	4	63.77	<0.01
		Rhodophyta	4	139.76	<0.01
ABTS H ₂ O _d		Cyanobacteria	4	549.11	<0.01
		Rhodophyta	4	159.10	<0.01
ABTS Ethanol:H ₂ O _d (1:1)		Cyanobacteria	4	679.95	<0.01
		Rhodophyta	4	1031.99	<0.01
ABTS Ethanol:H ₂ O _d (4:1)		Cyanobacteria	4	250.46	<0.01
		Rhodophyta	4	153.35	<0.01
ABTS Ethanol		Cyanobacteria	4	202.92	<0.01
		Rhodophyta	4	120.63	<0.01
DPPH		Cyanobacteria	4	471.29	<0.01

H ₂ O _d	Rhodophyta	4	1115.21	<0.01
DPPH	Cyanobacteria	4	17.14	<0.01
Ethanol:H ₂ O _d (1:1)	Rhodophyta	4	827.81	<0.01
DPPH	Cyanobacteria	4	17.13	<0.01
Ethanol:H ₂ O _d (4:1)	Rhodophyta	4	467.33	<0.01
DPPH	Cyanobacteria	4	2171.57	<0.01
Ethanol	Rhodophyta	4	94.15	<0.01

B) Phenolic compounds content of:

<i>P. umbilicalis</i>	Solvent	3	506.22	<0.01
<i>G. longissima</i>	Solvent	3	769.67	<0.01
<i>G. corneun</i>	Solvent	3	421.69	<0.01
<i>O. pinnatifida</i>	Solvent	3	452.50	<0.01
<i>C. rubrum</i>	Solvent	3	726.49	<0.01
<i>N. commune</i>	Solvent	3	726.49	<0.01
<i>Anabaena</i> sp.	Solvent	3	605.45	<0.01
<i>Scytonema</i> sp.	Solvent	3	27939.01	<0.01
<i>C. scopulorum</i>	Solvent	3	1548.54	<0.01
<i>Lyngbya</i> sp.	Solvent	3	99.63	<0.01

C) Antioxidant activity of: Source of variability GL F p-value

<i>P. umbilicalis</i>	Solvent	3	655.99	<0.01
	Method	1	2974.07	<0.01
	Solvent*Method	3	213.47	<0.01
<i>G. longissima</i>	Solvent	3	451.37	<0.01
	Method	1	10174.34	<0.01
	Solvent*Method	3	320.38	<0.01
<i>C. corneus</i>	Solvent	3	131.12	<0.01
	Method	1	929.07	<0.01
	Solvent*Method	3	34.35	<0.01
<i>G. corneun</i>	Solvent	3	151.47	<0.01
	Method	1	437.39	<0.01
	Solvent*Method	3	69.85	<0.01
<i>O. pinnatifida</i>	Solvent	3	127.80	<0.01
	Method	1	2820.90	<0.01
	Solvent*Method	3	57.96	<0.01
<i>C. rubrum</i>	Solvent	3	598.14	<0.01
	Method	1	4479.84	<0.01
	Solvent*Method	3	131.84	<0.01
<i>N. commune</i>	Solvent	3	843.94	<0.01
	Method	1	800.41	<0.01
	Solvent*Method	3	89.44	<0.01
<i>Anabaena</i> sp. (ABTS)	Solvent	3	216.32	<0.01
<i>Scytonema</i> sp.	Solvent	3	276.61	<0.01
	Method	1	1497.53	<0.01
	Solvent*Method	3	49.29	<0.01
<i>C. scopulorum</i>	Solvent	3	1449.44	<0.01
	Method	1	7828.93	<0.01
	Solvent*Method	3	60.81	<0.01
<i>Lyngbya</i> sp.	Solvent	3	264.39	<0.01

		Method	1	458.32	<0.01
		Solvent*Method	3	28.17	<0.01
D)	BEPFS				
	Erythema	Species	2	31.18	<0.01
	PPD	Species	2	433.22	<0.01
	Elastosis	Species	2	131.66	<0.01
	Photoaging	Species	2	620.28	<0.01
	ESAR				
	Erythema	Species	2	34.70	<0.01
	PPD	Species	2	315.78	<0.01
	Elastosis	Species	2	145.57	<0.01
	Photoaging	Species	2	620.28	<0.01

Figure S.1. HPLC normalized chromatograms of MAAs identified in the different analysed species: A) *Scytonema* sp., B) *Lyngbya* sp., C) *P. umbilicalis*, D) *G. longissima*, E) *G. corneum*, F) *O. pinnatifida*, G) *C. rubrum*.




Figure S.2. Mass spectra of the MAA identified in *Scytonema* sp.: Mycosporine-glutaminol




Figure S.3. Mass spectra of the MAAs identified in *Lyngbya* sp.: A) Palythine and B) Asterine-330.





Figure S.4. Mass spectra of the MAAs identified in *P. umbilicalis*: A) Myc-glutamine, B) Palythine, C) Palythinol, D) Asterine-330, E) Shinorine and F) Porphyra-334






Figure S.5. Mass spectra of the MAAs identified in *G. longissima*.: Shinorine




Figure S.6. Mass spectra of the MAAs identified in *G. corneum*.: A) Palythine, B) Asterina-330 and C) Shinorine.




Figure S.7. Mass spectra of the MAAs identified in *O. pinnatifida*: A) Palythine, B) Palythinol, C) Asterina-330, D) Shinorine and E) Porphyra-334.




Figure S.8. Mass spectra of the MAAs identified in *C. rubrum*: A) Palythine and B) Shinorine




Table S.2. Pearson coefficient (r) between the different variables analyzed in cyanobacteria

	ABTS.1	ABTS.2	ABTS.3	ABTS.4	DPPH.1	DPPH.2	DPPH.3	DPPH.4	C	N	C:N	TP	SP	Carboh.	Lipids	Phenols.1	Phenols.2	Phenols.3	Phenols.4	PE	PC	Scy.	MAAs	
ABTS.1	-																							
ABTS.2	0.980**	-																						
ABTS.3	0.754**	0.849**	-																					
ABTS.4	0.885**	0.941**	0.898**	-																				
DPPH.1	0.875**	0.782**	0.372	0.582*	-																			
DPPH.2	0.699**	0.602*	0.241	0.403	0.886**	-																		
DPPH.3	0.405	0.410	0.182	0.334	0.498	0.655**	-																	
DPPH.4	0.648**	0.682**	0.458	0.674**	0.584*	0.607*	0.877**	-																
C	0.758**	0.758**	0.786**	0.633*	0.598*	0.568*	0.135	0.238	-															
N	0.358	0.432	0.768**	0.468	0.006	-0.048	-0.328	-0.172	0.772**	-														
C:N	-0.309	-0.392	-0.755**	-0.441	0.052	0.089	0.332	0.184	-0.741**	-0.998**	-													
TP	0.358	0.432	0.768**	0.468	0.006	-0.048	-0.328	-0.172	0.772**	1.000**	-0.997**	-												
SP	0.662**	0.630*	0.539*	0.428	0.672**	0.785**	0.440	0.398	0.881**	0.453	-0.426	0.453	-											
Carboh.	0.635*	0.497	0.087	0.289	0.820**	0.686**	0.101	0.199	0.428	-0.045	0.104	-0.045	0.471	-										
Lipids	0.024	-0.143	-0.543*	-0.376	0.464	0.538*	0.171	-0.021	-0.056	-0.533*	0.566*	-0.533*	0.258	0.611*	-									
Phenols.1	0.983**	0.972**	0.754*	0.867**	0.875**	0.763*	0.519*	0.726**	0.775**	0.333	-0.289	0.333	0.744**	0.589*	0.053	-								
Phenols.2	0.711**	0.773**	0.949**	0.789**	0.367	0.269	0.002	0.235	0.896**	0.897**	-0.879**	0.897**	0.625*	0.176	-0.442	0.699**	-							
Phenols.3	0.765**	0.850**	0.928**	0.876**	0.448	0.439	0.435	0.673**	0.754**	0.598*	-0.588*	0.598*	0.659**	0.104	-0.398	0.817**	0.845**	-						
Phenols.4	0.742**	0.808**	0.713*	0.850**	0.538*	0.524*	0.738**	0.943**	0.431	0.138	-0.127	0.138	0.458	0.133	-0.246	0.804**	0.516*	0.856**	-					
PE	0.283	0.153	-0.049	-0.135	0.549*	0.620*	0.013	-0.171	0.569*	0.171	-0.133	0.171	0.714**	0.634*	0.685**	0.307	0.172	-0.013	-0.213	-				
PC	0.621*	0.531*	0.225	0.270	0.825**	0.925**	0.581*	0.477	0.639*	0.029	0.008	0.029	0.892**	0.648**	0.601*	0.703**	0.278	0.405	0.397	0.781**	-			
Scy.	0.730**	0.771**	0.551*	0.752**	0.637*	0.585*	0.798**	0.977**	0.322	-0.086	0.105	-0.086	0.359	0.241	-0.041	0.796**	0.330	0.723**	0.951**	-0.135	0.490	-		
MAAs	-0.094	-0.024	-0.011	0.028	-0.087	0.193	0.789**	0.645**	-0.208	-0.356	0.321	-0.356	0.102	-0.427	-0.091	0.049	-0.209	0.265	0.524*	-0.337	0.152	0.535	-	

ABTS.1: ABTS assay in H₂O_d extraction; **ABTS.2:** ABTS assay in ethanol: H₂O_d (1:1) extraction; **ABTS.3:** ABTS assay in ethanol:H₂O_d (4:1); **ABTS.4:** ABTS assay in ethanol extraction; **DPPH.1:** DPPH assay in H₂O_d extraction; **DPPH.2:** DPPH assay in ethanol: H₂O_d (1:1); **DPPH.3:** DPPH assay in ethanol:H₂O_d (4:1); **DPPH.4:** DPPH assay in ethanol extraction; **C:** Total carbon content; **N:** Total nitrogen content; **C:N:** Carbon:Nitrogen ratio; **TP:** Total proteins; **SP:** Soluble proteins; **Carboh.:** Carbohydrates; **Phenols.1:** Phenols content in H₂O_d extraction; **Phenols.2:** Phenols content in ethanol: H₂O_d (1:1) extraction; **Phenols.3:** Phenols content in ethanol: H₂O_d (4:1); **Phenols.4:** Phenols content in ethanol extraction; **PE:** Phycoerythrin; **PC:** Phycocyanin; **Scy.:** Scytonemin; **MAAs:** Mycosporine like aminoacids

Table S.3. Pearson coefficient (r) between the different variables analyzed in red macroalgae

	ABTS.1	ABTS.2	ABTS.3	ABTS.4	DPPH.1	DPPH.2	DPPH.3	DPPH.4	C	N	C:N	TP	SP	Carboh.	Lipids	Phenols.1	Phenols.2	Phenols.3	Phenols.4	PE	PC	MAAs	
ABTS.1	-																						
ABTS.2	0.936**	-																					
ABTS.3	.585*	0.805**	-																				
ABTS.4	0.179	0.497*	0.842**	-																			
DPPH.1	0.138	0.022	-0.215	-0.183	-																		
DPPH.2	0.325	0.219	-0.058	-0.114	0.976**	-																	
DPPH.3	0.152	0.109	0.127	0.033	0.804**	0.819**	-																
DPPH.4	-0.022	0.112	0.458	0.482	0.383	0.389	0.796**	-															
C	0.213	-0.020	-0.244	-0.649**	-0.333	-0.289	-0.202	-0.368	-														
N	0.514*	0.219	-0.352	-0.689**	0.315	0.371	0.050	-0.465	0.623*	-													
C:N	-0.329	-0.233	0.195	0.143	-0.752**	-0.763**	-0.290	0.153	0.359	-0.503	-												
TP	0.514*	0.219	-0.352	-0.689**	0.316	0.371	0.050	-0.465	0.623*	1.000**	-0.503	-											
SP	0.696**	0.427	-0.168	-0.534*	0.354	0.450	0.084	-0.436	0.488	0.936**	-0.562*	0.936**	-										
Carboh.	0.439	0.284	0.107	-0.407	-0.488	-0.381	-0.441	-0.558*	-0.833**	0.578*	0.232	0.577*	0.543*	-									
Lipids	0.528*	0.778**	0.903**	0.877**	0.006	0.145	0.192	0.445	-0.476	-0.353	-0.067	-0.353	-0.147	-0.184	-								
Phenols.1	0.951**	0.976**	0.675	0.392	0.126	0.145	0.086	-0.009	-0.033	0.346	-0.399	0.346	0.557*	0.282	0.711**	-							
Phenols.2	0.806**	0.958**	0.908**	0.711**	-0.001	0.177	0.141	0.277	-0.235	-0.045	-0.156	-0.045	0.175	0.081	0.918**	0.908**	-						
Phenols.3	0.679**	0.889**	0.964**	0.812**	-0.127	0.043	0.097	0.349	-0.283	-0.234	0.013	-0.234	-0.023	0.036	0.955**	0.804**	0.976**	-					
Phenols.4	0.420	0.694**	0.961**	0.922**	-0.327	-0.202	-0.020	0.413	-0.345	-0.496	0.251	-0.496	-0.343	-0.075	0.908**	0.567*	0.845**	0.930**	-				
PE	0.576**	0.302	-0.194	-0.639*	-0.013	0.082	-0.125	-0.521*	0.827**	0.908**	-0.159	0.907**	0.885**	0.820**	-0.300	0.376	0.031	-0.113	-0.350	-			
PC	0.379	0.297	0.255	-0.173	0.253	-0.153	0.127	0.142	0.771**	0.356	0.429	0.356	0.259	0.634*	0.059	0.206	0.195	0.191	0.161	0.564*	-		
MAAs	0.809**	0.634*	0.182	-0.272	-0.090	0.067	-0.156	-0.445	0.629*	0.754*	-0.169	0.754**	0.838**	0.763*	0.058	0.675**	0.399	0.269	0.012	0.893**	0.478	-	

ABTS.1: ABTS assay in dH_2O extraction; **ABTS.2:** ABTS assay in ethanol: dH_2O (1:1) extraction; **ABTS.3:** ABTS assay in ethanol: dH_2O (4:1); **ABTS.4:** ABTS assay in ethanol extraction; **DPPH.1:** DPPH assay in dH_2O extraction; **DPPH.2:** DPPH assay in ethanol: dH_2O (1:1); **DPPH.3:** DPPH assay in ethanol: dH_2O (4:1); **DPPH.4:** DPPH assay in ethanol extraction; **C:** Total carbon content; **N:** Total nitrogen content; **C:N:** Carbon:Nitrogen ratio; **TP:** Total proteins; **SP:** Soluble proteins; **Carboh.:** Carbohydrates; **Phenols.1:** Phenols content in dH_2O extraction; **Phenols.2:** Phenols content in ethanol: dH_2O (1:1) extraction; **Phenols.3:** Phenols content in ethanol: dH_2O (4:1); **Phenols.4:** Phenols content in ethanol extraction; **PE:** Phycoerythrin; **PC:** Phycocyanin; **MAAs:** Mycosporine like aminoacids

Table S.4. Pearson coefficient (r) between the PC axis and the analyzed variables in both group of organism tested.

	ABTS.1	ABTS.2	ABTS.3	ABTS.4	DPPH.1	DPPH.2	DPPH.3	DPPH.4	C	N	S. proteins	Carboh.	Lipids	Phenols.1	Phenols.2	Phenols.3	Phenols.4	PE	PC	Scytonemin	MAAS
PC1	0.726	0.583	0.442	0.437	0.680	-0.042	0.102	0.202	0.804	0.482	0.711	0.959	0.524	0.577	0.020	-0.059	0.056	0.709	0.694	0.438	0.016
PC2	0.277	0.207	0.640	0.418	0.039	-0.257	0.189	0.180	0.590	0.742	0.483	-0.284	0.444	0.067	-0.077	-0.124	0.004	0.081	0.277	0.329	-0.209
PC3	-0.500	-0.566	-0.375	-0.463	-0.590	-0.619	-0.567	-0.554	0.071	-0.095	-0.450	0.004	-0.196	-0.660	-0.441	-0.472	-0.527	-0.221	-0.496	-0.486	0.103
PC4	-0.269	-0.427	-0.447	-0.478	0.079	0.180	0.400	0.044	0.014	-0.318	0.179	-0.006	0.156	-0.297	-0.534	-0.449	-0.356	0.399	0.362	-0.006	0.091
PC5	-0.247	-0.266	-0.179	-0.398	-0.253	0.140	-0.516	-0.709	-0.023	0.315	0.151	0.004	-0.103	-0.159	0.119	-0.107	-0.534	0.361	-0.108	-0.588	0.085

ABTS.1: ABTS assay in dH_2O extraction; **ABTS.2:** ABTS assay in ethanol: dH_2O (1:1) extraction; **ABTS.3:** ABTS assay in ethanol: dH_2O (4:1); **ABTS.4:** ABTS assay in ethanol extraction; **DPPH.1:** DPPH assay in dH_2O extraction; **DPPH.2:** DPPH assay in ethanol: dH_2O (1:1); **DPPH.3:** DPPH assay in ethanol: dH_2O (4:1); **DPPH.4:** DPPH assay in ethanol extraction; **C:** Total carbon content; **N:** Total nitrogen content; **S. proteins:** Soluble proteins; **Carboh.:** Carbohydrates; **Phenols.1:** Phenols content in dH_2O extraction; **Phenols.2:** Phenols content in ethanol: dH_2O (1:1) extraction; **Phenols.3:** Phenols content in ethanol: dH_2O (4:1); **Phenols.4:** Phenols content in ethanol extraction; **PE:** Phycoerythrin; **PC:** Phycocyanin; **MAAs:** Mycosporine like aminoacids