

# Thalassosterol, a New Cytotoxic Aromatase Inhibitor Ergosterol Derivative from the Red Sea Grass *Thalassodendron ciliatum*

Reda F. A. Abdelhameed <sup>1†</sup>, Eman S. Habib <sup>1†</sup>, Marwa S. Goda <sup>1</sup>, John Refaat Fahim <sup>2</sup>,  
Hashem A. Hassanean <sup>1</sup>, Enas E. Eltamany <sup>1</sup>, Amany K. Ibrahim <sup>1</sup>, Asmaa M. AboulMagd <sup>3</sup>,  
Shaimaa Fayez <sup>4,5</sup>, Adel M. Abd El-kader <sup>6,7</sup>, Tarfah Al-Warhi <sup>8</sup>, Gerhard Bringmann <sup>4,\*</sup>,  
Safwat A. Ahmed <sup>1,\*</sup> and Usama Ramadan Abdelmohsen <sup>2,6</sup>

<sup>1</sup> Department of Pharmacognosy, Faculty of Pharmacy, Suez Canal University, 41522 Ismailia, Egypt

<sup>2</sup> Department of Pharmacognosy, Faculty of Pharmacy, Minia University, 61519 Minia, Egypt

<sup>3</sup> Pharmaceutical Chemistry Department, Faculty of Pharmacy, Nahda University, 62513 BeniSuef, Egypt

<sup>4</sup> Institute of Organic Chemistry, University of Würzburg, Am Hubland, 97074 Würzburg, Germany

<sup>5</sup> Department of Pharmacognosy, Faculty of Pharmacy, Ain-Shams University, 11566 Cairo, Egypt

<sup>6</sup> Department of Pharmacognosy, Faculty of Pharmacy, Deraya University, 61111 New Minia, Egypt


<sup>7</sup> Department of Pharmacognosy, Faculty of Pharmacy, Al-Azhar University, Assiut 71524, Egypt

<sup>8</sup> Department of Chemistry, College of Science, Princess Nourah bint Abdulrahman University, Riyadh, Saudi Arabia

<sup>†</sup> Equal contributions

\* Correspondence: [bringmann@chemie.uni-wuerzburg.de](mailto:bringmann@chemie.uni-wuerzburg.de) (G.B.); [safwat\\_aa@yahoo.com](mailto:safwat_aa@yahoo.com) (S.A.A.); Tel.: (+49) 0931-318 5323 (G.B.); (+20) 010-92638387 (S.A.A.),

<b>Figure No.</b>	<b>Title</b>	<b>Page</b>
<b>Figure S1.</b>	Chromatogram of LC-ESI-HR-MS analysis of the crude extract of <i>Thalassodendron ciliatum</i> (positive mode)	3
<b>Figure S2.</b>	Chromatogram of LC-ESI-HR-MS analysis of the crude extract of <i>Thalassodendron ciliatum</i> (negative mode)	4
<b>Figure S3.</b>	Chromatogram of ESI-HR-MS of compound <b>1</b>	5
<b>Figure S4.</b>	<sup>1</sup> H NMR spectral data of compound <b>1</b>	6
<b>Figure S5.</b>	<sup>13</sup> C NMR spectral data of compound <b>1</b>	7
<b>Figure S6.</b>	DEPT-135 NMR spectral data of compound <b>1</b>	8
<b>Figure S7.</b>	HSQC chart of compound <b>1</b>	9
<b>Figure S8.</b>	HMBC chart of compound <b>1</b>	10
<b>Figure S9.</b>	COSY chart of compound <b>1</b>	11
<b>Figure S10.</b>	NOESY chart of compound <b>1</b>	12



**Figure S1.** Chromatogram of LC-ESI-HR-MS analysis of crude extract of *Thalassodendron ciliatum* (positive mode).





Figure S2. Chromatogram of LC-ESI-HR-MS analysis of crude extract of *Thalassodendron ciliatum* (negative mode).

UR32\_ESI\_Negative\_131



**Figure S3.** Chromatogram of ESI-HR-MS of thalassosterol (1, 2 $\beta$ ,18-dihydroxy-15 $\alpha$ -acetoxy-5,6,7,8-tetrahydroergosterol).




Figure S4. <sup>1</sup>H NMR spectral data of thalassosterol (**1**, 2 $\beta$ ,18-dihydroxy-15 $\alpha$ -acetoxy-5,6,7,8-tetrahydroergosterol).




Figure S5.  $^{13}\text{C}$  NMR spectral data of thalassosterol (1, 2 $\beta$ ,18-dihydroxy-15 $\alpha$ -acetoxy-5,6,7,8-tetrahydroergosterol).





Figure S6. DEPT-135 spectral data of thalassosterol (1, 2 $\beta$ ,18-dihydroxy-15 $\alpha$ -acetoxy-5,6,7,8-tetrahydroergosterol).





**Figure S7.** HSQC chart of thalassosterol (**1**), ( $2\beta,18$ -dihydroxy- $15\alpha$ -acetoxy- $5,6,7,8$ -tetrahydroergosterol).




Figure S8. COSY chart of thalassosterol (1, 2 $\beta$ ,18-dihydroxy-15 $\alpha$ -acetoxy-5,6,7,8-tetrahydroergosterol).




Figure S9. HMBC chart of thalassosterol (1, 2 $\beta$ ,18-dihydroxy-15 $\alpha$ -acetoxy-5,6,7,8-tetrahydroergosterol).




Figure S10. NOESY chart of thalassosterol (1, 2 $\beta$ ,18-dihydroxy-15 $\alpha$ -acetoxy-5,6,7,8-tetrahydroergosterol).