

Table S1. Patient characteristics by reported HCV status in MMT clinics, Guangdong, China.

<i>Characteristics</i>	Self-reported HCV status (n, (%))			Total (n=678)
	<i>Reporting infection (n=366)</i>	<i>Reporting no infection (n=259)</i>	<i>Unknown (n=53)</i>	
Predisposing factors				
Gender				
Male	322 (88.0)	230 (88.8)	47 (88.7)	599 (88.3)
Female	44 (12.0)	29 (11.2)	6 (11.3)	79 (11.7)
Age (years)				
18-34	32 (8.7)	24 (9.3)	3 (5.7)	59 (8.7)
34-44	202 (55.2)	113 (43.6)	23 (43.4)	338 (49.9)
≥45	132 (36.1)	122 (47.1)	27 (50.9)	281 (41.4)
$\bar{x} \pm s$	42.7±6.17	43.9±7.20	44.9±6.7	43.3±6.65
Marital status				
Married	219 (59.8)	166 (64.1)	31 (58.5)	416 (61.4)
Single	96 (26.2)	55 (21.2)	16 (30.2)	167 (24.6)
Divorced or windowed	51 (13.9)	38 (14.7)	6 (11.3)	95 (14.0)
Duration in MMT (years)				
<5	153 (41.8)	106 (40.9)	22 (41.5)	281 (41.4)
≥5	213 (58.2)	153 (59.1)	31 (58.5)	397 (58.6)
Region of residence				
urban	249 (68.0)	169 (65.3)	34 (64.2)	452 (66.7)
rural	117 (32.0)	90 (34.7)	19 (35.8)	226 (33.3)
Duration of abusing drugs (years)[#]				
<10	75 (20.5)	56 (21.6)	6 (11.3)	137 (20.2)
10~19	230 (62.8)	145 (56.0)	34 (64.2)	409 (60.3)
≥20	57 (15.6)	55 (21.2)	13 (24.5)	125 (18.4)
$\bar{x} \pm s$	14.1±5.71	14.3±6.25	15.6±5.98	14.3±5.95
missing	4 (1.1)	3 (1.2)	0 (0.0)	7 (1.0)
Ever injected drugs				
No	59 (16.1)	57 (22.0)	9 (17.0)	125 (18.4)
Yes	307 (83.9)	199 (76.8)	44 (83.0)	550 (81.1)
missing	0 (0.0)	3 (1.2)	0 (0.0)	3 (0.4)
Ever shared needles				
No	257 (70.2)	220 (84.9)	44 (83.0)	521 (76.8)
Yes	109 (29.8)	39 (15.1)	9 (17.0)	157 (23.2)
Abusing drugs in the past month				
No	324 (88.5)	232 (89.6)	47 (88.7)	603 (89.3)
Yes	42 (11.5)	27 (10.4)	6 (11.3)	75 (10.7)
More than one sexual partner in the past month				
No	348 (95.1)	240 (92.7)	48 (90.6)	636 (93.8)

Yes	18 (4.9)	19 (7.3)	5 (9.4)	42 (6.2)
<i>Enabling factors</i>				
Education level				
≤Primary school	85 (23.2)	52 (20.1)	16 (30.2)	153 (22.6)
Junior high school	205 (56.0)	152 (58.7)	30 (56.6)	387 (57.1)
≥ Senior high school	76 (20.8)	55 (21.2)	7 (13.2)	138 (20.4)
Employment				
Unemployed	194 (53.0)	73 (28.2)	24 (45.3)	291 (42.9)
Employed	172 (47.0)	186 (71.8)	29 (54.7)	387 (57.1)
Monthly income				
<3000	217 (59.3)	150 (57.9)	34 (64.2)	401 (59.1)
3000-4999	111 (30.3)	84 (32.4)	17 (32.1)	212 (31.3)
≥5000	33 (9.0)	24 (9.3)	2 (3.8)	59 (8.7)
missing	5 (1.4)	1 (0.4)	0 (0.0)	6 (0.9)
Have health insurance				
Yes	272 (74.3)	184 (71.0)	39 (73.6)	495 (73.0)
No	89 (24.3)	75 (29.0)	14 (26.4)	178 (26.3)
missing	5 (1.4)	0 (0.0)	0 (0.0)	5 (0.7)
Have stable residence				
Yes	309 (84.4)	233 (90.0)	45 (84.9)	587 (86.6)
No	57 (15.6)	26 (10.0)	8 (15.1)	91 (13.4)
<i>Need factors</i>				
Drinking times in the past month				
Never	258 (70.5)	177 (68.3)	34 (64.2)	469 (69.2)
1-3 times per month	57 (15.6)	45 (17.4)	9 (17.0)	111 (16.4)
≥1 times per week	25 (6.8)	15 (5.8)	4 (7.5)	44 (6.5)
≥1 times per day	25 (6.8)	21 (8.1)	6 (11.3)	52 (7.7)
missing	1 (0.3)	0 (0.0)	0 (0.0)	1 (0.1)
HIV infection				
No	313 (85.5)	241 (93.0)	49 (92.5)	603 (88.9)
Yes	53 (14.5)	15 (5.8)	4 (7.5)	72 (10.6)
missing	0 (0.0)	3 (1.2)	0 (0.0)	3 (0.4)
HBV infection				
No	334 (91.3)	252 (97.3)	48 (90.6)	634 (93.5)
Yes	32 (8.7)	4 (1.5)	5 (9.4)	41 (6.1)
missing	0 (0.0)	3 (1.2)	0 (0.0)	3 (0.4)

before entering in MMT. Sample size may vary due to missing data.