

**Table S1.** Correlation coefficients for food and beverage consumption in general and during pregnancy.

		Food & beverage consumption in general						Food & beverage consumption during pregnancy					
		Organic	Safe Plastics	Water: Soft Plastic	Water: Hard Plastic	Plastic Food Storage	Microwave Plastic	Organic	Unprocessed food	Home grown food	Fresh Fruits & Veg	Frozen Fruits & Veg	Canned Fruits & Veg
In general	Organic	-	<b>0.44</b>	<b>-0.13</b>	0.08	-0.11	<b>-0.15</b>	<b>0.60</b>	<b>0.27</b>	<b>0.20</b>	<b>0.17</b>	0.05	<b>-0.14</b>
	Safe Plastics	<0.0001	-	<b>-0.11</b>	<b>0.20</b>	-0.05	-0.07	<b>0.37</b>	<b>0.17</b>	<b>0.20</b>	<b>0.21</b>	0.03	<b>-0.13</b>
	Water: Soft Plastic	0.02	0.05	-	-0.01	0.05	0.06	-0.11	<b>-0.12</b>	0.06	0.002	-0.05	<b>0.11</b>
	Water: Hard Plastic	0.19	0.001	0.83	-	<b>0.22</b>	0.04	<b>0.12</b>	0.07	0.01	0.09	<b>0.12</b>	0.03
	Plastic Food Storage	0.06	0.36	0.35	0.001	-	<b>0.25</b>	0.03	0.05	-0.004	0.01	0.06	<b>-0.15</b>
	Microwave Plastic	0.01	0.17	0.23	0.46	<0.0001	-	-0.05	0.03	0.01	-0.06	0.09	0.07
During pregnancy	Organic	<0.0001	<0.0001	0.06	0.05	0.66	0.36	-	<b>0.26</b>	<b>0.17</b>	<b>0.22</b>	<b>0.11</b>	<b>-0.22</b>
	Unprocessed food	<0.0001	0.001	0.03	0.22	0.38	0.57	<0.0001	-	0.07	<b>0.21</b>	0.02	<b>-0.19</b>
	Home grown food	0.0002	0.0001	0.24	0.82	0.95	0.83	0.003	0.18	-	0.08	<b>0.11</b>	0.02
	Fresh Fruits & Veg	0.001	<0.0001	0.97	0.14	0.89	0.22	<0.0001	<0.0001	0.12	-	<b>-0.11</b>	<b>-0.30</b>
	Frozen Fruits & Veg	0.36	0.55	0.36	0.04	0.26	0.08	0.04	0.67	0.04	0.03	-	<b>0.12</b>
	Canned Fruits & Veg	0.01	0.02	0.03	0.64	0.01	0.18	<0.0001	0.00	0.77	<0.0001	0.02	-

NOTE: Spearman correlation coefficients found above the diagonal, *p*-values for correlation found below the diagonal; correlations with *p* < 0.05 in bold typeface.

**Table S2.** Percent difference (95% confidence interval) in gestational urinary phthalates associated with food and beverage consumption habits, by race.<sup>a</sup>

	Overall ( <i>n</i> = 395)	MBP White ( <i>n</i> = 197)	Black ( <i>n</i> = 198)	Overall ( <i>n</i> = 395)	MiBP White ( <i>n</i> = 197)	Black ( <i>n</i> = 198)
<b>Food &amp; beverage consumption in general</b>						
Organic	-6.76 (-17.30, 4.08)	-12.19 (-26.66, 4.08)	-4.88 (-17.30, 9.42)	-2.96 (-13.93, 9.42)	4.08 (-11.31, 221.4)	1.01 (-13.06, 17.35)
Safe Plastics	6.18 (-4.88, 17.35)	3.05 (-12.19, 20.92)	10.52 (-2.96, 27.12)	2.02 (-8.61, 13.88)	10.52 (-3.92, 27.12)	5.13 (-8.61, 20.92)
Water: Soft Plastic	7.25 (-2.96, 19.72)	2.02 (-11.31, 17.35)	4.08 (-11.31, 20.92)	8.33 (-2.96, 19.72)	-5.82 (-18.13, 8.33)	-1.98 (-17.30, 16.18)
Water: Hard Plastic	-0.99 (-9.52, 9.42)	-7.69 (-19.75, 5.13)	11.63 (-1.00, 27.12)	-0.99 (-10.42, 9.42)	13.88 (-1.98, 33.64)	9.42 (-4.88, 25.86)
Plastic Food Storage	4.08 (-6.76, 15.03)	6.18 (-8.61, 24.61)	0.00 (-12.19, 12.75)	9.42 (-1.98, 20.92)	-4.88 (-17.30, 9.42)	1.01 (-12.19, 16.18)
Microwave Plastic	-4.88 (-13.93, 5.13)	-6.76 (-18.94, 8.33)	-8.61 (-19.75, 4.08)	-4.88 (-13.93, 5.13)	1.01 (-11.31, 16.18)	-5.82 (-18.13, 8.33)
<b>Food &amp; beverage consumption during pregnancy</b>						
Organic	-1.98 (-11.31, 9.42)	-0.99 (-13.06, 13.88)	0.00 (-13.93, 16.18)	-1.98 (-11.31, 8.33)	-8.61 (-19.75, 4.08)	-3.92 (-16.47, 10.52)
Unprocessed Food	6.18 (-3.92, 16.18)	-1.98 (-14.79, 11.63)	17.35 (2.02, 33.64)	0.00 (-8.61, 9.42)	-7.69 (-21.34, 9.42)	8.33 (-4.88, 22.14)
Home Grown Food	5.13 (-6.76, 18.53)	-4.88 (-19.75, 12.75)	10.52 (-6.76, 29.69)	8.33 (-2.96, 20.92)	-7.69 (-25.17, 13.88)	19.72 (2.02, 39.10)
Fresh Fruits & Veg	-5.82 (-19.75, 11.63)	-5.82 (-23.66, 17.35)	-4.88 (-25.17, 20.92)	-10.42 (-22.89, 4.08)	-1.98 (-13.93, 11.63)	-11.31 (-28.82, 10.52)
Frozen Fruits & Veg	-9.52 (-18.94, 0.40)	-8.61 (-20.55, 4.08)	-10.42 (-22.89, 5.13)	0.00 (-9.52, 9.42)	1.01 (-13.06, 18.53)	0.00 (-13.06, 15.03)
Canned Fruits & Veg	1.01 (-9.52, 12.75)	12.75 (-2.96, 32.31)	-6.76 (-18.94, 6.18)	-4.88 (-13.93, 5.13)	0.00 (0.00, 0.00)	-7.69 (-18.94, 5.13)

NOTE: Grey shading indicates  $p < 0.10$  for interaction by race. MBP, mono-n-butyl phthalate; MiBP, mono-isobutyl phthalate.

<sup>a</sup> Adjusted for age (years), BMI (kg/m<sup>2</sup>), marital status (married or living as married vs. single (single, separated, divorced, widowed)), and education (< High school, High school, some college, ≥ college).

**Table S2.** Percent difference (95% confidence interval) in gestational urinary phthalates associated with food and beverage consumption habits, by race.<sup>a</sup>

	Overall ( <i>n</i> = 395)	MBzP White ( <i>n</i> = 197)	Black ( <i>n</i> = 198)	Overall ( <i>n</i> = 395)	MEHP White ( <i>n</i> = 197)	Black ( <i>n</i> = 198)
<b>Food &amp; beverage consumption in general</b>						
Organic	-5.82 (-20.55, 11.63)	-27.39 (-42.88, -6.76)	18.53 (-2.96, 43.33)	-3.92 (-13.93, 7.25)	-9.52 (-22.12, 5.13)	1.01 (-13.06, 16.18)
Safe Plastics	0.00 (-13.93, 16.18)	12.75 (-10.42, 40.49)	-6.76 (-22.12, 12.75)	4.08 (-5.82, 15.03)	0.00 (-13.06, 15.03)	13.88 (-0.20, 31.00)
Water: Soft Plastic	11.63 (-3.92, 29.69)	10.52 (-9.52, 34.99)	-1.98 (-21.34, 22.14)	4.08 (-5.82, 13.88)	2.02 (-9.52, 15.03)	6.18 (-9.52, 24.61)
Water: Hard Plastic	9.42 (-4.88, 24.61)	-1.98 (-18.94, 18.53)	27.12 (6.18, 52.20)	3.05 (-5.82, 12.75)	3.05 (-8.61, 16.18)	1.01 (-11.31, 15.03)
Plastic Food Storage	-5.82 (-18.94, 9.42)	-3.92 (-22.12, 19.72)	-5.82 (-21.34, 12.75)	-2.96 (-12.19, 6.18)	-1.98 (-13.93, 11.63)	-6.76 (-18.13, 6.18)
Microwave Plastic	7.25 (-7.69, 23.37)	9.42 (-11.31, 33.64)	-0.99 (-17.30, 18.53)	0.00 (-8.61, 10.52)	2.02 (-9.52, 15.03)	-3.92 (-15.63, 10.52)
<b>Food &amp; beverage consumption during pregnancy</b>						
Organic	5.13 (-7.69, 20.92)	-2.96 (-21.34, 18.53)	17.35 (-1.00, 40.49)	-2.96 (-11.31, 6.18)	-7.69 (-18.94, 4.08)	4.08 (-9.52, 20.92)
Unprocessed Food	7.25 (-4.88, 22.14)	4.08 (-15.63, 27.12)	17.35 (1.01, 37.71)	3.05 (-4.88, 12.75)	2.02 (-9.52, 16.18)	5.13 (-7.69, 19.72)
Home Grown Food	1.01 (-13.93, 18.53)	2.02 (-20.55, 32.31)	-4.88 (-21.34, 15.03)	4.08 (-6.76, 15.03)	3.05 (-12.19, 20.92)	2.02 (-12.19, 18.53)
Fresh Fruits & Veg	-18.94 (-34.30, 1.01)	-12.19 (-36.24, 20.92)	-29.53 (-46.74, 7.69)	4.08 (-10.42, 19.72)	5.13 (-13.93, 28.40)	-1.00 (-20.55, 23.37)
Frozen Fruits & Veg	-8.61 (-20.55, 5.13)	-10.42 (-26.66, 10.52)	-3.92 (-19.75, 15.03)	-1.98 (-11.31, 7.25)	-5.82 (-17.30, 7.25)	2.02 (-12.19, 17.35)
Canned Fruits & Veg	7.25 (-6.76, 23.37)	20.92 (-4.88, 53.73)	-2.96 (-17.30, 13.88)	-1.98 (-10.42, 8.33)	4.08 (-10.42, 20.92)	-5.82 (-17.30, 7.25)

NOTE: Grey shading indicates  $p < 0.10$  for interaction by race. MBzP, monobenzyl phthalate; MEHP, mono(2-ethylhexyl) phthalate.

<sup>a</sup> Adjusted for age (years), BMI (kg/m<sup>2</sup>), marital status (married or living as married vs. single (single, separated, divorced, widowed)), and education (< High school, High school, some college, ≥ college).

**Table S2.** Percent difference (95% confidence interval) in gestational urinary phthalates associated with food and beverage consumption habits, by race.<sup>a</sup>

	Overall (n = 395)	MEOHP White (n = 197)	Black (n = 198)	Overall (n = 395)	MEHHP White (n = 197)	Black (n = 198)
<b>Food &amp; beverage consumption in general</b>						
Organic	-2.96 (-10.42, 5.13)	-6.76 (-17.30, 5.13)	1.01 (-9.52, 12.75)	-2.96 (-11.31, 6.18)	-6.76 (-18.13, 5.13)	0.00 (-11.31, 13.88)
Safe Plastics	2.02 (-4.88, 8.33)	-2.96 (-12.19, 7.25)	7.25 (-1.98, 16.18)	3.05 (-3.92, 11.63)	-0.99 (-11.31, 9.42)	9.42 (-1.98, 20.92)
Water: Soft Plastic	3.05 (-3.92, 11.63)	10.52 (-0.30, 23.37)	-4.88 (-14.79, 7.25)	3.05 (-4.88, 12.75)	10.52 (-1.00, 23.37)	-4.88 (-16.47, 9.42)
Water: Hard Plastic	1.01 (-6.76, 8.33)	-1.00 (-11.31, 11.63)	3.05 (-6.76, 12.75)	0.00 (-7.69, 9.42)	-0.99 (-12.19, 11.63)	3.05 (-8.61, 16.18)
Plastic Food Storage	2.02 (-4.88, 10.52)	3.05 (-7.69, 16.18)	0.00 (-9.52, 10.52)	2.02 (-5.82, 11.63)	2.02 (-9.52, 16.18)	1.01 (-9.52, 13.88)
Microwave Plastic	-1.00 (-6.76, 6.18)	0.00 (-9.52, 10.52)	-1.00 (-9.52, 8.33)	-1.00 (-7.69, 7.25)	0.00 (-9.52, 11.63)	0.00 (-10.42, 10.52)
<b>Food &amp; beverage consumption during pregnancy</b>						
Organic	-1.98 (-11.31, 7.25)	-2.96 (-15.63, 10.52)	-1.00 (-12.19, 12.75)	-2.96 (-13.06, 7.25)	-4.88 (-17.30, 9.42)	-1.00 (-14.79, 15.03)
Unprocessed Food	1.01 (-7.69, 9.42)	-1.98 (-13.93, 11.63)	1.01 (-9.52, 13.88)	2.02 (-7.69, 12.75)	-1.00 (-13.93, 13.88)	3.05 (-10.42, 17.35)
Home Grown Food	8.33 (-2.96, 20.92)	3.05 (-13.06, 22.14)	9.42 (-4.88, 25.86)	8.33 (-2.96, 22.14)	4.08 (-13.06, 23.37)	9.42 (-6.76, 29.69)
Fresh Fruits & Veg	2.02 (-11.31, 18.53)	2.02 (-17.30, 25.86)	0.00 (-18.13, 22.14)	3.05 (-12.19, 20.92)	4.08 (-16.47, 31.00)	-1.00 (-22.12, 25.86)
Frozen Fruits & Veg	-4.88 (-13.93, 4.08)	-11.31 (-22.89, 1.01)	1.01 (-11.31, 16.18)	-5.82 (-14.79, 5.13)	-12.19 (-23.66, 1.01)	1.01 (-13.06, 18.53)
Canned Fruits & Veg	1.01 (-8.61, 10.52)	1.01 (-13.93, 17.35)	0.00 (-11.31, 11.63)	0.00 (-10.42, 11.63)	1.01 (-14.79, 18.53)	-1.98 (-13.93, 12.75)

NOTE: Grey shading indicates  $p < 0.10$  for interaction by race. MEOHP, mono(2-ethyl-5-oxohexyl) phthalate; MEHHP, mono(2-ethyl-5-hydroxyhexyl) phthalate.

<sup>a</sup> Adjusted for age (years), BMI (kg/m<sup>2</sup>), marital status (married or living as married vs. single (single, separated, divorced, widowed)), and education (< High school, High school, some college, ≥ college).

**Table S2.** Percent difference (95% confidence interval) in gestational urinary phthalates associated with food and beverage consumption habits, by race.<sup>a</sup>

	MEP			MMP		
	Overall (n = 395)	White (n = 197)	Black (n = 198)	Overall (n = 395)	White (n = 197)	Black (n = 198)
<b>Food &amp; beverage consumption in general</b>						
Organic	-10.42 (-29.53, 13.88)	-16.47 (-39.95, 16.18)	-10.42 (-36.24, 25.86)	-7.69 (-18.13, 5.13)	-6.76 (-22.12, 12.75)	-11.31 (-23.66, 4.08)
Safe Plastics	11.63 (-10.42, 37.71)	24.61 (-7.69, 68.20)	-1.98 (-28.82, 33.64)	6.18 (-5.82, 18.53)	0.00 (-15.63, 18.53)	13.88 (-1.00, 32.31)
Water: Soft Plastic	5.13 (-14.79, 29.69)	4.08 (-19.75, 36.34)	1.01 (-30.93, 46.23)	9.42 (-1.98, 22.14)	7.25 (-7.69, 24.61)	4.08 (-12.19, 24.61)
Water: Hard Plastic	-7.69 (-24.42, 12.75)	-25.92 (-42.88, -4.88)	27.12 (-5.82, 71.60)	-1.00 (-10.42, 9.42)	-8.61 (-21.34, 6.18)	10.52 (-3.92, 27.12)
Plastic Food Storage	-4.88 (-22.89, 17.35)	-2.96 (-27.39, 29.69)	-5.82 (-30.93, 27.12)	3.05 (-7.69, 15.03)	6.18 (-10.42, 24.61)	-2.96 (-15.63, 11.63)
Microwave Plastic	11.63 (-9.52, 36.34)	16.18 (-11.31, 52.20)	5.13 (-22.89, 43.33)	4.08 (-6.76, 16.18)	2.02 (-12.19, 18.53)	1.01 (-12.19, 17.35)
<b>Food &amp; beverage consumption during pregnancy</b>						
Organic	7.25 (-12.19, 31.00)	13.88 (-13.06, 49.18)	5.13 (-22.12, 41.91)	1.01 (-8.61, 10.52)	3.05 (-9.52, 18.53)	-1.98 (-14.79, 11.63)
Unprocessed Food	11.63 (-7.69, 34.99)	6.18 (-18.94, 37.71)	15.03 (-12.19, 50.68)	1.01 (-7.69, 10.52)	-0.99 (-13.93, 13.88)	2.02 (-9.52, 15.03)
Home Grown Food	8.33 (-14.79, 36.34)	-13.93 (-38.12, 20.92)	33.64 (-3.92, 84.04)	-1.00 (-12.19, 10.52)	-4.88 (-20.55, 12.75)	2.02 (-12.19, 17.35)
Fresh Fruits & Veg	-28.11 (-47.80, -1.00)	-25.17 (-50.84, 13.88)	-26.66 (-55.51, 19.72)	-13.06 (-25.17, 2.02)	-25.17 (-39.35, -6.76)	4.08 (-16.47, 29.69)
Frozen Fruits & Veg	-8.61 (-25.17, 11.63)	3.05 (-21.34, 34.99)	-22.89 (-43.45, 4.08)	-5.82 (-14.79, 4.08)	-12.19 (-23.66, 1.01)	0.00 (-13.06, 15.03)
Canned Fruits & Veg	4.08 (-15.63, 27.12)	11.63 (-18.94, 52.20)	3.05 (-21.34, 36.34)	4.08 (-5.82, 15.03)	5.13 (-10.42, 23.37)	2.02 (-9.52, 15.03)

NOTE: Grey shading indicates  $p < 0.10$  for interaction by race. MEP, mono-ethyl phthalate; MMP, mono-methyl phthalate.

<sup>a</sup> Adjusted for age (years), BMI (kg/m<sup>2</sup>), marital status (married or living as married vs. single (single, separated, divorced, widowed)), and education (< High school, High school, some college, ≥ college).

**Table S2.** Percent difference (95% confidence interval) in gestational urinary phthalates associated with food and beverage consumption habits, by race.<sup>a</sup>

	Overall (n = 395)	$\Sigma$ DEHP White (n = 197)	Black (n = 198)	Overall (n = 395)	$\Sigma$ DBP White (n = 197)	Black (n = 198)
<b>Food &amp; beverage consumption in general</b>						
Organic	-3.92 (-17.30, 10.52)	-10.42 (-27.39, 10.52)	1.01 (-18.13, 23.37)	-4.88 (-16.47, 8.33)	-13.06 (-28.82, 7.25)	0.00 (-13.93, 16.18)
Safe Plastics	7.25 (-6.76, 22.14)	2.02 (-15.63, 23.37)	19.72 (-1.00, 43.33)	5.13 (-6.76, 18.53)	6.18 (-11.31, 28.40)	8.33 (-5.82, 24.61)
Water: Soft Plastic	10.52 (-2.96, 25.86)	12.75 (-4.88, 33.64)	8.33 (-13.06, 36.34)	9.42 (-2.96, 23.37)	7.25 (-9.52, 25.86)	2.02 (-13.93, 20.92)
Water: Hard Plastic	3.05 (-8.61, 16.18)	3.05 (-12.19, 20.92)	3.05 (-13.93, 23.37)	0.00 (-10.42, 11.63)	-6.76 (-20.55, 9.42)	12.75 (-1.98, 28.40)
Plastic Food Storage	-1.98 (-13.93, 11.63)	-1.00 (-17.30, 19.72)	-6.76 (-22.89, 11.63)	7.25 (-4.88, 20.92)	12.75 (-5.82, 34.99)	1.01 (-12.19, 16.18)
Microwave Plastic	-1.00 (-12.19, 12.75)	0.00 (-15.63, 18.53)	-2.96 (-18.94, 17.35)	-5.82 (-16.47, 5.13)	-6.76 (-21.34, 9.42)	-9.52 (-21.34, 4.08)
<b>Food &amp; beverage consumption during pregnancy</b>						
Organic	-3.92 (-14.79, 9.42)	-7.69 (-22.12, 9.42)	2.02 (-15.63, 22.14)	-2.96 (-13.06, 8.33)	1.01 (-13.93, 17.35)	-3.92 (-17.30, 12.75)
Unprocessed Food	3.05 (-7.69, 16.18)	0.00 (-15.63, 18.53)	5.13 (-11.31, 24.61)	3.05 (-6.76, 15.03)	-6.76 (-20.55, 8.33)	17.35 (2.02, 33.64)
Home Grown Food	11.63 (-3.92, 28.40)	5.13 (-14.79, 29.69)	11.63 (-8.61, 37.71)	8.33 (-4.88, 23.37)	-6.76 (-22.89, 13.88)	16.18 (-1.98, 37.71)
Fresh Fruits & Veg	5.13 (-13.06, 28.40)	7.25 (-18.13, 40.49)	0.00 (-25.92, 33.64)	-9.52 (-23.66, 8.33)	-7.69 (-28.11, 17.35)	-9.52 (-29.53, 16.18)
Frozen Fruits & Veg	-5.82 (-17.30, 6.18)	-13.93 (-28.11, 2.02)	2.02 (-15.63, 23.37)	-5.82 (-16.47, 5.13)	-6.76 (-20.55, 9.42)	-5.82 (-19.75, 10.52)
Canned Fruits & Veg	0.00 (-12.19, 13.88)	2.02 (-16.47, 24.61)	-2.96 (-18.13, 15.03)	-0.99 (-12.19, 10.52)	10.52 (-7.69, 32.31)	-8.61 (-21.34, 5.13)

NOTE: Grey shading indicates  $p < 0.10$  for interaction by race.  $\Sigma$ DEHP, sum of MEHP, MEOHP, and MEHHP in nmol/L;  $\Sigma$ DBP, sum of MBP and MiBP in nmol/L.

<sup>a</sup> Adjusted for age (years), BMI (kg/m<sup>2</sup>), marital status (married or living as married vs. single (single, separated, divorced, widowed)), and education (< High school, High school, some college,  $\geq$  college).

**Table S2.** Percent difference (95% confidence interval) in gestational urinary phthalates associated with food and beverage consumption habits, by race.<sup>a</sup>

	Overall ( <i>n</i> = 395)	$\Sigma$ RPF White ( <i>n</i> = 197)	Black ( <i>n</i> = 198)
<b>Food &amp; beverage consumption in general</b>			
Organic	-5.82 (-16.47, 6.18)	-15.63 (-30.23, 2.02)	1.01 (-12.19, 15.03)
Safe Plastics	6.18 (-5.82, 18.53)	7.25 (-9.52, 27.12)	9.42 (-2.96, 24.61)
Water: Soft Plastic	9.42 (-1.98, 22.14)	7.25 (-7.69, 25.86)	5.13 (-9.52, 22.14)
Water: Hard Plastic	1.01 (-8.61, 11.63)	-6.76 (-18.94, 8.33)	12.75 (0.01, 27.12)
Plastic Food Storage	1.01 (-9.52, 12.75)	6.18 (-10.42, 24.61)	-5.82 (-17.30, 6.18)
Microwave Plastic	-0.99 (-11.31, 9.42)	-0.99 (-15.63, 15.03)	-4.88 (-16.47, 7.25)
<b>Food &amp; beverage consumption during pregnancy</b>			
Organic	0.00 (-9.52, 11.63)	-0.99 (-14.79, 15.03)	5.13 (-9.52, 20.92)
Unprocessed Food	7.25 (-2.96, 18.53)	-1.98 (-15.63, 13.88)	17.35 (4.08, 33.64)
Home Grown Food	6.18 (-5.82, 20.92)	-2.96 (-19.75, 17.35)	9.42 (-5.82, 28.40)
Fresh Fruits & Veg	-7.69 (-22.12, 9.42)	-4.88 (-25.17, 19.72)	-12.19 (-30.23, 11.63)
Frozen Fruits & Veg	-10.42 (-19.75, -1.00)	-13.93 (-25.92, 0.20)	-7.69 (-20.55, 6.18)
Canned Fruits & Veg	1.01 (-9.52, 12.75)	-10.52 (-6.76, 32.31)	-6.76 (-18.13, 6.18)

NOTE: Grey shading indicates  $p < 0.10$  for interaction by race.  $\Sigma$ RPF weighted sum of MBP, MiBP, MBzP, MEHP, MEHHP, MEOHP, and MEP in  $\mu\text{g/L}$  weighted by relative anti-androgen potency factors (RPF).

<sup>a</sup> Adjusted for age (years), BMI ( $\text{kg/m}^2$ ), marital status (married or living as married vs. single (single, separated, divorced, widowed)), and education (< High school, High school, some college,  $\geq$  college).

Table S3. Principal component analysis factor loadings.

		Food & beverage consumption in general						Food & beverage consumption during pregnancy					
		Organic	Safe Plastics	Water: Soft Plastic	Water: Hard Plastic	Plastic Food Storage	Microwave Plastic	Organic	Unprocessed food	Home grown food	Fresh Fruits & Veg	Frozen Fruits & Veg	Canned Fruits & Veg
Overall	PC1	0.80	0.73	-0.25	0.28	0.01	-0.17	0.82	0.33	0.40	0.62	0.09	-0.46
	PC2	-0.16	0.001	0.15	0.57	0.75	0.66	0.04	0.11	0.13	-0.06	0.47	0.08
	PC3	0.27	0.23	0.01	0.09	-0.40	-0.09	0.11	-0.23	0.41	-0.44	0.51	0.70
White	PC1	0.86	0.72	-0.36	0.15	-0.13	-0.47	0.82	0.53	0.31	0.67	-0.13	-0.62
	PC2	-0.15	-0.30	0.28	0.31	0.76	0.50	0.09	0.15	0.10	0.43	0.22	-0.48
	PC3	0.08	0.34	-0.39	0.61	0.17	0.09	0.11	-0.27	0.23	-0.32	0.66	0.32
Black	PC1	0.72	0.76	0.15	0.50	0.20	0.28	0.78	0.57	0.56	0.47	0.32	-0.08
	PC2	-0.45	0.03	0.19	0.45	0.82	0.65	-0.26	0.12	-0.22	0.00	-0.15	-0.08
	PC3	0.13	-0.18	0.25	0.18	0.04	0.16	-0.06	-0.11	0.32	-0.66	0.51	0.79

PC, principal component