

DEFINITION	CODE	A	B	C	D (> 57.5 )	D2 (< 57.5 )	F	T-TEST BETWEEN GROUPS
Staff or visitor's capacity to "read" the system correctly (i.e. understand how to interact) as they encounter it.	<i>Inconsistent with other services</i>	0	0	0	0	0	6	0.177807808
	<i>System coherence</i>	3	0	1	3	0	1	0.344046032
Extent to which the information communicated by the system is interpretable, useful and necessary for the user.	<i>Information overload</i>	2	2	0	0	1	6	0.228268707
	<i>Information organization</i>	11	4	6	10	9	17	0.206349869
	<i>Information visibility</i>	5	1	4	0	3	3	0.79332084
	<i>Visual communication</i>	1	0	0	1	1	0	1
	<i>Situationally responsive</i>	1	0	0	1	2	2	0.025721421
Processes through which the system is able to encourage the user towards correct and efficient use during human-system interactions.	<i>Learnability of system</i>	0	1	1	0	0	5	0.277120841
	<i>System is dependent on digital literacy</i>	0	0	0	0	0	4	0.177807808
	<i>System is easy to use</i>	11	4	4	2	1	0	0.185755085
	<i>Informative</i>	3	1	1	1	0	1	0.284606331
Aspects of the system designed to assist the user generally, or specifically serve to increase the knowledge, capability or autonomy of the user.	<i>System does not facilitate autonomy</i>	1	0	0	1	0	3	0.380506073
	<i>System shortcuts</i>	3	1	2	6	1	6	0.833508807
	<i>Lack of error recovery</i>	2	0	0	1	1	2	0.391075888
	<i>Independent self-service</i>	0	0	0	1	1	0	0.6328125
	<i>Accessible (mobile)</i>	1	0	1	0	0	1	1
Considerations and concerns raised by users that refers specifically to the ways in which the system was integrated into the hospital environment.	<i>Quick engagement with system</i>	3	0	2	0	1	1	0.835026074
	<i>Lack of feedback loop</i>	0	0	0	0	0	4	0.177807808
Reliability issues with the system's hardware and their physical and tangible consequences.	<i>Deployment communication</i>	0	0	1	0	1	6	0.108214925
	<i>Ergonomic troubles</i>	0	1	0	0	0	3	0.276207795
	<i>Congestion on site</i>	0	0	1	2	0	3	0.555073152
	<i>Time consuming</i>	0	0	1	2	2	20	0.138918524

The "accuracy" dimension of information provided to the system. Reflects the shift in power from manual screening (in which a nurse or staff collects the screening data) to a self-service system (whereby users are responsible for the accuracy of their information) and the implications of this transition.	<i>Reliability of system</i>	2	1	4	4	2	8	0.355232431
	<i>Reliability of collected data</i>	1	0	0	0	1	3	0.071432473
	<i>Inaccuracy of system information</i>	0	0	1	3	1	5	0.284606331
	<i>Privacy</i>	0	0	1	0	0	1	0.6328125
	<i>Retaining the humanity of staff</i>	0	0	0	1	1	3	0.071432473
<i>Necessity of system</i>		1	1	0	1	0	15	0.216830705

m	BH Corrected p value 0.05	BH at corrected 0.25	Is p value < BH corrected p value for	comparison at 0.25
28	0.001724	0.00862		sig
28	0.003448	0.01724		sig
28	0.005172	0.02586		sig
28	0.006897	0.03448		sig
28	0.008621	0.0431		sig
28	0.010345	0.05172		sig
28	0.012069	0.06034		non-sig
28	0.013793	0.06897		non-sig
28	0.015517	0.07759		non-sig
28	0.017241	0.08621		non-sig
28	0.018966	0.09483		non-sig
28	0.02069	0.10345		non-sig
28	0.022414	0.11207		non-sig
28	0.024138	0.12069		non-sig

28	0.025862	0.12931	non-sig
28	0.027586	0.13793	non-sig
28	0.02931	0.14655	non-sig
28	0.031034	0.15517	non-sig
28	0.032759	0.16379	non-sig
28	0.034483	0.17241	non-sig
28	0.036207	0.18103	non-sig
28	0.037931	0.18966	non-sig
28	0.039655	0.19828	non-sig
28	0.041379	0.2069	non-sig
28	0.043103	0.21552	non-sig
28	0.044828	0.22414	non-sig
28	0.046552	0.23276	non-sig
28	0.048276	0.24138	non-sig
	0.05	0.25	non-sig

---