

List of Supplementary Figures

Figure S1. Decision tree of Tianshengqiao plant 1 generated for C4.5 summer season

Figure S2. Decision tree of Tianshengqiao plant 2 generated for C4.5 winter season

Figure S3. Decision tree generated by CHAID of Tianshengqiao plant 1 for winter season

Figure S4. Decision tree generated by CHAID of Tianshengqiao plant 2 for summer season

Figure S5. Decision tree by using ID3 algorithm Tianshengqiao plant 1 for winter season

Figure S6. Decision tree by using ID3 algorithm Tianshengqiao plant 2 for summer season

Figure S7. Decision tree by using improved C4.5 Tianshengqiao plant 1 for winter season

Figure S8. Decision tree by using improved C4.5 Tianshengqiao plant 2 for summer season




Figure S1. Decision tree of Tiansheng qiao plant 1 generated for C4.5 summer season




Figure S2. Decision tree of Tianshengqiao plant 2 generated for C4.5 winter season




Figure S3. Decision tree generated by CHAID of Tianshengqiao plant 1 for winter season




Figure S4. Decision tree generated by CHAID of Tianshengqiao plant 2 for summer season




Figure S5. Decision tree by using ID3 algorithm Tianshengqiao plant 1 for winter season




Figure S6. Decision tree by using ID3 algorithm Tianshengqiao plant 2 for summer season




Figure S7. Decision tree by using improved C4.5 Tianshengqiao plant 1 for winter season




Figure S8. Decision tree by using improved C4.5 Tianshengqiao plant 2 for summer season