

Supplementary Information

Influence of Temperature on the Adsorption and Diffusion of Heavy

Oil in Quartz Nanopore: A Molecular Dynamics Study

Dongsheng Chen^{1,2}, Wei Zheng^{1,3*}, Taichao Wang^{1,3}, Fan Liu^{1,3}, Tong Cheng², Hengyuan Chen², Tingting Miao^{2*}

1. State Key Laboratory of Offshore Oil Exploitation, Beijing 100028, China;

2. Beijing Key Laboratory of Process Fluid Filtration and Separation, College of Mechanical and Transportation Engineering, China University of Petroleum-Beijing, Beijing 102249, China;

3. CNOOC Research Institute Ltd., Beijing 100028, China.

*Corresponding authors: zhengwei_aswill@163.com (W. Zheng) mting@cup.edu.cn (T. T. Miao)

Table S1 Experimental[1] and simulated density of heavy oil

Pressure (MPa)	Experimental density (g/mL, 296 K)	Pressure (MPa)	Simulated density (g/mL, 298 K)
1.99	1.0093	2	0.8929
4.02	1.0101	5	0.8958
6.00	1.0110	10	0.9049
8.00	1.0120	15	0.9063
10.01	1.0129	~	~

References

1. Nourozieh, H.; Kariznovi, M.; Abedi, J., Density and Viscosity of Athabasca Bitumen Samples at Temperatures Up to 200°C and Pressures Up to 10 MPa. *SPE Reserv. Evaluation Eng.* **2015**, 18, (03), 375-386.