

## Supplementary Materials

# The Morphology-Controllable Synthesis of Ni–Co–O Nanosheets on a 3D Porous Ni Template as a Binder-Free Electrode for a Solid-State Symmetric Supercapacitor

Han-Wei Chang <sup>1,2,\*</sup>, Chia-Hsiang Lee <sup>1</sup>, Yu-Xiang Hong <sup>1</sup>, Jeng-Lung Chen <sup>3</sup>, Jin-Ming Chen <sup>3</sup> and Yu-Chen Tsai <sup>4,\*</sup>

<sup>1</sup> Department of Chemical Engineering, National United University, Miaoli 360302, Taiwan; tonylee36987412@gmail.com (C.-H.L.); jennis10130103@gmail.com (Y.-X.H.)

<sup>2</sup> Pesticide Analysis Center, National United University, Miaoli 360302, Taiwan

<sup>3</sup> National Synchrotron Radiation Research Center, Hsinchu 30076, Taiwan; chen.jl@nsrrc.org.tw (J.-L.C.); jmchen@nsrrc.org.tw (J.-M.C.)

<sup>4</sup> Department of Chemical Engineering, National Chung Hsing University, Taichung 40227, Taiwan

\* Correspondence: hwchang@nuu.edu.tw (H.-W.C.); yctsai@dragon.nchu.edu.tw (Y.-C.T.); Tel.: +886-37-382216 (H.-W.C.); +886-4-22857257 (Y.-C.T.)




Figure S1. XRD of 3D Ni, Ni-Co-O@3D Ni, and Ni-Co-O@3D Ni annealed at 300°C.




Figure S2. EDX of 3D Ni and Ni-Co-O@3D Ni.




Figure S3. High-resolution XPS spectra of Ni 2p and Co 2p of Ni-Co-O@3D Ni.