

Supplementary Information

Electrospun PCL Fiber Mats Incorporating Multi-Targeted B and Co Co-Doped Bioactive Glass Nanoparticles for Angiogenesis

Si Chen ^{1,2,*}, Dagmar Galusková ¹, Hana Kaňková ¹, Kai Zheng ², Martin Michálek ^{1,2}, Liliana Liverani ², Dušan Galusek ^{1,3} and Aldo R. Boccaccini ^{2,*}

¹ Centre for Functional and Surface Functionalized Glass, TnU AD, 911 01 Trenčín, Slovakia; dagmar.galuskova@tnuni.sk (D.G.); hana.kankova@tnuni.sk (H.K.); martin.michalek@tnuni.sk (M.M.); dusan.galusek@tnuni.sk (D.G.)

² Institute of Biomaterials, University of Erlangen-Nuremberg, 91058 Erlangen, Germany; kai.zheng@fau.de (K.Z.); liliana.liverani@fau.de (L.L.)

³ Joint Glass Centre of the IIC SAS, TnU AD and FChFT STU, Studentska 2, 911 50 Trenčín, Slovakia

* Correspondence: si.chen@tnuni.sk (S.C.); aldo.boccaccini@ww.uni-erlangen.de (A.R.B.); Tel.: +49-9131-852-8601

Received: 26 July 2020; Accepted: 1 September 2020; Published: 10 September 2020




Figure S1. The FTIR spectra of the PCL-BCo.BGNs mats. Main bands are indicated and discussed in the text.

Figure S2 showed the SEM images of PCL-BCo.BGNs mats after immersed in SBF for 7 days. It did not show any significant difference compared with PCL-BCo.BGNs mats before immersed in SBF.




Figure S2. The SEM images of the PCL-BCo.BGNs mats after the immersion in SBF for 7 days.



© 2020 by the authors. Submitted for possible open access publication under the terms and conditions of the Creative Commons Attribution (CC BY) license (<http://creativecommons.org/licenses/by/4.0/>).