

Supplementary Materials

Hybrid Sponge-Like Scaffolds Based on Ulvan and Gelatin: Design, Characterization and Evaluation of Their Potential Use in Bone Tissue Engineering

Leto-Aikaterini Tziveleka ¹, Andreas Sapalidis ², Stefanos Kikionis ¹, Eleni Aggelidou ³, Efterpi Demiri ⁴, Aristeidis Kritis ³, Efstathia Ioannou ¹ and Vassilios Roussis ^{1,*}

¹ Section of Pharmacognosy and Chemistry of Natural Products, Department of Pharmacy, National and Kapodistrian University of Athens, Panepistimiopolis Zografou, Athens 15771, Greece;

ltziveleka@pharm.uoa.gr (L.-A.T.); skikionis@pharm.uoa.gr (S.K.); eioannou@pharm.uoa.gr (E.I.)

² Institute of Nanosciences and Nanotechnology, NCSR “Demokritos”, Aghia Paraskevi, 15310 Attiki, Greece; a.sapalidis@inn.demokritos.gr

³ cGMP Regenerative Medicine Facility, Department of Physiology and Pharmacology, School of Medicine, Faculty of Health Sciences, Aristotle University of Thessaloniki, Thessaloniki 54124, Greece; angelide@auth.gr (E.A.); kritis@auth.gr (A.K.)

⁴ Department of Plastic Surgery, School of Medicine, Faculty of Health Sciences, Papageorgiou Hospital, Aristotle University of Thessaloniki, Thessaloniki 54124, Greece; demirie@auth.gr

* Correspondence: roussis@pharm.uoa.gr; Tel.: +30-210-727-4592




Figure S1. Representative stress-strain curves of UG scaffolds.



© 2020 by the authors. Submitted for possible open access publication under the terms and conditions of the Creative Commons Attribution (CC BY) license (<http://creativecommons.org/licenses/by/4.0/>).