

# File S1

## Coefficients for Calculating Supporting Moments.

$$(m_y)_{y=\pm b/2} = \sum_{i=1,3,5\dots} (-1)^{(i-1)/2} \cdot F_i \cdot \cos \frac{i\pi x}{a} \quad (m_x)_{x=\pm a/2} = \sum_{i=1,3,5\dots} (-1)^{(i-1)/2} \cdot G_i \cdot \cos \frac{i\pi y}{b} \quad (\text{A1})$$

$$F' = F'_1 - F'_3 + F'_5 - F'_7 + F'_9 \quad G' = G'_1 - G'_3 + G'_5 - G'_7 + G'_9 \quad (\text{A2})$$

$$(m_y)_{x=0, y=\pm b/2} = F' \cdot q \cdot a^2 \quad (m_x)_{x=\pm a/2, y=0} = G' \cdot q \cdot a^2 \quad (\text{A3})$$

For  $R_c \rightarrow \infty$  (simply support) all coefficients equal 0.

**Table S1-1.** Coefficients for calculating supporting moments for  $R_c = 100$

$\varepsilon = b/a$	$F'_1$	$F'_3$	$F'_5$	$F'_7$	$F'_9$	$F'$	$G'_1$	$G'_3$	$G'_5$	$G'_7$	$G'_9$	$G'$
1.0	-0.00084605	-0.00001519	-0.00000190	-0.00000047	-0.00000017	<b>-0.00083245</b>	-0.00084605	-0.00001519	-0.00000190	-0.00000047	-0.00000017	<b>-0.00083245</b>
1.1	-0.00092901	-0.00001512	-0.00000188	-0.00000047	-0.00000016	<b>-0.00091546</b>	-0.00100707	-0.00002021	-0.00000253	-0.00000063	-0.00000022	<b>-0.00098897</b>
1.2	-0.00099785	-0.00001506	-0.00000186	-0.00000046	-0.00000016	<b>-0.00098435</b>	-0.00116362	-0.00002621	-0.00000329	-0.00000082	-0.00000029	<b>-0.00114017</b>
1.3	-0.00105393	-0.00001500	-0.00000185	-0.00000046	-0.00000016	<b>-0.00104048</b>	-0.00131297	-0.00003323	-0.00000420	-0.00000105	-0.00000037	<b>-0.00128326</b>
1.4	-0.00109897	-0.00001496	-0.00000184	-0.00000045	-0.00000016	<b>-0.00108555</b>	-0.00145350	-0.00004132	-0.00000526	-0.00000132	-0.00000046	<b>-0.00141658</b>
1.5	-0.00113471	-0.00001492	-0.00000183	-0.00000045	-0.00000016	<b>-0.00112133</b>	-0.00158437	-0.00005049	-0.00000650	-0.00000163	-0.00000058	<b>-0.00153932</b>
1.6	-0.00116284	-0.00001489	-0.00000183	-0.00000045	-0.00000015	<b>-0.00114948</b>	-0.00170536	-0.00006072	-0.00000791	-0.00000199	-0.00000070	<b>-0.00165126</b>
1.7	-0.00118479	-0.00001487	-0.00000182	-0.00000045	-0.00000015	<b>-0.00117145</b>	-0.00181664	-0.00007199	-0.00000952	-0.00000240	-0.00000085	<b>-0.00175262</b>
1.8	-0.00120183	-0.00001485	-0.00000182	-0.00000045	-0.00000015	<b>-0.00118850</b>	-0.00191865	-0.00008426	-0.00001133	-0.00000287	-0.00000102	<b>-0.00184387</b>
1.9	-0.00121498	-0.00001484	-0.00000182	-0.00000045	-0.00000015	<b>-0.00120167</b>	-0.00201193	-0.00009746	-0.00001335	-0.00000339	-0.00000120	<b>-0.00192563</b>
2.0	-0.00122509	-0.00001482	-0.00000182	-0.00000045	-0.00000015	<b>-0.00121178</b>	-0.00209713	-0.00011153	-0.00001559	-0.00000397	-0.00000141	<b>-0.00199863</b>
3.0	-0.00125524	-0.00001479	-0.00000181	-0.00000044	-0.00000015	<b>-0.00124196</b>	-0.00263542	-0.00028116	-0.00005050	-0.00001369	-0.00000496	<b>-0.00239603</b>
5.0	-0.00125711	-0.00001481	-0.00000182	-0.00000045	-0.00000015	<b>-0.00124383</b>	-0.00299566	-0.00059341	-0.00016869	-0.00005697	-0.00002267	<b>-0.00253664</b>

**Table S1-2.** Coefficients for calculating supporting moments for  $R_c = 10$

$\varepsilon = b/a$	$F_1$	$F_3$	$F_5$	$F_7$	$F_9$	$F'$	$G_1$	$G_3$	$G_5$	$G_7$	$G_9$	$G'$
1.0	-0.00729667	-0.00009922	-0.00000643	0.00000000	0.00000060	<b>-0.00720327</b>	-0.00729667	-0.00009922	-0.00000643	0.00000000	0.00000060	<b>-0.00720327</b>
1.1	-0.00795601	-0.00009289	-0.00000509	0.00000048	0.00000083	<b>-0.00786786</b>	-0.00863289	-0.00013503	-0.00000909	-0.00000017	0.00000073	<b>-0.00850604</b>
1.2	-0.00848971	-0.00008758	-0.00000400	0.00000086	0.00000101	<b>-0.00840599</b>	-0.00991808	-0.00017980	-0.00001275	-0.00000053	0.00000082	<b>-0.00974969</b>
1.3	-0.00891283	-0.00008327	-0.00000313	0.00000117	0.00000115	<b>-0.00883272</b>	-0.01113086	-0.00023432	-0.00001762	-0.00000115	0.00000082	<b>-0.01091219</b>
1.4	-0.00924270	-0.00007984	-0.00000245	0.00000141	0.00000126	<b>-0.00916546</b>	-0.01225948	-0.00029912	-0.00002389	-0.00000208	0.00000074	<b>-0.01198143</b>
1.5	-0.00949637	-0.00007716	-0.00000192	0.00000160	0.00000135	<b>-0.00942139</b>	-0.01329937	-0.00037443	-0.00003170	-0.00000337	0.00000054	<b>-0.01295275</b>
1.6	-0.00968923	-0.00007509	-0.00000152	0.00000174	0.00000142	<b>-0.00961598</b>	-0.01425085	-0.00046019	-0.00004123	-0.00000506	0.00000021	<b>-0.01382662</b>
1.7	-0.00983444	-0.00007352	-0.00000122	0.00000185	0.00000147	<b>-0.00976252</b>	-0.01511735	-0.00055611	-0.00005258	-0.00000720	-0.00000027	<b>-0.01460689</b>
1.8	-0.00994286	-0.00007233	-0.00000099	0.00000193	0.00000150	<b>-0.00987194</b>	-0.01590413	-0.00066169	-0.00006588	-0.00000983	-0.00000091	<b>-0.01529940</b>
1.9	-0.01002320	-0.00007144	-0.00000082	0.00000199	0.00000153	<b>-0.00995303</b>	-0.01661732	-0.00077625	-0.00008122	-0.00001298	-0.00000173	<b>-0.01591104</b>
2.0	-0.01008232	-0.00007078	-0.00000069	0.00000203	0.00000155	<b>-0.01001272</b>	-0.01726338	-0.00089901	-0.00009868	-0.00001669	-0.00000274	<b>-0.01644909</b>
3.0	-0.01023072	-0.00006913	-0.00000041	0.00000212	0.00000159	<b>-0.01016254</b>	-0.02122337	-0.00237654	-0.00039434	-0.00009059	-0.00002592	<b>-0.01917650</b>
5.0	-0.01023621	-0.00007006	-0.00000079	0.00000195	0.00000150	<b>-0.01016739</b>	-0.02375523	-0.00493973	-0.00142586	-0.00046506	-0.00017220	<b>-0.01994851</b>

**Table S1-3.** Coefficients for calculating supporting moments for  $R_c = 5$

$\varepsilon = b/a$	$F_1$	$F_3$	$F_5$	$F_7$	$F_9$	$F'$	$G_1$	$G_3$	$G_5$	$G_7$	$G_9$	$G'$
1.0	-0.01265917	-0.00011533	0.00000683	0.00000741	0.00000475	<b>-0.01253967</b>	-0.01265917	-0.00011533	0.00000683	0.00000741	0.00000475	<b>-0.01253967</b>
1.1	-0.01372213	-0.00009512	0.00001101	0.00000890	0.00000544	<b>-0.01361945</b>	-0.01490359	-0.00016565	0.00000689	0.00000916	0.00000602	<b>-0.01473419</b>
1.2	-0.01456333	-0.00007859	0.00001435	0.00001008	0.00000599	<b>-0.01447448</b>	-0.01704327	-0.00023297	0.00000530	0.00001068	0.00000727	<b>-0.01680842</b>
1.3	-0.01521366	-0.00006547	0.00001695	0.00001100	0.00000642	<b>-0.01513583</b>	-0.01904423	-0.00031921	0.00000155	0.00001181	0.00000844	<b>-0.01872685</b>
1.4	-0.01570681	-0.00005529	0.00001893	0.00001170	0.00000675	<b>-0.01563755</b>	-0.02088963	-0.00042556	-0.00000478	0.00001243	0.00000949	<b>-0.02047180</b>
1.5	-0.01607469	-0.00004754	0.00002042	0.00001223	0.00000699	<b>-0.01601196</b>	-0.02257498	-0.00055248	-0.00001408	0.00001242	0.00001036	<b>-0.02203865</b>
1.6	-0.01634523	-0.00004173	0.00002153	0.00001262	0.00000717	<b>-0.01628742</b>	-0.02410396	-0.00069980	-0.00002667	0.00001167	0.00001101	<b>-0.02343149</b>
1.7	-0.01654167	-0.00003743	0.00002234	0.00001291	0.00000731	<b>-0.01648749</b>	-0.02548515	-0.00086677	-0.00004280	0.00001011	0.00001142	<b>-0.02465987</b>
1.8	-0.01668262	-0.00003429	0.00002293	0.00001312	0.00000741	<b>-0.01663110</b>	-0.02672971	-0.00105221	-0.00006270	0.00000764	0.00001155	<b>-0.02573630</b>
1.9	-0.01678260	-0.00003202	0.00002336	0.00001327	0.00000748	<b>-0.01673301</b>	-0.02784986	-0.00125460	-0.00008656	0.00000420	0.00001137	<b>-0.02667465</b>
2.0	-0.01685274	-0.00003039	0.00002366	0.00001338	0.00000753	<b>-0.01680453</b>	-0.02885784	-0.00147220	-0.00011452	-0.00000029	0.00001085	<b>-0.02748902</b>
3.0	-0.01699664	-0.00002677	0.00002435	0.00001363	0.00000765	<b>-0.01695150</b>	-0.03489296	-0.00407085	-0.00062583	-0.00011486	-0.00001817	<b>-0.03135126</b>
5.0	-0.01699960	-0.00002903	0.00002347	0.00001323	0.00000745	<b>-0.01695289</b>	-0.03862206	-0.00833457	-0.00244244	-0.00077269	-0.00026497	<b>-0.03222222</b>

**Table S1-4.** Coefficients for calculating supporting moments for  $R_c = 2$

$\varepsilon = b/a$	$F_1$	$F_3$	$F_5$	$F_7$	$F_9$	$F'$	$G_1$	$G_3$	$G_5$	$G_7$	$G_9$	$G'$
1.0	-0.02264867	0.00005657	0.00009762	0.00004871	0.00002624	<b>-0.02263009</b>	-0.02264867	0.00005657	0.00009762	0.00004871	0.00002624	<b>-0.02263009</b>
1.1	-0.02427944	0.00012947	0.00011227	0.00005386	0.00002862	<b>-0.02432188</b>	-0.02642706	0.00001158	0.00011767	0.00006073	0.00003306	<b>-0.02634863</b>
1.2	-0.02550840	0.00018665	0.00012343	0.00005776	0.00003042	<b>-0.02559896</b>	-0.02997068	-0.00007313	0.00013443	0.00007257	0.00004008	<b>-0.02979562</b>
1.3	-0.02640694	0.00023000	0.00013169	0.00006065	0.00003177	<b>-0.02653413</b>	-0.03322912	-0.00020270	0.00014642	0.00008379	0.00004709	<b>-0.03291671</b>
1.4	-0.02704643	0.00026194	0.00013765	0.00006274	0.00003275	<b>-0.02720071</b>	-0.03618384	-0.00037966	0.00015242	0.00009399	0.00005393	<b>-0.03569182</b>
1.5	-0.02749032	0.00028490	0.00014187	0.00006423	0.00003345	<b>-0.02766413</b>	-0.03883801	-0.00060432	0.00015149	0.00010287	0.00006050	<b>-0.03812457</b>
1.6	-0.02779096	0.00030106	0.00014482	0.00006528	0.00003396	<b>-0.02797853</b>	-0.04120796	-0.00087513	0.00014290	0.00011018	0.00006668	<b>-0.04023342</b>
1.7	-0.02798944	0.00031220	0.00014684	0.00006602	0.00003432	<b>-0.02818650</b>	-0.04331691	-0.00118917	0.00012608	0.00011572	0.00007242	<b>-0.04204497</b>
1.8	-0.02811679	0.00031974	0.00014823	0.00006655	0.00003458	<b>-0.02832027</b>	-0.04519079	-0.00154252	0.00010060	0.00011931	0.00007762	<b>-0.04358937</b>
1.9	-0.02819578	0.00032475	0.00014918	0.00006693	0.00003478	<b>-0.02840351</b>	-0.04685562	-0.00193064	0.00006613	0.00012080	0.00008225	<b>-0.04489741</b>
2.0	-0.02824267	0.00032803	0.00014984	0.00006721	0.00003493	<b>-0.02845314</b>	-0.04833603	-0.00234863	0.00002242	0.00012004	0.00008623	<b>-0.04599878</b>
3.0	-0.02827377	0.00033508	0.00015246	0.00006861	0.00003574	<b>-0.02848925</b>	-0.05685154	-0.00717497	-0.00091978	-0.00004034	0.00007710	<b>-0.05047892</b>
5.0	-0.02826956	0.00033498	0.00015274	0.00006880	0.00003585	<b>-0.02848474</b>	-0.06183165	-0.01419975	-0.00430515	-0.00128062	-0.00035350	<b>-0.05100993</b>

**Table S1-5.** Coefficients for calculating supporting moments for  $R_c = 1$

$\varepsilon = b/a$	$F_1$	$F_3$	$F_5$	$F_7$	$F_9$	$F'$	$G_1$	$G_3$	$G_5$	$G_7$	$G_9$	$G'$
1.0	-0.03074254	0.00053143	0.00028743	0.00013124	0.00006831	<b>-0.03104947</b>	-0.03074254	0.00053143	0.00028743	0.00013124	0.00006831	<b>-0.03104947</b>
1.1	-0.03265460	0.00068396	0.00031717	0.00014150	0.00007303	<b>-0.03308986</b>	-0.03562355	0.00052900	0.00034610	0.00016212	0.00008515	<b>-0.03588342</b>
1.2	-0.03402600	0.00079899	0.00033880	0.00014896	0.00007648	<b>-0.03455866</b>	-0.04014023	0.00045279	0.00039853	0.00019283	0.00010246	<b>-0.04028485</b>
1.3	-0.03497156	0.00088232	0.00035400	0.00015423	0.00007896	<b>-0.03557516</b>	-0.04423519	0.00029487	0.00044183	0.00022242	0.00011986	<b>-0.04419079</b>
1.4	-0.03559910	0.00094062	0.00036438	0.00015788	0.00008071	<b>-0.03625252</b>	-0.04789594	0.00005298	0.00047388	0.00025021	0.00013705	<b>-0.04758819</b>
1.5	-0.03599936	0.00098012	0.00037131	0.00016040	0.00008196	<b>-0.03668662</b>	-0.05113891	-0.00027067	0.00049319	0.00027565	0.00015384	<b>-0.05049687</b>
1.6	-0.03624331	0.00100609	0.00037588	0.00016216	0.00008287	<b>-0.03695281</b>	-0.05399654	-0.00067070	0.00049868	0.00029838	0.00017008	<b>-0.05295546</b>
1.7	-0.03638362	0.00102267	0.00037889	0.00016341	0.00008356	<b>-0.03710725</b>	-0.05650829	-0.00113960	0.00048964	0.00031806	0.00018564	<b>-0.05501147</b>
1.8	-0.03645776	0.00103296	0.00038093	0.00016436	0.00008412	<b>-0.03719004</b>	-0.05871492	-0.00166864	0.00046553	0.00033444	0.00020042	<b>-0.05671477</b>
1.9	-0.03649143	0.00103921	0.00038239	0.00016514	0.00008459	<b>-0.03722879</b>	-0.06065533	-0.00224849	0.00042600	0.00034725	0.00021431	<b>-0.05811376</b>
2.0	-0.03650162	0.00104296	0.00038353	0.00016582	0.00008502	<b>-0.03724185</b>	-0.06236492	-0.00286977	0.00037082	0.00035624	0.00022722	<b>-0.05925334</b>
3.0	-0.03643410	0.00105820	0.00039399	0.00017211	0.00008882	<b>-0.03718160</b>	-0.07191881	-0.00969662	-0.00100320	0.00018663	0.00027541	<b>-0.06313661</b>
5.0	-0.03640675	0.00108315	0.00040600	0.00017799	0.00009200	<b>-0.03716990</b>	-0.07730570	-0.01856582	-0.00581978	-0.00163791	-0.00032431	<b>-0.06324605</b>

**Table S1-6.** Coefficients for calculating supporting moments for  $R_c = 0.5$

$\varepsilon = b/a$	$F_1$	$F_3$	$F_5$	$F_7$	$F_9$	$F'$	$G_1$	$G_3$	$G_5$	$G_7$	$G_9$	$G'$
1.0	-0.03744749	0.00137624	0.00061689	0.00027448	0.00014120	<b>-0.03834013</b>	-0.03744749	0.00137624	0.00061689	0.00027448	0.00014120	<b>-0.03834013</b>
1.1	-0.03946888	0.00163630	0.00066592	0.00029104	0.00014878	<b>-0.04058152</b>	-0.04315456	0.00143816	0.00073489	0.00033497	0.00017384	<b>-0.04401897</b>
1.2	-0.04084630	0.00182484	0.00069989	0.00030260	0.00015420	<b>-0.04211964</b>	-0.04837450	0.00137550	0.00084080	0.00039485	0.00020724	<b>-0.04909681</b>
1.3	-0.04173785	0.00195527	0.00072255	0.00031051	0.00015806	<b>-0.04312302</b>	-0.05304841	0.00118030	0.00093008	0.00045260	0.00024078	<b>-0.05351045</b>
1.4	-0.04228424	0.00204174	0.00073725	0.00031592	0.00016086	<b>-0.04374378</b>	-0.05717442	0.00085452	0.00099975	0.00050713	0.00027404	<b>-0.05726228</b>
1.5	-0.04259789	0.00209681	0.00074667	0.00031973	0.00016299	<b>-0.04410477</b>	-0.06078526	0.00040692	0.00104797	0.00055770	0.00030671	<b>-0.06039520</b>
1.6	-0.04276224	0.00213052	0.00075280	0.00032258	0.00016472	<b>-0.04429782</b>	-0.06393091	-0.00014957	0.00107362	0.00060376	0.00033858	<b>-0.06297291</b>
1.7	-0.04283568	0.00215041	0.00075702	0.00032492	0.00016624	<b>-0.04438775</b>	-0.06666710	-0.00079986	0.00107608	0.00064489	0.00036946	<b>-0.06506659</b>
1.8	-0.04285717	0.00216181	0.00076026	0.00032702	0.00016767	<b>-0.04441808</b>	-0.06904850	-0.00152812	0.00105496	0.00068070	0.00039919	<b>-0.06674694</b>
1.9	-0.04285147	0.00216837	0.00076310	0.00032906	0.00016907	<b>-0.04441673</b>	-0.07112532	-0.00231865	0.00101007	0.00071080	0.00042757	<b>-0.06807983</b>
2.0	-0.04283355	0.00217243	0.00076588	0.00033112	0.00017047	<b>-0.04440075</b>	-0.07294187	-0.00315656	0.00094139	0.00073482	0.00045443	<b>-0.06912431</b>
3.0	-0.04271004	0.00221822	0.00080297	0.00035425	0.00018471	<b>-0.04429483</b>	-0.08288343	-0.01182615	-0.00093181	0.00056654	0.00059255	<b>-0.07196308</b>
5.0	-0.04261560	0.00232615	0.00085643	0.00038102	0.00019943	<b>-0.04426692</b>	-0.08835261	-0.02194697	-0.00710404	-0.00190397	-0.00020466	<b>-0.07181037</b>

**Table S1-7.** Coefficients for calculating supporting moments for  $R_c = 0.1$

$\varepsilon = b/a$	$F_1$	$F_3$	$F_5$	$F_7$	$F_9$	$F'$	$G_1$	$G_3$	$G_5$	$G_7$	$G_9$	$G'$
1.0	-0.04541826	0.00359323	0.00158179	0.00071801	0.00037308	<b>-0.04777463</b>	-0.04541826	0.00359323	0.00158179	0.00071801	0.00037308	<b>-0.04777463</b>
1.1	-0.04743192	0.00407592	0.00166830	0.00074647	0.00038675	<b>-0.05019925</b>	-0.05200204	0.00373066	0.00183055	0.00085177	0.00044652	<b>-0.05430740</b>
1.2	-0.04870305	0.00440618	0.00172463	0.00076648	0.00039757	<b>-0.05175351</b>	-0.05793366	0.00362896	0.00204687	0.00098193	0.00052108	<b>-0.05997660</b>
1.3	-0.04944834	0.00461998	0.00176069	0.00078137	0.00040685	<b>-0.05268215</b>	-0.06315905	0.00329363	0.00222416	0.00110564	0.00059555	<b>-0.06473860</b>
1.4	-0.04984708	0.00475167	0.00178434	0.00079359	0.00041552	<b>-0.05319249</b>	-0.06769756	0.00274613	0.00235929	0.00122108	0.00066905	<b>-0.06863643</b>
1.5	-0.05003234	0.00482934	0.00180125	0.00080479	0.00042414	<b>-0.05344108</b>	-0.07160889	0.00201602	0.00245126	0.00132712	0.00074095	<b>-0.07175982</b>
1.6	-0.05009527	0.00487383	0.00181518	0.00081596	0.00043299	<b>-0.05353688</b>	-0.07496912	0.00113552	0.00250022	0.00142298	0.00081076	<b>-0.07421664</b>
1.7	-0.05009424	0.00489959	0.00182844	0.00082762	0.00044222	<b>-0.05355078</b>	-0.07785620	0.00013628	0.00250681	0.00150808	0.00087806	<b>-0.07611570</b>
1.8	-0.05006428	0.00491600	0.00184232	0.00084002	0.00045184	<b>-0.05352614</b>	-0.08034237	-0.00095230	0.00247188	0.00158187	0.00094243	<b>-0.07755764</b>
1.9	-0.05002494	0.00492885	0.00185746	0.00085318	0.00046179	<b>-0.05348772</b>	-0.08249106	-0.00210385	0.00239640	0.00164385	0.00100349	<b>-0.07863117</b>
2.0	-0.04998606	0.00494147	0.00187408	0.00086704	0.00047201	<b>-0.05344849</b>	-0.08435625	-0.00329531	0.00228147	0.00169347	0.00106081	<b>-0.07941213</b>
3.0	-0.04979198	0.00517940	0.00209087	0.00101713	0.00057219	<b>-0.05332545</b>	-0.09436302	-0.01444182	-0.00062395	0.00143521	0.00135040	<b>-0.08062995</b>
5.0	-0.04943159	0.00570647	0.00240076	0.00119193	0.00067701	<b>-0.05325221</b>	-0.09974710	-0.02570620	-0.00870885	-0.00222115	0.00008088	<b>-0.08044773</b>

**Table S1-8.** Coefficients for calculating supporting moments for  $R_c = 0$  (clamped fixity)

$\varepsilon$	$F_1$	$F_3$	$F_5$	$F_7$	$F_9$	$F'$	$G'_1$	$G'_3$	$G'_5$	$G'_7$	$G'_9$	$G'$
<b>1.0</b>	-0.04800109	0.00489427	0.00227302	0.00107940	0.00057976	<b>-0.05112198</b>	-0.04800109	0.00489427	0.00227302	0.00107940	0.00057976	<b>-0.05112198</b>
<b>1.1</b>	-0.04998938	0.00549271	0.00238122	0.00111730	0.00060118	<b>-0.05361700</b>	-0.05483568	0.00501544	0.00257594	0.00124985	0.00067456	<b>-0.05785047</b>
<b>1.2</b>	-0.05121031	0.00589466	0.00245219	0.00114701	0.00062156	<b>-0.05517823</b>	-0.06096181	0.00484325	0.00283229	0.00141382	0.00077076	<b>-0.06361582</b>
<b>1.3</b>	-0.05190009	0.00615025	0.00249985	0.00117296	0.00064239	<b>-0.05608107</b>	-0.06632895	0.00439521	0.00303552	0.00156760	0.00086641	<b>-0.06838983</b>
<b>1.4</b>	-0.05224919	0.00630565	0.00253469	0.00119807	0.00066441	<b>-0.05655382</b>	-0.07096557	0.00370578	0.00318349	0.00170901	0.00096014	<b>-0.07223673</b>
<b>1.5</b>	-0.05239522	0.00639749	0.00256388	0.00122409	0.00068791	<b>-0.05676500</b>	-0.07494174	0.00281617	0.00327661	0.00183680	0.00105097	<b>-0.07526713</b>
<b>1.6</b>	-0.05242968	0.00645215	0.00259188	0.00125183	0.00071285	<b>-0.05682893</b>	-0.07834286	0.00176797	0.00331640	0.00195029	0.00113821	<b>-0.07760652</b>
<b>1.7</b>	-0.05240927	0.00648733	0.00262119	0.00128157	0.00073903	<b>-0.05681794</b>	-0.08125430	0.00059998	0.00330476	0.00204901	0.00122130	<b>-0.07937722</b>
<b>1.8</b>	-0.05236665	0.00651414	0.00265304	0.00131324	0.00076619	<b>-0.05677480</b>	-0.08375375	-0.00065327	0.00324360	0.00213254	0.00129977	<b>-0.08068964</b>
<b>1.9</b>	-0.05231908	0.00653913	0.00268785	0.00134658	0.00079403	<b>-0.05672291</b>	-0.08590851	-0.00196189	0.00313485	0.00220051	0.00137318	<b>-0.08163910</b>
<b>2.0</b>	-0.05227451	0.00656587	0.00272559	0.00138126	0.00082226	<b>-0.05667378</b>	-0.08777516	-0.00330055	0.00298046	0.00225251	0.00144108	<b>-0.08230558</b>
<b>3.0</b>	-0.05201711	0.00701635	0.00318148	0.00173552	0.00108558	<b>-0.05650192</b>	-0.09774028	-0.01532291	-0.00048291	0.00185427	0.00174322	<b>-0.08301133</b>
<b>5.0</b>	-0.05146443	0.00792314	0.00379206	0.00212497	0.00134633	<b>-0.05637414</b>	-0.10307072	-0.02686857	-0.00926854	-0.00235761	0.00018565	<b>-0.08292742</b>