

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------|----|---|----|---------------|-----|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| <i>S. aureus</i> | 25 | F | 3 | Blood | PW | S | S | S | S | | R | S | S | S | S | S | S | S | S | S | S | S | S | S | S | S |
| <i>S. aureus</i> | 26 | M | | Swab | ICU | R | R | R | R | R | R | R | R | S | S | S | S | S | S | S | S | S | S | S | S | R |
| <i>S. aureus</i> | 27 | F | 47 | Wound swab | FMW | S | R | R | R | R | R | R | R | S | S | S | S | S | S | S | S | R | S | S | S | S |
| <i>S. aureus</i> | 28 | M | 4 | Wound swab | PSW | S | S | S | S | | R | S | S | S | R | S | S | S | S | S | S | S | S | S | S | S |
| <i>S. aureus</i> | 29 | F | | Blood | FMW | S | S | S | S | | R | S | S | S | R | S | S | S | S | S | S | S | S | S | R | |
| <i>S. aureus</i> | 30 | F | | Swab | FSW | R | R | R | R | R | R | R | R | S | S | S | S | S | S | S | S | S | S | S | S | S |
| <i>S. aureus</i> | 31 | F | 35 | Wound swab | OPD | S | S | S | S | | R | S | S | S | S | S | S | S | S | S | S | S | S | S | S | S |
| <i>S. aureus</i> | 32 | M | 25 | Sputum | ICU | S | S | S | S | | R | S | S | S | S | S | R | R | R | S | S | S | S | S | S | S |
| <i>S. aureus</i> | 33 | | | Wound | ER | S | S | | | | | S | | S | S | S | S | S | S | S | | S | S | S | S | S |
| <i>S. aureus</i> | 34 | M | 73 | Nasal, throat | MMW | S | R | R | R | R | R | R | R | S | S | S | S | S | S | S | S | S | S | S | S | S |
| <i>S. aureus</i> | 35 | M | 31 | Wound | MMW | S | R | R | R | R | R | R | R | S | R | S | S | R | S | S | S | R | S | S | R | |
| <i>S. aureus</i> | 36 | M | 44 | Wound | MSW | S | S | R | R | R | R | R | R | S | S | S | S | S | S | S | S | S | S | S | S | S |
| <i>S. aureus</i> | 37 | M | 76 | Urine | LAB | S | R | R | R | R | R | R | R | S | S | S | S | S | R | S | S | S | S | S | S | S |
| <i>S. aureus</i> | 38 | F | 69 | Nasal, throat | ER | S | R | R | R | R | R | R | R | S | S | S | S | S | S | S | S | S | S | S | S | S |
| <i>S. aureus</i> | 39 | F | 56 | Wound | | S | R | R | R | R | R | R | R | S | R | S | S | S | R | S | S | S | S | S | R | |
| <i>S. aureus</i> | 40 | F | 56 | Wound | | S | R | R | R | R | R | R | R | S | R | S | S | S | R | S | S | S | S | S | R | |
| <i>S. aureus</i> | 41 | F | 43 | Wound | | S | S | S | S | | R | S | S | S | R | S | S | S | S | S | S | S | S | S | S | S |
| <i>S. aureus</i> | 42 | M | 30 | AKU/AMR | | R | S | S | S | | R | S | S | S | S | S | S | S | S | S | S | S | S | S | S | S |
| <i>S. aureus</i> | 43 | M | 64 | AE/AN | | R | S | S | S | | R | S | S | S | S | S | S | S | S | S | S | S | S | S | S | S |
| <i>S. aureus</i> | 44 | F | 60 | Nasal throat | ER | S | R | R | R | | R | R | R | S | S | S | S | S | R | | S | S | S | R | S | S |
| <i>S. aureus</i> | 45 | F | 24 | Wound | FSW | S | S | S | S | | R | S | S | S | R | S | S | R | S | S | S | R | S | S | S | S |
| <i>S. aureus</i> | 46 | F | 62 | Wound | FSW | S | S | S | S | | R | S | S | S | S | S | S | R | I | S | S | S | S | S | S | S |
| <i>S. aureus</i> | 47 | F | 31 | Wound | | S | R | R | R | R | R | R | R | S | S | S | S | S | S | S | S | S | S | S | S | S |
| <i>S. aureus</i> | 48 | F | 50 | Urine | FMW | S | S | S | S | | R | S | S | S | S | S | S | S | S | S | S | S | S | S | S | S |
| <i>S. aureus</i> | 49 | M | 83 | Nasal swab | MMW | R | R | R | R | | R | R | R | S | S | S | S | S | R | S | S | S | S | S | S | S |
| <i>S. aureus</i> | 50 | M | 45 | Wound | MSW | S | S | S | S | | R | S | S | S | R | R | R | R | S | R | R | S | S | S | R | |

| | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------|----|---|-----|--------------|-----|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| <i>S. aureus</i> | 51 | M | 35 | AE/AN | ICU | S | S | S | S | R | S | S | S | S | S | S | S | S | S | S | S | S | S | S | S |
| <i>S. aureus</i> | 52 | M | 30 | Swab | FMW | S | R | R | R | R | R | R | S | S | S | S | S | S | S | S | S | R | S | S | S |
| <i>S. aureus</i> | 53 | M | 45 | | ER | S | S | I | S | R | S | S | S | S | S | R | R | S | S | S | S | S | S | S | S |
| <i>S. aureus</i> | 54 | M | 1 | Wound | LAB | S | S | S | S | R | S | S | S | S | S | R | S | S | S | S | S | S | S | S | S |
| <i>S. aureus</i> | 55 | M | 75 | Blood | ICU | R | R | R | R | R | R | R | S | S | S | S | R | R | R | S | S | S | R | S | S |
| <i>S. aureus</i> | 56 | M | 1MO | RT EYE | PSW | R | R | R | R | R | R | R | S | S | S | S | S | R | S | S | S | S | S | S | S |
| <i>S. aureus</i> | 57 | M | 51 | Nasal throat | ER | S | R | R | R | R | R | R | S | S | S | S | S | R | S | S | S | S | S | S | S |
| <i>S. aureus</i> | 58 | M | 38 | Wound | FMW | S | R | R | R | R | R | R | S | S | S | S | S | R | S | S | S | S | S | S | S |
| <i>S. aureus</i> | 59 | M | 57 | Wound | FSW | S | S | S | S | R | S | S | S | R | S | S | S | S | S | S | S | S | S | S | S |
| <i>S. aureus</i> | 60 | M | 1MO | Eye swab | PSW | R | R | R | R | R | R | R | S | S | S | S | S | R | S | S | S | S | S | S | S |
| <i>S. aureus</i> | 61 | M | 74 | Blood | MMW | S | S | S | S | R | R | S | S | S | S | S | R | S | S | S | S | S | S | S | S |
| <i>S. aureus</i> | 62 | F | 57 | Wound | FSW | S | S | S | S | R | S | S | S | R | S | S | S | S | S | S | S | S | S | S | S |
| <i>S. aureus</i> | 63 | M | 83 | Nasal throat | ER | R | R | R | R | R | R | R | S | S | S | S | S | R | S | S | S | S | S | S | S |
| <i>S. aureus</i> | 64 | M | 89 | | MMW | S | R | R | R | R | R | R | S | R | S | S | R | R | S | S | S | R | R | S | S |
| <i>S. aureus</i> | 65 | F | 25 | Nasal throat | FMW | S | R | R | R | R | R | R | S | S | S | S | S | S | S | S | S | S | S | S | S |
| <i>S. aureus</i> | 66 | M | 74 | Nasal throat | ICU | R | R | R | R | R | R | R | S | S | S | S | S | R | S | S | S | S | S | S | S |
| <i>S. aureus</i> | 67 | M | 89 | Urine | MMW | S | R | R | R | R | R | R | S | S | S | S | R | R | S | S | S | R | R | S | S |
| <i>S. aureus</i> | 68 | F | 30 | AE/AN | FMW | S | R | R | R | R | R | R | S | S | S | S | S | S | S | S | R | S | S | S | S |
| <i>S. aureus</i> | 69 | M | 83 | Blood | ER | R | R | R | R | R | R | S | S | S | S | S | R | S | S | S | S | S | S | S | S |
| <i>S. aureus</i> | 70 | F | 25 | Nasal throat | FMW | S | R | R | R | R | R | R | S | S | S | S | S | R | S | S | S | S | S | S | S |
| <i>S. aureus</i> | 71 | M | 30 | Blood | COW | I | R | R | R | R | R | R | S | S | S | S | R | R | R | S | R | S | S | R | |
| <i>S. aureus</i> | 72 | F | 29 | Nasal throat | ER | S | R | R | R | R | R | R | S | R | S | S | S | R | S | S | S | R | S | S | S |
| <i>S.aureus</i> | 73 | M | 71 | Nasal throat | ER | S | R | R | R | X | R | R | S | S | S | S | S | R | S | S | S | S | S | S | S |
| <i>S.aureus</i> | 74 | M | 61 | Axilla | ICU | S | R | R | R | R | R | R | S | S | S | S | S | S | S | S | S | S | S | S | S |
| <i>S.aureus</i> | 75 | M | 78 | Throat | ICU | S | R | R | R | R | R | R | S | S | S | S | S | S | S | S | S | S | S | R | |
| <i>S.aureus</i> | 76 | F | 63 | Blood | FMW | S | S | X | S | X | R | R | S | S | S | S | R | R | S | S | S | R | R | S | S |

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------|-----|---|--------|-------------|-------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| <i>S.aureus</i> | 77 | M | 76 | Urine | LAB | S | R | R | R | R | R | R | R | S | S | S | S | S | R | S | S | S | S | S | S | S |
| <i>S.aureus</i> | 78 | F | 1month | Wound | PICU | S | S | S | S | X | R | S | S | S | S | S | S | S | R | S | S | S | S | S | S | S |
| <i>S.aureus</i> | 79 | F | 1MONTH | Wound | PICU | S | S | S | S | X | R | S | S | S | S | S | S | S | R | S | S | S | S | S | S | S |
| <i>S.aureus</i> | 80 | F | 66 | Throat | ER | S | R | R | R | R | R | R | R | S | S | S | S | S | R | R | S | S | S | R | S | S |
| <i>S.aureus</i> | 81 | M | 26 | Wound | DER | S | R | R | R | R | R | R | R | S | S | S | S | S | R | S | S | S | S | R | S | S |
| <i>S.aureus</i> | 82 | F | 30 | Blood | ICU | S | R | R | R | X | R | R | R | S | S | S | S | S | S | S | S | S | S | R | S | S |
| <i>S.aureus</i> | 83 | F | 1MONTH | Blood | PICU | S | S | S | R | R | R | R | S | S | S | R | R | S | R | R | S | S | S | S | S | R |
| <i>S.aureus</i> | 84 | M | 69 | Wound | LAB | R | R | R | R | R | R | R | R | S | S | S | S | S | R | R | S | S | S | S | S | R |
| <i>S.aureus</i> | 85 | M | 71 | Sputum | ICU | S | R | R | R | R | R | R | R | S | S | S | S | S | S | R | S | S | S | S | S | S |
| <i>S.aureus</i> | 86 | F | 65 | Blood | FMW | S | S | S | S | S | R | S | S | S | S | S | S | S | S | S | S | S | S | S | S | S |
| <i>S.aureus</i> | 87 | M | 71 | Throat | ICU | S | R | R | R | R | R | R | R | S | S | S | S | S | S | R | S | S | S | S | S | S |
| <i>S.aureus</i> | 88 | M | 81 | Nasal | ER | S | R | R | R | R | R | R | R | S | S | S | S | S | S | S | S | S | S | S | S | S |
| <i>S.aureus</i> | 89 | M | 25 | Wound-pus | MSW | R | R | R | R | R | R | R | R | S | S | S | S | S | S | R | S | S | S | S | S | S |
| <i>S.aureus</i> | 90 | M | 38 | Wound | ORTHO | R | R | R | R | R | R | S | R | S | S | S | R | R | S | S | S | S | S | S | S | R |
| <i>S.aureus</i> | 91 | M | 21 | Sputum | ICU | S | R | R | R | R | R | R | R | S | S | S | S | S | R | S | S | S | S | S | S | S |
| <i>S.aureus</i> | 92 | | | other | | S | S | S | S | R | R | S | S | S | S | S | S | S | R | S | S | S | S | S | S | S |
| <i>S.aureus</i> | 93 | M | 57 | | MUW | S | S | S | S | S | R | S | S | S | R | S | S | S | S | S | S | S | S | S | S | S |
| <i>S.aureus</i> | 94 | M | 91 | Sputum | ICU | S | R | R | R | R | R | R | R | R | R | S | S | S | R | S | S | S | R | S | S | S |
| <i>S.aureus</i> | 95 | M | 91 | Throat | ICU | S | R | R | R | R | R | R | R | S | S | R | S | S | R | S | S | S | R | S | S | S |
| <i>S.aureus</i> | 96 | M | 3 | Peritonsil | PICU | S | S | S | S | X | S | S | X | S | S | S | S | S | S | S | S | S | S | S | S | S |
| <i>S.aureus</i> | 97 | M | 3 | Blood-AE\AU | PICU | S | S | S | S | X | S | S | S | S | S | S | S | S | S | S | S | S | S | S | S | S |
| <i>S.aureus</i> | 98 | M | 44 | Blood AE | MMW | S | S | S | S | R | R | S | S | S | S | S | S | R | I | S | S | S | S | S | S | S |
| <i>S.aureus</i> | 99 | M | 1YEAR | Throat | PW | S | R | R | R | R | R | R | R | S | S | S | S | R | S | S | S | S | S | S | S | S |
| <i>S.aureus</i> | 100 | M | 3YEARS | Blood | PW | S | S | S | S | S | R | S | S | S | S | S | S | S | S | S | S | S | S | S | S | S |
| <i>S.aureus</i> | 101 | M | 53 | | ER | S | R | R | R | R | R | R | R | S | R | S | S | S | S | S | S | S | S | S | S | S |
| <i>S.aureus</i> | 102 | F | 26 | Swab | ICU | S | R | R | R | R | R | R | R | S | R | S | S | R | S | S | S | S | S | S | S | S |

| | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------|-----|---|----|----------|-------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| <i>S.aureus</i> | 103 | M | 87 | Wound | MSW | S | S | S | S | R | S | S | S | S | S | S | S | R | R | S | S | S | S | S | S | S |
| <i>S.aureus</i> | 104 | F | 71 | Sputum | ICU | S | S | S | S | S | S | S | S | S | S | S | S | S | S | S | S | S | S | S | S | S |
| <i>S.aureus</i> | 105 | M | 85 | Nasal | MMW | S | R | R | R | R | R | R | S | S | S | S | S | I | S | S | S | R | S | S | S | S |
| <i>S.aureus</i> | 106 | M | 34 | Wound | MMW | R | R | R | R | R | R | R | S | R | S | S | R | S | S | S | S | R | S | S | R | R |
| <i>S.aureus</i> | 107 | M | 47 | Blood | ICU | S | R | R | R | R | R | R | S | S | S | S | S | I | S | S | S | R | S | S | S | S |
| <i>S.aureus</i> | 108 | | | | ICU | S | R | R | R | | R | R | R | S | S | S | S | S | R | S | S | S | R | S | S | S |
| <i>S.aureus</i> | 109 | | | | ER | S | S | S | S | X | R | R | X | S | S | X | S | S | S | S | X | X | X | S | S | X |
| <i>S.aureus</i> | 110 | | | | ER | S | S | S | S | X | R | S | X | S | S | X | S | S | R | S | X | X | X | S | S | S |
| <i>S.aureus</i> | 111 | | | Wound | ER | S | S | S | S | | R | R | | S | S | | S | R | S | R | S | | | S | R | S |
| <i>S.aureus</i> | 112 | | | urine | Urine | S | S | S | S | | S | S | | S | S | | S | S | S | S | S | | | S | S | S |
| <i>S.aureus</i> | 113 | | | | ER | S | S | S | S | | R | R | | S | S | | S | S | S | S | S | | | S | S | R |
| <i>S.aureus</i> | 114 | M | 31 | Wound | MMW | R | R | R | R | R | R | R | R | S | S | S | S | S | R | R | S | S | S | S | S | S |
| <i>S.aureus</i> | 115 | | | | | S | S | S | S | X | R | S | S | S | S | S | S | R | S | S | S | S | S | S | S | S |
| <i>S.aureus</i> | 116 | M | 19 | Wound | LAB | S | S | R | S | X | R | R | R | S | R | S | S | S | R | S | S | S | R | S | S | S |
| <i>S.aureus</i> | 117 | M | 81 | Wound | MSW | R | R | R | R | R | R | S | S | S | S | S | R | S | S | S | S | S | S | S | S | R |
| <i>S.aureus</i> | 118 | F | 40 | Wound | FSW | S | R | R | R | R | R | R | R | S | S | S | S | S | R | S | S | S | S | S | S | S |
| <i>S.aureus</i> | 119 | M | 6 | Blood | PICU | S | R | R | R | R | R | R | R | S | S | S | S | S | R | S | S | S | S | S | S | S |
| <i>S.aureus</i> | 120 | M | 6 | Eye swab | PICU | S | R | R | R | R | R | R | R | S | S | S | S | S | S | S | S | S | S | S | S | S |
| <i>S.aureus</i> | 121 | F | 3 | Nasal | PICU | S | R | R | R | R | R | R | R | S | S | S | S | S | S | S | S | S | S | S | S | S |
| <i>S.aureus</i> | 122 | | | | | S | S | S | S | X | R | S | S | S | S | S | S | R | S | S | S | S | S | S | S | S |
| <i>S.aureus</i> | 123 | | | | | S | S | S | S | X | R | S | S | S | S | S | S | S | S | S | S | S | S | S | S | S |

^aAge color code: Green = Young adults and children, red = seniors. ^bSpecimen color code: red=blood, yellow=wound swab /abscesses, orange=nasopharyngeal or throat swabs or sputum.^cWard color code: red = ICU, PICU, and Covid19 isolation zones, purple = Female, male, and pediatric surgical wards (FSW, MSW, PSW), and Emergency (ER). Blue antibiogram patterns indicate beta-lactams and cephalosporins and grey patterns indicate non-beta lactams. FOX,Xpert PCR=Screened by cefoxitin and confirmed by GeneXpert analysis. S,R^d=cefoxitin S but PCR R (these two isolates warrant vertical analysis on gene expression). ^{CA}= Example of MRSA antibiogram pattern and Community acquired infection based on diagnoses within 48 hours of admission.

Table S2, Specimen sources and type, patient demographics and antibiogram patterns of *S.epidermidis* isolates, recovered from clinical specimens in major Ha'il Hospitals, against 21 antimicrobials.

| Isolate | No | Gender | Age | Specimen ^a | Ward ^b | CN | IMI | FOX | Screen | CTX | AMP | P | OX | AMC | DAP | SXT | TEC | VA | CD | E | FUS | LNZ | MUP | NIT | CIP | MXF | RD | TET |
|----------------------|----|--------|-----|-----------------------|-------------------|----|-----|-----|--------|-----|-----|---|----|-----|-----|-----|-----|----|----|---|-----|-----|-----|-----|-----|-----|----|-----|
| <i>S.epidermidis</i> | 1 | M | 63 | | | R | S | S | | S | | R | R | S | S | S | S | S | S | R | R | R | S | S | R | S | S | S |
| <i>S.epidermidis</i> | 2 | M | 26 | eye swap | ICU | S | S | S | | S | | S | S | S | S | S | S | S | S | R | R | S | S | S | S | S | S | |
| <i>S.epidermidis</i> | 3 | F | | AE,blood | FSW | S | S | S | | S | | R | S | S | S | S | S | S | S | R | R | S | S | S | S | S | S | S |
| <i>S.epidermidis</i> | 4 | F | 62 | BLOOD | FMW | R | R | R | | R | | R | R | R | S | S | S | S | R | R | R | S | R | S | R | S | S | S |
| <i>S.epidermidis</i> | 5 | M | 59 | BLOOD | MSW | S | R | R | | R | | R | R | R | S | R | S | S | R | R | R | S | R | S | R | S | S | S |
| <i>S.epidermidis</i> | 6 | F | 66 | BLOOD | ICU | S | S | S | | S | | R | S | S | S | | R | S | S | R | R | S | S | S | S | S | S | S |
| <i>S.epidermidis</i> | 7 | M | 71 | BLOOD | ICU | S | S | S | | S | | R | R | S | S | S | S | S | S | R | R | S | S | S | R | S | S | S |
| <i>S.epidermidis</i> | 8 | M | 53 | BLOOD | ICU | S | S | S | | S | | R | R | S | S | R | S | S | R | R | R | S | S | S | R | R | S | S |
| <i>S.epidermidis</i> | 9 | F | 21 | BLOOD | ER, ICU | S | S | S | | S | | R | R | S | S | R | S | S | S | S | R | S | S | S | S | S | S | R |
| <i>S.epidermidis</i> | 10 | M | 63 | BLOOD | AKU | R | S | S | | S | | R | R | S | S | S | S | S | S | R | R | S | S | S | R | S | S | S |
| <i>S.epidermidis</i> | 11 | F | 9 | BLOOD | PW | R | R | R | | R | | R | R | R | S | R | S | S | R | R | R | S | S | S | R | S | S | S |
| <i>S.epidermidis</i> | 12 | M | 57 | AE blood | | S | R | R | | R | | R | R | R | S | S | S | S | R | R | R | S | S | S | S | S | S | S |
| <i>S.epidermidis</i> | 13 | M | 70 | | | R | R | R | | R | | R | R | R | S | S | S | S | S | R | R | S | S | S | R | S | S | S |
| <i>S.epidermidis</i> | 14 | M | 52 | VITRIOUS FLUID | ER,ICU | S | S | S | | S | | | S | S | S | S | S | S | S | S | R | S | S | S | S | S | S | S |
| <i>S.epidermidis</i> | 15 | M | 75 | PUS | AMR | S | S | S | | S | | | S | S | S | S | S | S | S | R | R | S | S | S | S | S | S | R |
| <i>S.epidermidis</i> | 16 | F | 1 | BLOOD | PICU | S | R | R | | R | | R | R | R | S | S | S | S | R | R | R | S | R | S | R | S | S | S |
| <i>S.epidermidis</i> | 17 | M | 43 | BLOOD | ICU | S | S | S | | S | | S | S | S | S | S | S | S | S | R | R | S | S | S | S | S | S | S |
| <i>S.epidermidis</i> | 18 | M | 41 | BLOOD | ER | S | S | S | | S | | R | R | S | S | S | | S | S | R | R | S | S | S | S | S | S | S |
| <i>S.epidermidis</i> | 19 | M | 89 | BLOOD | MMW | S | R | R | | R | | R | R | R | S | R | | S | S | R | R | S | S | S | R | R | S | S |
| <i>S.epidermidis</i> | 20 | M | 77 | AE/ANbl | ICU | R | S | S | | S | | R | R | S | S | S | S | S | S | R | R | S | S | S | R | S | S | R |
| <i>S.epidermidis</i> | 21 | F | 63 | BLOOD | FMW | S | S | X | | S | X | R | R | S | S | S | S | S | S | R | R | S | S | S | R | R | S | S |
| <i>S.epidermidis</i> | 22 | F | 75 | BLOOD | ICU | S | S | S | | S | X | S | S | S | S | S | S | S | S | S | S | S | S | S | S | S | S | S |
| <i>S.epidermidis</i> | 23 | M | 63 | BLOOD | ICU | S | S | S | | S | X | R | S | S | S | S | S | S | S | S | R | S | S | S | S | S | S | S |
| <i>S.epidermidis</i> | 24 | F | 80 | BLOOD | FMW | S | S | S | | S | | R | S | S | S | S | S | S | S | R | I | S | S | S | S | S | S | S |
| <i>S.epidermidis</i> | 25 | F | 48 | PERITONEAL | AMR | R | S | S | | S | | S | R | S | S | R | S | S | S | R | S | S | S | S | R | I | S | R |
| <i>S.epidermidis</i> | 26 | F | 19 | BLOOD | | S | S | I | | S | | R | S | S | S | R | S | S | S | R | I | S | S | S | S | S | S | S |
| <i>S.epidermidis</i> | 16 | M | 53 | | SLD | S | S | S | | S | X | R | R | S | S | S | S | S | S | R | R | S | S | S | S | S | S | S |
| <i>S.epidermidis</i> | 17 | F | 77 | AV | | S | S | S | | S | X | S | S | S | S | R | I | S | R | R | R | S | R | S | R | R | S | S |
| <i>S.epidermidis</i> | 18 | F | 87 | BLOOD | ICU | S | R | R | | R | X | R | R | R | S | R | S | S | R | R | R | R | R | S | R | S | S | S |

Footnote: ^aspecimen color code: red = blood, ^bWard color code: blue = Female and male medical and surgical, and emergency wards (FMW, FSW, MMW, MSW)

Table S3. Specimen sources and type, patient demographics and antibiogram patterns of *E.faecalis* isolates recovered from clinical specimens in major Ha'il Hospitals, against 21 antimicrobials.

| Isolate | No | Gender | Age | SPECIMEN SITE | Ward | CN | IMI | FOX Screen | CTX | AMP | P | OX | AMC | DAP | SXT | TEC | VA | CD | E | FUS | LNZ | MUP | NIT | CIP | MXF | TET |
|-------------------|----|--------|-----|---------------|------|----|-----|------------|-----|-----|---|----|-----|-----|-----|-----|----|----|---|-----|-----|-----|-----|-----|-----|-----|
| <i>E.faecalis</i> | 1 | M | 9 | Urine | PICU | I | S | R | R | S | R | R | S | S | S | S | S | R | R | R | S | S | S | S | S | R |
| <i>E.faecalis</i> | 2 | M | 86 | Urine | ER | R | S | R | R | S | R | R | S | S | R | S | S | R | R | R | S | S | S | R | R | R |
| <i>E.faecalis</i> | 3 | M | 43 | Wound | ER | R | S | R | R | S | R | R | S | S | S | S | S | R | S | S | S | S | S | S | S | R |
| <i>E.faecalis</i> | 4 | M | 76 | BLOOD | ER | S | S | R | R | S | R | R | S | S | S | S | S | R | R | S | S | S | S | S | S | S |
| <i>E.faecalis</i> | 5 | M | 71 | BLOOD | MMW | R | R | R | R | S | R | R | S | S | R | S | S | R | R | R | S | S | S | R | R | R |
| <i>E.faecalis</i> | 6 | F | 68 | BLOOD | ICU | S | S | R | R | S | R | R | S | S | S | S | S | R | R | R | S | S | S | I | S | R |
| <i>E.faecalis</i> | 7 | M | | BLOOD | ICU | R | S | R | R | S | R | R | S | S | R | S | S | R | R | R | S | S | S | R | R | R |
| <i>E.faecalis</i> | 8 | F | 79 | BLOOD | ICU | R | R | R | R | R | R | R | R | R | S | S | S | R | R | S | S | S | R | R | R | R |
| <i>E.faecalis</i> | 9 | M | | BLOOD | PICU | S | S | R | R | S | R | R | S | S | S | S | S | S | S | S | S | S | S | S | S | R |
| <i>E.faecalis</i> | 10 | M | 80 | Urine | ER | R | S | R | R | R | R | R | R | R | R | R | R | R | R | R | R | R | R | R | R | R |
| <i>E.faecalis</i> | 11 | F | | AN-AE | FMW | R | S | R | R | S | R | R | S | S | R | S | S | R | R | S | S | S | S | R | R | R |
| <i>E.faecalis</i> | 12 | M | 44 | WOUND | MSW | R | S | R | R | S | R | R | S | S | S | S | S | R | R | S | S | S | S | S | S | R |
| <i>E.faecalis</i> | 13 | M | 60 | BLOOD | ICU | R | S | R | R | S | R | R | S | S | R | S | S | R | R | R | S | S | S | R | R | R |
| <i>E.faecalis</i> | 14 | M | 58 | Urine | | R | S | R | R | S | R | R | S | S | R | S | S | R | R | R | S | S | S | R | R | R |
| <i>E.faecalis</i> | 15 | F | 64 | AN-AE | FMW | R | S | R | R | S | R | R | S | S | R | S | S | R | R | S | S | S | S | R | R | R |
| <i>E.faecalis</i> | 16 | M | 78 | Urine | MMW | R | R | R | R | S | R | R | S | S | R | S | S | R | R | S | S | S | R | R | R | R |
| <i>E.faecalis</i> | 17 | M | 78 | Urine | MMW | R | R | R | R | S | R | R | S | S | R | S | S | R | R | I | S | S | S | R | R | R |
| <i>E.faecalis</i> | 18 | M | 58 | BLOOD | MMW | R | R | R | R | S | R | R | S | S | R | S | S | R | R | R | S | S | S | R | R | R |
| <i>E.faecalis</i> | 19 | M | 35 | Urine | ICU | R | S | R | R | S | R | R | S | S | R | S | S | R | R | S | S | S | S | R | R | R |
| <i>E.faecalis</i> | 20 | F | 66 | BLOOD | ICU | S | S | R | R | S | R | R | S | S | S | S | S | R | R | S | S | S | S | S | S | R |
| <i>E.faecalis</i> | 21 | F | 71 | Urine | COW | R | S | R | R | S | X | R | S | S | S | S | S | R | R | R | S | S | S | X | R | R |
| <i>E.faecalis</i> | 22 | F | 87 | BLOOD | | S | S | R | R | S | R | R | S | S | S | S | S | R | R | R | S | S | S | S | S | S |
| <i>E.faecalis</i> | 23 | M | 71 | BLOOD | ICU | R | S | R | R | S | R | R | S | S | R | S | S | R | R | S | S | S | S | R | R | R |
| <i>E.faecalis</i> | 24 | F | 71 | BLOOD | ICU | R | S | R | R | S | R | R | S | S | R | S | S | R | R | R | S | S | S | R | R | R |
| <i>E.faecalis</i> | 25 | F | 81 | Urine | | R | S | R | R | S | R | R | S | S | S | S | S | R | I | R | S | S | S | R | R | R |

SpeciSSpecimen color code: red = blood, yellow = urine. Female and male medical and surgical, and emergency wards (FMW, MMW, FSW, , MSW, ER)

Table S4. Specimen sources and type, patient demographics and antibiogram patterns of “*Other Gram positive bacteria*” isolates, recovered from clinical specimens in major Ha’il Hospitals, against 21 antimicrobials.

| Isolate | No | Gender | Age | Specimen | Ward | CN | IMI | FOX | CTX | AMP | P | OX | AMC | DAP | SXT | TEC | VA | CD | E | FUS | LNZ | MUP | NITC | CIP | MX | TET |
|-------------------------|----|--------|-----|----------|------|----|-----|-----|-----|-----|---|----|-----|-----|-----|-----|----|----|---|-----|-----|-----|------|-----|----|-----|
| <i>E. Facium</i> | 1 | M | 94 | Urine | ER | R | R | R | R | R | R | R | R | S | S | S | S | R | R | R | S | S | S | R | R | R |
| <i>E. Facium</i> | 2 | F | 73 | Blood | FMW | R | R | R | R | R | R | R | R | S | S | S | S | R | R | R | S | S | R | R | S | R |
| <i>E. Facium</i> | 3 | F | 86 | Urine | ICU | R | S | R | R | S | R | R | S | S | S | S | S | R | R | R | S | S | S | R | R | R |
| <i>E. Facium</i> | 4 | F | 73 | blood | AMR | R | R | R | R | R | R | R | R | S | S | S | S | R | R | I | S | S | S | R | R | R |
| <i>E. Facium</i> | 5 | M | 65 | Urine | | S | R | R | S | S | R | R | S | S | S | S | S | R | R | S | S | S | R | S | S | R |
| <i>E. Facium</i> | 6 | F | 50 | Blood | AMR | S | S | R | S | S | R | R | S | S | S | S | S | S | S | S | S | S | R | S | S | S |
| <i>S. acidominimus*</i> | 7 | M | 51 | blood | PW | S | S | R | S | R | R | S | | S | S | S | R | S | R | R | S | S | S | R | S | R |
| <i>S.agalactiae*</i> | 8 | F | 63 | wound | ER | | | R | R | S | S | S | | S | | S | S | | S | | | | | | | S |
| <i>S.agalactiae</i> | 9 | F | | wound | ER | | | | | | | | | | | R | S | | | S | | S | | | | R |
| <i>S.agalactiae</i> | 10 | F | | | FMW | | | S | S | S | S | S | | | | R | | | S | S | | | | | | |
| <i>S.agalactiae</i> | 11 | F | 54 | Wound | FSW | | | S | S | S | S | S | | S | | S | S | | S | S | | S | | | | S |

*were also tested sensitive to telithromycin, pristinamycin, and levofloxacin but was resistant to chloramphenicol Female medical and surgical, and emergency wards (FMW, FSW, ER), PW (Pediatic ward). AMR (Arkaptonurea Male Room)