


Supplementary Figure S3


Path Coefficients for Self-Ratings the Structural Model Diagram Showing the Incremental Validity for the Predictions of Emotional Symptoms, Conduct Problems and Peer Problems by (in Sequence) Gender, and ADHD Factors of Impulsivity, Hyperactivity, and Inattention



Note. This illustration involves one observed covariate (gender), three latent predictors (IA, HY and IM), and three latent outcomes (ES, CP and PP). ES = Emotional Symptoms; CP = Conduct Problems; PP = Peer Problems; IA = ADHD inattention symptom group; HY = ADHD hyperactivity symptom group; IM = ADHD impulsivity symptom group; s1 to s18 are the ADHD symptoms in the order presented in DSM-5-TR.

Supplementary Figure S2


Path Coefficients for Teacher Ratings the Structural Model Diagram Showing the Incremental Validity for the Predictions of Emotional Symptoms, Conduct Problems and Peer Problems by (in Sequence) Gender, and ADHD Factors of Impulsivity, Hyperactivity, and Inattention



Note. This illustration involves one observed covariate (gender), three latent predictors (IA, HY and IM), and three latent outcomes (ES, CP and PP). ES = Emotional Symptoms; CP = Conduct Problems; PP = Peer Problems; IA = ADHD inattention symptom group; HY = ADHD hyperactivity symptom group; IM = ADHD impulsivity symptom group; s1 to s18 are the ADHD symptoms in the order presented in DSM-5-TR.

Supplementary Figure S1


Path Coefficients for Ratings the Structural Model Diagram Showing the Incremental Validity for the Predictions of Emotional Symptoms, Conduct Problems and Peer Problems by (in Sequence) Gender, and ADHD Factors of Impulsivity, Hyperactivity, and Inattention




Note. This illustration involves one observed covariate (gender), three latent predictors (IA, HY and IM), and three latent outcomes (ES, CP and PP). ES = Emotional Symptoms; CP = Conduct Problems; PP = Peer Problems; IA = ADHD inattention symptom group; HY = ADHD hyperactivity symptom group; IM = ADHD impulsivity symptom group; s1 to s18 are the ADHD symptoms in the order presented in DSM-5-TR.

Supplementary Table S1

Factor loadings for the Three-Factor ADHD Model for Parent Ratings




Note. s1 to s18 are the ADHD symptoms in the order presented in DSM-5-TR; IA = ADHD inattention factor; HY = ADHD hyperactivity factor; IM = ADHD impulsivity factor.

Supplementary Table S2*Factor loadings for the Three-Factor ADHD Model for Teacher Ratings*

Note. s1 to s18 are the ADHD symptoms in the order presented in DSM-5-TR; IA = ADHD inattention factor; HY = ADHD hyperactivity factor; IM = ADHD impulsivity factor.

Supplementary Table S3

Factor loadings for the Three-Factor ADHD Model for Self Ratings



Note. s1 to s18 are the ADHD symptoms in the order presented in DSM-5-TR; IA = ADHD inattention factor; HY = ADHD hyperactivity factor; IM = ADHD impulsivity factor.