

Efficiency and eco-efficiency scores for each municipality evaluated

| Municipalities | Efficiency | Eco-fficiency |
|----------------|------------|---------------|
| M1 | -0.02 | 0.78 |
| M2 | 0.44 | 0.51 |
| M3 | 0.08 | 0.50 |
| M4 | 0.24 | 0.50 |
| M5 | 0.37 | 0.51 |
| M6 | 0.26 | 0.53 |
| M7 | -0.01 | 0.50 |
| M8 | 0.46 | 0.50 |
| M9 | -0.50 | 0.50 |
| M10 | 0.14 | 0.50 |
| M11 | 0.37 | 0.50 |
| M12 | 0.33 | 0.50 |
| M13 | 0.39 | 0.50 |
| M14 | 0.21 | 0.50 |
| M15 | 0.41 | 0.50 |
| M16 | 0.02 | 0.50 |
| M17 | 0.21 | 0.50 |
| M18 | 0.27 | 0.61 |
| M19 | 0.35 | 0.50 |
| M20 | 0.30 | 0.51 |
| M21 | 0.21 | 0.50 |
| M22 | 0.38 | 0.50 |
| M23 | 0.39 | 0.54 |
| M24 | 0.34 | 0.50 |
| M25 | 0.30 | 0.52 |
| M26 | 0.39 | 0.50 |
| M27 | 0.41 | 0.50 |
| M28 | 0.22 | 0.50 |
| M29 | 0.02 | 0.53 |
| M30 | 0.39 | 0.50 |
| M31 | 0.36 | 0.50 |
| M32 | 0.36 | 0.61 |
| M33 | 0.13 | 0.50 |
| M34 | 0.32 | 0.50 |
| M35 | 0.48 | 0.50 |
| M36 | 0.44 | 0.50 |
| M37 | 0.45 | 0.51 |
| M38 | 0.45 | 0.50 |
| M39 | 0.30 | 0.51 |
| M40 | 0.29 | 0.50 |

| | | |
|-----|-------|------|
| M41 | 0.43 | 0.56 |
| M42 | 0.45 | 0.50 |
| M43 | 0.38 | 0.55 |
| M44 | 0.16 | 0.50 |
| M45 | 0.39 | 0.50 |
| M46 | 0.38 | 0.50 |
| M47 | 0.23 | 0.50 |
| M48 | -0.08 | 0.65 |
| M49 | 0.13 | 0.50 |
| M50 | 0.46 | 0.73 |
| M51 | 0.36 | 0.50 |
| M52 | 0.48 | 0.52 |
| M53 | 0.15 | 0.50 |
| M54 | 0.06 | 0.61 |
| M55 | 0.43 | 0.50 |
| M56 | 0.45 | 0.50 |
| M57 | 0.46 | 0.50 |
| M58 | 0.48 | 0.50 |
| M59 | 0.25 | 0.52 |
| M60 | 0.46 | 0.52 |
| M61 | 0.44 | 0.50 |
| M62 | 0.21 | 0.50 |
| M63 | 0.30 | 0.50 |
| M64 | 0.17 | 0.50 |
| M65 | 0.39 | 0.50 |
| M66 | 0.12 | 0.50 |
| M67 | 0.31 | 0.50 |
| M68 | 0.00 | 0.52 |
| M69 | 0.19 | 0.50 |
| M70 | 0.17 | 0.58 |
| M71 | 0.48 | 0.52 |
| M72 | 0.43 | 0.51 |
| M73 | 0.13 | 0.50 |
| M74 | 0.41 | 0.51 |
| M75 | 0.44 | 0.50 |
| M76 | 0.39 | 0.51 |
| M77 | -0.02 | 0.51 |
| M78 | 0.00 | 1.00 |
| M79 | 0.27 | 0.51 |
| M80 | 0.43 | 0.51 |
| M81 | 0.39 | 0.50 |
| M82 | 0.32 | 0.63 |
| M83 | 0.21 | 0.53 |
| M84 | 0.39 | 0.50 |
| M85 | 0.37 | 0.50 |

| | | |
|------|-------|------|
| M86 | 0.48 | 0.53 |
| M87 | 0.43 | 0.50 |
| M88 | 0.21 | 0.50 |
| M89 | 0.31 | 0.57 |
| M90 | -0.06 | 0.50 |
| M91 | 0.33 | 0.63 |
| M92 | 0.62 | 1.00 |
| M93 | 0.17 | 0.50 |
| M94 | 0.27 | 0.50 |
| M95 | 0.47 | 0.52 |
| M96 | -0.10 | 0.56 |
| M97 | 0.07 | 0.51 |
| M98 | 0.44 | 0.50 |
| M99 | 0.39 | 0.56 |
| M100 | 0.18 | 0.50 |
| M101 | 0.16 | 0.55 |
| M102 | 0.21 | 0.62 |
| M103 | 0.34 | 0.50 |
| M104 | 0.40 | 0.50 |
| M105 | 0.75 | 0.76 |
| M106 | 0.41 | 0.50 |
| M107 | 0.18 | 0.53 |
| M108 | 0.39 | 0.51 |
| M109 | 0.37 | 0.50 |
| M110 | 0.08 | 0.69 |
| M111 | 0.42 | 0.50 |
| M112 | 0.29 | 0.50 |
| M113 | 0.35 | 0.50 |
| M114 | 0.39 | 0.53 |
| M115 | 0.28 | 0.54 |
| M116 | 0.43 | 0.50 |
| M117 | 0.15 | 0.50 |
| M118 | 0.28 | 0.50 |
| M119 | 0.33 | 0.60 |
| M120 | 0.11 | 0.50 |
| M121 | 0.21 | 0.55 |
| M122 | 0.42 | 0.50 |
| M123 | 0.44 | 0.50 |
| M124 | 0.40 | 0.50 |
| M125 | 0.37 | 0.50 |
| M126 | 0.21 | 0.50 |
| M127 | -0.06 | 0.64 |
| M128 | 0.17 | 0.56 |
| M129 | 0.39 | 0.50 |
| M130 | 0.36 | 0.51 |

| | | |
|------|-------|------|
| M131 | 0.44 | 0.50 |
| M132 | 0.17 | 0.50 |
| M133 | 0.46 | 0.50 |
| M134 | 0.34 | 0.50 |
| M135 | 0.09 | 0.50 |
| M136 | 0.42 | 0.50 |
| M137 | -0.31 | 0.56 |
| M138 | 0.39 | 0.50 |
| M139 | 0.43 | 0.50 |
| M140 | 0.36 | 0.51 |
| M141 | 0.40 | 0.52 |
| M142 | 0.00 | 1.00 |
| M143 | -0.01 | 0.50 |
| M144 | 0.28 | 0.50 |
| M145 | 0.49 | 0.50 |
| M146 | 0.23 | 0.66 |
| M147 | 0.37 | 0.50 |
| M148 | -0.11 | 0.50 |
| M149 | 0.43 | 0.61 |
| M150 | 0.27 | 0.50 |
| M151 | 0.41 | 0.54 |
| M152 | 0.38 | 0.50 |
| M153 | -0.03 | 0.50 |
| M154 | 0.42 | 0.50 |
| M155 | 0.43 | 0.51 |
| M156 | 0.43 | 0.51 |
| M157 | 0.40 | 0.50 |
| M158 | 0.42 | 0.50 |
| M159 | 0.16 | 0.50 |
| M160 | 0.33 | 0.50 |
| M161 | 0.34 | 0.50 |
| M162 | 0.12 | 0.52 |
| M163 | 0.12 | 0.51 |
| M164 | 0.36 | 0.50 |
| M165 | 0.22 | 0.57 |
| M166 | 0.43 | 0.50 |
| M167 | 0.31 | 0.54 |
| M168 | 0.52 | 0.55 |
| M169 | 0.00 | 1.00 |
| M170 | 0.37 | 0.56 |
| M171 | 0.41 | 0.50 |
| M172 | 0.46 | 0.50 |
| M173 | 0.44 | 0.50 |
| M174 | 0.37 | 0.55 |
| M175 | 0.20 | 0.50 |

| | | |
|------|-------|------|
| M176 | 0.41 | 0.51 |
| M177 | 0.40 | 0.50 |
| M178 | 0.37 | 0.51 |
| M179 | 0.20 | 0.52 |
| M180 | -0.01 | 0.51 |
| M181 | 0.41 | 0.50 |
| M182 | 0.39 | 0.50 |
| M183 | 0.51 | 0.62 |
| M184 | 0.35 | 0.50 |
| M185 | 0.39 | 0.50 |
| M186 | 0.48 | 0.50 |
| M187 | 0.39 | 0.52 |
| M188 | 0.09 | 0.50 |
| M189 | 0.43 | 0.50 |
| M190 | 0.32 | 0.50 |
| M191 | 0.35 | 0.50 |
| M192 | 0.41 | 0.50 |
| M193 | 0.44 | 0.50 |
| M194 | 0.26 | 0.50 |
| M195 | 0.33 | 0.50 |
| M196 | 0.00 | 1.00 |
| M197 | 0.37 | 0.57 |
| M198 | 0.39 | 0.61 |
| M199 | 0.17 | 0.57 |
| M200 | -0.42 | 0.58 |
| M201 | 0.10 | 0.50 |
| M202 | 0.41 | 0.51 |
| M203 | 0.31 | 0.54 |
| M204 | 0.26 | 0.60 |
| M205 | 0.19 | 0.50 |
| M206 | 0.43 | 0.50 |
| M207 | 0.32 | 0.50 |
| M208 | 0.35 | 0.50 |
| M209 | 0.37 | 0.51 |
| M210 | 0.39 | 0.51 |
| M211 | 0.39 | 0.50 |
| M212 | 0.46 | 0.51 |
| M213 | 0.31 | 0.50 |
| M214 | 0.42 | 0.50 |
| M215 | 0.48 | 0.50 |
| M216 | 0.07 | 0.56 |
| M217 | 0.43 | 0.50 |
| M218 | 0.42 | 0.50 |
| M219 | -0.21 | 0.50 |
| M220 | 0.26 | 0.58 |

| | | |
|------|-------|------|
| M221 | 0.35 | 0.50 |
| M222 | 0.07 | 0.50 |
| M223 | 0.28 | 0.51 |
| M224 | 0.06 | 0.50 |
| M225 | 0.07 | 0.50 |
| M226 | 0.43 | 0.50 |
| M227 | 0.41 | 0.50 |
| M228 | 0.14 | 0.54 |
| M229 | 0.44 | 0.50 |
| M230 | 0.12 | 0.52 |
| M231 | 0.26 | 0.51 |
| M232 | 0.36 | 0.68 |
| M233 | 0.33 | 0.50 |
| M234 | 0.28 | 0.50 |
| M235 | 0.31 | 0.50 |
| M236 | 0.00 | 1.00 |
| M237 | 1.00 | 1.00 |
| M238 | 0.33 | 0.50 |
| M239 | 0.40 | 0.51 |
| M240 | 0.36 | 0.50 |
| M241 | -0.48 | 0.52 |
| M242 | 0.34 | 0.59 |
| M243 | -0.11 | 0.52 |
| M244 | 0.33 | 0.51 |
| M245 | 0.40 | 0.52 |
| M246 | 0.40 | 0.50 |
| M247 | 0.00 | 1.00 |
| M248 | 0.24 | 0.50 |
| M249 | 0.33 | 0.50 |
| M250 | 0.38 | 0.50 |
| M251 | 0.13 | 0.50 |
| M252 | 0.35 | 0.50 |
| M253 | 0.38 | 0.51 |
| M254 | 0.20 | 0.59 |
| M255 | 0.40 | 0.50 |
| M256 | 0.41 | 0.50 |
| M257 | 0.46 | 0.50 |
| M258 | 0.42 | 0.50 |
| M259 | 0.11 | 0.50 |
| M260 | 0.47 | 0.50 |
| M261 | 0.29 | 0.50 |
| M262 | 0.42 | 0.50 |
| M263 | 0.36 | 0.50 |
| M264 | 0.20 | 0.50 |
| M265 | 0.00 | 1.00 |

| | | |
|------|------|------|
| M266 | 0.59 | 0.71 |
| M267 | 0.00 | 1.00 |
| M268 | 0.08 | 0.63 |
| M269 | 0.30 | 0.56 |
| M270 | 0.35 | 0.50 |
| M271 | 0.00 | 1.00 |
| M272 | 0.34 | 0.50 |
| M273 | 0.41 | 0.50 |
| M274 | 0.21 | 0.50 |
| M275 | 0.00 | 1.00 |
| M276 | 0.55 | 0.55 |
| M277 | 0.04 | 0.50 |
| M278 | 0.34 | 0.50 |
| M279 | 0.31 | 0.50 |
| M280 | 0.36 | 0.50 |
| M281 | 0.44 | 0.50 |
| M282 | 0.44 | 0.50 |
| M283 | 0.00 | 0.50 |
| M284 | 0.11 | 0.50 |
| M285 | 0.04 | 0.55 |
| M286 | 0.45 | 0.50 |
| M287 | 0.41 | 0.50 |
| M288 | 0.00 | 1.00 |
| M289 | 0.36 | 0.50 |
| M290 | 0.40 | 0.50 |
| M291 | 0.21 | 0.56 |
| M292 | 0.27 | 0.65 |
| M293 | 0.00 | 0.65 |
| M294 | 0.40 | 0.66 |
| M295 | 0.27 | 0.51 |
| M296 | 0.43 | 0.50 |
| M297 | 0.38 | 0.50 |
| M298 | 0.46 | 0.50 |