Supplementary material of
**Pathways of forest above-ground biomass estimation with SAR backscatter and interferometric SAR observations**

by Santoro M. and Cartus O.

References to peer-reviewed literature surveyed

1.   Abdullahi, S.; Kugler, F.; Pretzsch, H., Prediction of stem volume in complex temperate forest stands using TanDEM-X SAR data. *Remote Sens. Environ.* **2016**, *174*, 197-211.
2.   Ahern, F.J.; McKirdy, I.; Brown, J., Boreal forest information content of multi-season, multi-polarization C-band SAR data. *Can. J. Remote Sens.* **1996**, *22*, 456-472.
3.   ==Ahmed, R.; Siqueira, P.; Hensley, S., Analyzing the uncertainty of biomass estimates from L-band radar backscatter over the Harvard and Howland forests. *IEEE Trans. Geosci. Remote Sensing* **2014**, *52*, 3568-3586.==
4.   Andersen, H.-E.; Strunk, J.; Temesgen, H.; Atwood, D.; Winterberger, K., Using multilevel remote sensing and ground data to estimate forest biomass resources in remote regions: a case study in the boreal forests of interior Alaska. *Can. J. Remote Sens.* **2011**, *37*, 596-611.
5.   Antropov, O.; Ahola, H.; Rauste, Y.; Hame, T., Stand-level stem volume of boreal forests from spaceborne SAR imagery at L-band. *IEEE J. Sel. Topics Appl. Earth Observ.* **2013**, *6*, 135-144.
6.   Antropov, O.; Rauste, Y.; Häme, T.; Praks, J., Polarimetric ALOS PALSAR time series in mapping biomass of boreal forests. *Remote Sensing* **2017**, *9*, 999, doi:10.3390/rs9100999.
7.   Askne, J.; Dammert, P.B.G.; Ulander, L.M.H.; Smith, G., C-band repeat-pass interferometric SAR observations of the forest. *IEEE Trans. Geosci. Remote Sensing* **1997**, *35*, 25-35.
8.   Askne, J.; Santoro, M.; Smith, G.; Fransson, J.E.S., Multitemporal repeat-pass SAR interferometry of boreal forests. *IEEE Trans. Geosci. Remote Sensing* **2003**, *41*, 1540-1550.
9.   Askne, J.I.A.; Fransson, J.E.S.; Santoro, M.; Soja, M.J.; Ulander, L.M.H., Model-based biomass estimation of a hemi-boreal forest from multitemporal TanDEM-X acquisitions. *Remote Sensing* **2013**, *5*, 5574-5597.
10.  Askne, J.I.H.; Santoro, M., On the estimation of boreal forest biomass from TanDEM-X data without training samples. *IEEE Geoscience and Remote Sensing Letters* **2015**, *12*, 771-775.
11.  Askne, J.I.H.; Soja, M.J.; Ulander, L.M.H., Biomass estimation in a boreal forest from TanDEM-X data, lidar DTM, and the interferometric water cloud model. *Remote Sens. Environ.* **2017**, *196*, 265-278.
12.  Attarchi, S.; Gloaguen, R., Improving the estimation of above ground biomass using dual polarimetric PALSAR and ETM+ data in the Hyrcanian Mountain Forest (Iran). *Remote Sensing* **2014**, *6*, 3693-3715.
13.  Atwood, D.K.; Andersen, H.-E.; Matthiss, B.; Holecz, F., Impact of topographic correction on estimation of aboveground boreal biomass using multi-temporal, L-Band backscatter. *IEEE J. Sel. Topics Appl. Earth Observ.* **2014**, *7*, 3262-3273.
14.  Austin, J.M.; Mackey, B.G.; Van Niel, K.P., Estimating forest biomass using satellite radar: an exploratory study in a temperate Australian Eucalyptus forest. *For. Ecol. Manage.* **2003**, *176*, 575-583.
15.  Avtar, R.; Suzuki, R.; Takeuchi, W.; Sawada, H., PALSAR 50 m mosaic data based national level biomass estimation in Cambodia for implementation of REDD+ mechanism. *PLoS ONE* **2013**, *8*, e74807.
16.  Baghdadi, N.; Le Maire, G.; Bailly, J.-S.; Osé, K.; Nouvellon, Y.; Zribi, M.; Lemos, C.; Hakamada, R., Evaluation of ALOS/PALSAR L-band data for the estimation of *Eucalyptus* plantations aboveground biomass in Brazil. *IEEE J. Sel. Topics Appl. Earth Observ.* **2015**, *8*, 3802-3811.
17.  Baker, J.R.; Mitchell, P.L.; Cordey, R.A.; Groom, G.B.; Settle, J.J.; Stileman, M.R., Relationships between physical characteristics and polarimetric radar backscatter for Corsican pine stands in Thetford Forest, U.K. *Int. J. Remote Sens.* **1994**, *15*, 2827-2849.

18. Baker, J.R.; Luckman, A.J., Microwave observations of boreal forests in the NOPEX area of Sweden and a comparison with observations of a temperate plantation in the United Kingdom. *Agr. Forest Meteorol.* **1999**, *98-99*, 389-416.

19. Balzter, H.; Baker, J.R.; Hallikainen, M.; Tomppo, E., Retrieval of timber volume and snow water equivalent over a Finnish boreal forest from airborne polarimetric Synthetic Aperture Radar. *Int. J. Remote Sens.* **2002**, *23*, 3185-3208.

20. Beaudoin, A.; Le Toan, T.; Goze, S.; Nezry, E.; Lopes, A.; Mougin, E.; Hsu, C.C.; Han, H.C.; Kong, J.A.; Shin, R.T., Retrieval of forest biomass from SAR data. *Int. J. Remote Sens.* **1994**, *15*, 2777-2796.

21. Bispo, P.C.; Santos, J.R.; Valeriano, M.M.; Touzi, R.; Seifert, F.M., Integration of polarimetric PALSAR attributes and local geomorphometric variables derived from SRTM for forest biomass modeling in Central Amazonia. *Can. J. Remote Sens.* **2014**, *40*, 26-42.

22. Bitencourt, M.D.; de Mesquita Jr., H.N.; Kuntschik, G.; da Rocha, H.R.; Furley, P.A., Cerrado vegetation study using optical and radar remote sensing: Two Brazilian case studies. *Can. J. Remote Sens.* **2007**, *33*, 468-480.

23. Carreiras, J.M.B.; Vasconcelos, M.J.; Lucas, R.M., Understanding the relationship between aboveground biomass and ALOS PALSAR data in the forests of Guinea-Bissau (West Africa). *Remote Sens. Environ.* **2012**, *121*.

24. Carreiras, J.M.B.; Melo, J.B.; Vasconcelos, M.J., Estimating the above-ground biomass in miombo savanna woodlands (Mozambique, East Africa) using L-band synthetic aperture radar data. *Remote Sensing* **2013**, *5*, 1524-1548.

25. Cartus, O.; Santoro, M.; Kellndorfer, J., Mapping forest aboveground biomass in the Northeastern United States with ALOS PALSAR dual-polarization L-band. *Remote Sens. Environ.* **2012**, *124*, 466-478.

26. Cartus, O.; Kellndorfer, J.; Rombach, M.; Walker, W., Mapping canopy height and growing stock volume using airborne lidar, ALOS PALSAR and Landsat ETM+. *Remote Sensing* **2012**, *4*, 3320-3345.

27. Cartus, O.; Kellndorfer, J.; Walker, W.; Bishop, J.; Franco, C.; Santos, L.; Michel Fuentes, J.M., A national, detailed map of forest aboveground carbon stocks in Mexico. *Remote Sensing* **2014**, *6*, 5559-5588.

28. Castel, T.; Beaudoin, A.; Picard, G.; Le Toan, T.; Caraglio, Y.; Houllier, F., An accurate analysis of L-band SAR backscatter sensitivity to forest biomass. Proceedings of the IGARSS 2000, Honolulu, 24-28 July, 2000; IEEE Publications, Piscataway, NJ.

29. Castel, T.; Beaudoin, A.; Stach, N.; Stussi, N.; Le Toan, T.; Durand, P., Sensitivity of space-borne SAR data to forest parameters over sloping terrain. Theory and experiment. *Int. J. Remote Sens.* **2001**, *22*, 2351-2376.

30. Castel, T.; Guerra, F.; Caraglio, Y.; Houllier, F., Retrieval biomass of a large Venezuelan pine plantation using JERS-1 SAR data. Analysis of forest structure impact on radar signature. *Remote Sens. Environ.* **2002**, *79*, 30-41.

31. Chowdury, T.A.; Thiel, C.; Schmullius, C.; Stelmaszczuk-Górska, M., Polarimetric parameters for growing stock volume estimation using ALOS PALSAR L-band data over Siberian forests. *Remote Sensing* **2013**, *5*, 5725-5756.

32. Chowdury, T.A.; Thiel, C.; Schmullius, C., Growing stock volume estimation from L-band ALOS PALSAR polarimetric coherence in Siberian forest. *Remote Sens. Environ.* **2014**, *155*, 129-144.

33. Collins, J.N.; Hutley, L.B.; Williams, R.J.; Boggs, G.; Bell, D.; Bartolo, R., Estimating landscape-scale vegetation carbon stocks using airborne multi-frequency polarimetric synthetic aperture radar (SAR) in the savannahs of north Australia. *Int. J. Remote Sens.* **2009**, *30*, 1141-1159.

34. Cutler, M.E.J.; Boyd, D.S.; Foody, G.M.; Vetrivel, A., Estimating tropical forest biomass with a combination of SAR image texture and Landsat TM data: An assessment of predictions between regions. *ISPRS Journal of Photogrammetry & Remote Sensing* **2012**, *70*, 66-77.

35. Del Frate, F.; Solimini, D., On neural network algorithms for retrieving forest biomass from SAR data. *IEEE Trans. Geosci. Remote Sensing* **2004**, *42*, 24-34.

36. Dobson, M.C.; Ulaby, F.T.; Le Toan, T.; Beaudoin, A.; Kasichke, E.S.; Christensen, N., Dependence of radar backscatter on coniferous forest biomass. *IEEE Trans. Geosci. Remote Sensing* **1992**, *30*, 412-416.

37. Dobson, M.C.; Ulaby, F.T.; Pierce, L.E.; Sharik, T.L.; Bergen, K.M.; Kellndorfer, J.; Kendra, J.R.; Li, E.; Lin, Y.C.; Nashashibi, A.; Sarabandi, K.; Siqueira, P., Estimation of forest biophysical characteristics in Northern Michigan with SIR-C/X-SAR. *IEEE Trans. Geosci. Remote Sensing* **1995**, *33*, 877-895.

38. Engdahl, M.E.; Pulliainen, J.; Hallikainen, M., Segment-based stem volume retrieval in boreal forests using multi-temporal ERS-1/2 data. *Can. J. Remote Sens.* **2008**, *34*, 46-55.

39. Englhart, S.; Keuck, V.; Siegert, F., Aboveground biomass retrieval in tropical forests - The potential of combined X- and L-band SAR data use. *Remote Sens. Environ.* **2011**, *115*, 1260-1271.

41. Englhart, S.; Keuck, V.; Siegert, F., Modeling aboveground biomass in tropical forests using multi-frequency SAR data - A comparison of methods. *IEEE J. Sel. Topics Appl. Earth Observ.* **2012**, *5*, 298-306.

42. Eriksson, L.E.B.; Santoro, M.; Wiesmann, A.; Schmullius, C., Multi-temporal JERS repeat-pass coherence for growing stock volume estimation of Siberian forest. *IEEE Trans. Geosci. Remote Sensing* **2003**, *41*, 1561-1570.

43. ==Ferrazzoli, P.; Paloscia, S.; Pampaloni, P.; Schiavon, G.; Sigismondi, S.; Solimini, D., The potential of multifrequency polarimetric SAR in assessing agricultural and arboreous biomass. *IEEE Trans. Geosci. Remote Sensing* **1997**, *35*, 5-17.==

44. Folkesson, K.; Smith-Jonforsen, G.; Ulander, L.M.H., Model-based compensation of topographic effects for improved stem-volume retrieval from CARABAS-II VHF-band SAR images. *IEEE Trans. Geosci. Remote Sensing* **2009**, *47*, 1045-1055.

45. Foody, G.M.; Green, R.M.; Lucas, R.M.; Curran, P.J.; Honzak, M.; Do Amaral, I., Observations on the relationship between SIR-C radar backscatter and the biomass of regenerating tropical forests. *Int. J. Remote Sens.* **1997**, *18*, 687-694.

46. Fransson, J.E.S.; Israelsson, H., Estimation of stem volume in boreal forests using ERS-1 C- and JERS-1 L-band SAR data. *Int. J. Remote Sens.* **1999**, *20*, 123-137.

47. Fransson, J.E.S.; Walter, F.; Ulander, L.M.H., Estimation of forest parameters using VHF SAR data. *IEEE Trans. Geosci. Remote Sensing* **2000**, *38*, 720-727.

48. Fransson, J.E.S.; Smith, G.; Askne, J.; Olsson, H., Stem volume estimation in boreal forests using ERS-1/2 coherence and SPOT XS optical data. *Int. J. Remote Sens.* **2001**, *22*, 2777-2791.

49. Gama, F.F.; dos Santos, J.R.; Mura, J.C., Eucalyptus biomass and volume estimation using interferometric and polarimetric SAR data. *Remote Sensing* **2010**, *2*, 99-956.

50. Gaveau, D.L.A., Modelling the dynamics of ERS-1/2 coherence with increasing woody biomass over boreal forests. *Int. J. Remote Sens.* **2002**, *23*, 3879-3885.

51. Gonçalves, F., G.,; Santos, J.R.; Treuhaft, R.N., Stem volume of tropical forests from polarimetric radar. *Int. J. Remote Sens.* **2011**, *32*, 503-522.

52. Hamdan, O.; Khali Aziz, H.; Mohd Hasmadi, I., L-band ALOS PALSAR for biomass estimation of Matang mangroves, Malaysia. *Remote Sens. Environ.* **2014**, *155*, 69-78.

53. Hamdan, O.; Afizzul Misman, M.; Rahman Kassim, A., Synergetic of PALSAR-2 and Sentinel-1A SAR polarimetry for retrieving aboveground biomass in dipterocarp forest of Malaysia. *Applied Sciences* **2017**, *7*, 675; doi:10.3390/app7070675.

54. ==Häme, T.; Rauste, Y.; Antropov, O.; Ahola, H.A.; Kilpi, J., Improved mapping of tropical forests with optical and SAR imagery, part II: Above ground biomass estimation. *IEEE J. Sel. Topics Appl. Earth Observ.* **2013**, *6*, 92-101.==

52. Harrell, P.A.; Bourgeau-Chavez, L.L.; Kasischke, E.S.; French, N.H.F.; Christensen Jr., N.L., Sensitivity of ERS-1 and JERS-1 radar data to biomass and stand structure in Alaskan boreal forest. *Remote Sens. Environ.* **1995**, *54*, 247-260.

55. Harrell, P.A.; Kasischke, E.S.; Bourgeau-Chavez, L.L.; Haney, E.M.; Christensen Jr., N.L., Evaluation of approaches to estimating aboveground biomass in southern pine forests using SIR-C data. *Remote Sens. Environ.* **1997**, *59*, 223-233.

56. He, Q.-S.; Cao, C.-X.; Chen, E.X.; Sun, G.-Q.; Ling, F.-L.; Pang, Y.; Zhang, H.; Ni, W.-J.; Xu, M.; Li, Z.-Y.; Li, X.-W., Forest stand biomass estimation using ALOS PALSAR data based on

LiDAR-derived prior knowledge in the Qilian Mountain, western China. *Int. J. Remote Sens.* **2012**, *33*, 710-729.

57. Hoekman, D.; Quiñones, M.J., Land cover type and biomass classification using AirSAR data for evaluation of monitoring scenarios in the Colombian Amazon. *IEEE Trans. Geosci. Remote Sensing* **2000**, *38*, 685-696.

58. Holopainen, M.; Haapanen, R.; Karjalainen, M.; Vastaranta, M.; Hyyppä, J.; Yu, X.; Tuominen, S.; Hyyppä, H., Comparing accuracy of airborne laser scanning and TerraSAR-X radar images in the estimation of plot-level forest variables. *Remote Sensing* **2010**, *2*, 432-445.

59. Hussin, Y.A.; Reich, R.M.; Hoffer, R.M., Estimating slash pine biomass using radar backscatter. *IEEE Trans. Geosci. Remote Sensing* **1991**, *29*, 427-431.

60. Hyyppä, J.; Hyyppä, H.; Inkinen, M.; Engdahl, M.; Linko, S.; Zhu, Y.-H., Accuracy comparison of various remote sensing data sources in the retrieval of forest stand attributes. *For. Ecol. Manage.* **2000**, *128*, 109-120.

61. Imhoff, M.L., Radar backscatter and biomass saturation: Ramifications for global biomass inventory. *IEEE Trans. Geosci. Remote Sensing* **1995**, *33*, 511-518.

62. Israelsson, H.; Askne, J.; Sylvander, R., Potential of SAR for forest bole volume estimation. *Int. J. Remote Sens.* **1994**, *15*, 2809-2826.

63. Israelsson, H.; Ulander, L.M.H.; Askne, J.I.H.; Fransson, J.E.S.; Frölind, P.O.; Gustavsson, A.; Hellsten, H., Retrieval of forest stem volume using VHF SAR. *IEEE Trans. Geosci. Remote Sensing* **1997**, *35*, 36-40.

64. Joshi, N.P.; Mitchard, E.T.A.; Schumacher, J.; Johannsen, V.K.; Saatchi, S.; Fensholt, R., L-band SAR backscatter related to forest cover, height and aboveground biomass at multiple spatial scales across Denmark. *Remote Sensing* **2015**, *7*, 4442-4472.

65. Karila, K.; Vastaranta, M.; Karjalainen, M.; Kaasalainen, S., Tandem-X interferometry in the prediction of forest inventory attributes in managed boreal forests. *Remote Sens. Environ.* **2015**, *159*, 259-268.

66. Karjalainen, M.; Kankare, V.; Vastaranta, M.; Holopainen, M.; Hyyppä, J., Prediction of plot-level forest variables using TerraSAR-X stereo SAR data. *Remote Sens. Environ.* **2012**, *117*, 338-347.

67. Kasischke, E.S.; Bourgeau-Chavez, L.L.; Christensen Jr., N.L.; Haney, E., Observations on the sensitivity of ERS-1 SAR image intensity to changes in aboveground biomass in young loblolly pine forests. *Int. J. Remote Sens.* **1994**, *15*, 3-16.

68. Kasischke, E.S.; Christensen Jr., N.L.; Bourgeau-Chavez, L.L., Correlating radar backscatter with components of biomass in loblolly pine forests. *IEEE Trans. Geosci. Remote Sensing* **1995**, *33*, 643-659.

69. Kellndorfer, J.M.; Dobson, M.C.; Vona, J.D.; Clutter, M., Toward precision forestry: Plot-level parameter retrieval for slash pine plantations with JPL AIRSAR. *IEEE Trans. Geosci. Remote Sensing* **2003**, *41*, 1571-1582.

70. Kimes, D.S.; Ranson, K.J.; Sun, G., Inversion of a forest backscatter model using neural networks. *Int. J. Remote Sens.* **1997**, *18*, 2181-2199.

71. Kuplich, T.M.; Salvatori, V.; Curran, P.J., JERS-1/SAR backscatter and its relationship with biomass of regenerating forests. *Int. J. Remote Sens.* **2000**, *21*, 2513-2518.

72. Kurvonen, L.; Pulliainen, J.; Hallikainen, M., Retrieval of biomass in boreal forests from multitemporal ERS-1 and JERS-1 SAR images. *IEEE Trans. Geosci. Remote Sensing* **1999**, *37*, 198-205.

73. Le Toan, T.; Beaudoin, A.; Riom, J.; Guyon, D., Relating forest biomass to SAR data. *IEEE Trans. Geosci. Remote Sensing* **1992**, *30*, 403-411.

74. Li, X.; Gar-on Yeh, A.; Wang, S.; Liu, K.; Liu, X.; Qian, J.; Chen, X., Regression and analytical models for estimating mangrove wetland biomass in South China using Radarsat images. *Int. J. Remote Sens.* **2007**, *28*, 5567-5582.

75. Lucas, R.M.; Moghaddam, M.; Cronin, N., Microwave scattering from mixed-species forest, Queensland, Australia. *IEEE Trans. Geosci. Remote Sensing* **2004**, *42*, 2142-2159.

76. Lucas, R.M.; Cronin, N.; Lee, A.; Moghaddam, M.; Witte, C.; Tickle, P., Empirical relationships between AIRSAR backscatter and LiDAR-derived forest biomass, Queensland, Australia. *Remote Sens. Environ.* **2006**, *100*, 407-425.

77.     Lucas, R.M.; Mitchell, A.L.; Rosenqvist, A.; Proisy, C.; Melius, A.; Ticehurst, C., The potential of L-band SAR for quantifying mangrove characteristics and change: case studies from the tropics. *Acquatic Conservation: Marine and Freshwater Ecosystems* **2007**, *17*, 245-264.

78.     Lucas, R.; Armston, J.; Fairfax, R.; Fensham, R.; Accad, A.; Carreiras, J.; Kelley, J.; Bunting, P.; Clewley, D.; Bray, S.; Metcalf, D.; Dwyer, J.; Bowen, M.; Eyre, T.; Laidlaw, M.; Shimada, M., An evaluation of the ALOS PALSAR L-band backscatter - Above ground biomass relationship Queensland, Australia: Impacts of surface moisture condition and vegetation structure. *IEEE J. Sel. Topics Appl. Earth Observ.* **2010**, *3*, 576-593.

79.     Luckman, A.; Baker, J.; Kuplich, T.M.; da Costa Freitas Yanasse, C.; Frery, A.C., A study of the relationship between radar backscatter and regenerating tropical forest biomass for spaceborne SAR instruments. *Remote Sens. Environ.* **1997**, *60*, 1-13.

80.     Luckman, A.; Baker, J.; Honzák, M.; Lucas, R., Tropical forest biomass density estimation using JERS-1 SAR: seasonal variation, confidence limits, and application to image mosaics. *Remote Sens. Environ.* **1998**, *61*, 126-139.

81.     Ma, J.; Xiao, X.; Qin, Y.; Chen, B.; Hu, Y.; Li, X.; Zhao, B., Estimating aboveground biomass of broadleaf, needleleaf, and mixed forests in Northeastern China through analysis of 25-m ALOS/PALSAR mosaic data. *For. Ecol. Manage.* **2017**, *389*, 199-210.

82.     Maina, E.W.; Odera, P.A.; Kinyanjui, M.J., Estimation of above ground biomass in forests using Alos Palsar data in Kericho and Aberdare Ranges. *Open Journal of Forestry* **2017**, *7*, 79-86.

83.     Melon, P.; Martinez, J.-M.; Le Toan, T.; Ulander, L.M.H.; Beaudoin, A., On the retrieving of forest stem volume from VHF SAR data: observation and modeling. *IEEE Trans. Geosci. Remote Sensing* **2001**, *39*, 2364-2372.

84.     Mermoz, S.; Le Toan, T.; Villard, L.; Réjou-Méchain, M.; Seifert-Granzin, J., Biomass assessment in the Cameroon savanna using ALOS PALSAR data. *Remote Sens. Environ.* **2014**, *155*, 109–119.

85.     Mermoz, S.; Réjou-Méchain, M.; Villard, L.; Le Toan, T.; Rossi, V.; Gourlet-Fleury, S., Decrease of L-band SAR backscatter with biomass of dense forests. *Remote Sens. Environ.* **2015**, *159*, 307-317.

86.     Michelakis, D.; Stuart, N.; Brolly, M.; Woodhouse, I.H.; Lopez, G.; Linares, V., Estimation of woody biomass of pine savanna woodlands from ALOS PALSAR images. *IEEE J. Sel. Topics Appl. Earth Observ.* **2015**, *8*, 244-254.

87.     Mitchard, E.T.A.; Saatchi, S.S.; Woodhouse, I.H.; Nangendo, G.; Ribeiro, N.S.; Williams, M.; Ryan, C.M.; Lewis, S.L.; Feldpausch, T.R.; Meir, P., Using satellite radar backscatter to predict above-ground woody biomass: A consistent relationship across four different African landscapes. *Geophys. Res. Lett.* **2009**, *36*, L23401, doi:10.1029/2009GL040692.

88.     Mitchard, E.T.A.; Saatchi, S.S.; White, L.J.T.; Abernethy, K.A.; Jeffery, K.J.; Lewis, S.L.; Collins, M.; Lefsky, M.A.; Leal, M.E.; Woodhouse, I.H.; Meir, P., Mapping tropical forest biomass with radar and spaceborne LiDAR in Lope National Park, Gabon: overcoming problems of high biomass and persistent cloud. *Biogeosciences* **2012**, *9*, 179-191.

89.     Moghaddam, M.; Durden, S.; Zebker, H., Radar Measurement of forest areas during OTTER. *Remote Sens. Environ.* **1994**, *47*, 154-166.

90.     Morel, A.C.; Saatchi, S.S.; Malhi, Y.; Berry, N.J.; Banin, L.; Burslem, D.; Nilus, R.; Ong, R.C., Estimating aboveground biomass in forest and oil palm plantation in Sabah, Malaysian Borneo using ALOS PALSAR data. *For. Ecol. Manage.* **2011**, *262*, 1786-1798.

91.     Mougin, C.; Proisy, C.; Marty, G.; Fromard, F.; Puig, H.; Betoulle, J.L.; Rudant, J.P., Multifrequency and multipolarization radar backscattering from mangrove forests. *IEEE Trans. Geosci. Remote Sensing* **1999**, *37*, 94-102.

92.     Næsset, E.; Ørka, H.O.; Solberg, S.; Bollandsås, O.E.; Hansen, E.H.; Mauya, E.; Zahabu, E.; Malimbwi, R.; Chamuya, N.; Olsson, H., Mapping and estimating forest area and aboveground biomass in miombo woodlands in Tanzania using data from airborne laser scanning, TanDEM-X, RapidEye, and global forest maps: A comparison of estimated precision. *Remote Sens. Environ.* **2016**, *175*, 282-300.

93.     Naidoo, L.; Mathieu, R.; Main, R.; Kleynhans, W.; Wessels, K.; Asner, G.; Leblon, B., Savannah woody structure modelling and mapping using multi-frequency (X-, C- and L-band) Synthetic Aperture Radar data. *ISPRS Journal of Photogrammetry & Remote Sensing* **2015**, *105*, 234-250.

94.  Neeff, T.; Dutra, L.V.; dos Santos Alvalá, J.R.; da Costa Freitas, C.; Spinelli Araujo, L., Tropical forest measurement by interferometric height modeling and P-band radar backscatter. *Forest Science* **2005**, *51*, 585-594.

95.  Nelson, R.F.; Hyde, P.; Johnson, P.; Bomono, E.; Imhoff, M.L.; Campbell, R.; Edwards, W., Investigating RaDAR–LiDAR synergy in a North Carolina pine forest. *Remote Sens. Environ.* **2007**, *110*, 98-108.

96.  Neumann, M.; Saatchi, S., Polarimetric backscatter optimization for biophysical parameter estimation. *IEEE Geoscience and Remote Sensing Letters* **2014**, *11*, 254-258.

97.  Nguyen, L.V.; Tateishi, R.; Nguyen, H.T.; Sharma, R.C.; To, T.T.; Le, S.M., Estimation of tropical forest structural characteristics using ALOS-2 SAR data. *Advances in Remote Sensing* **2016**, *5*, 131-144.

98.  Nguyen, L.V.; Tateishi, R.; Kondoh, A.; Sharma, R.C.; Nguyen, H.T.; To, T.T.; Minh, D.H.T., Mapping tropical forest biomass by combining ALOS-2, Landsat 8, and field plots data. *Land* **2017**, *5*, 31; doi:10.3390/land5040031.

99.  Ni, W.; Sun, G.; Guo, Z.; Zhang, Z.; He, Y.; Huang, W., Retrieval of forest biomass from ALOS PALSAR data using a lookup table method. *IEEE J. Sel. Topics Appl. Earth Observ.* **2013**, *6*, 875-885.

100. Ningthoujam, R.K.; Balzter, H.; Tansey, K.; Feldpausch, T.R.; Mitchard, E.T.A.; Wani, A.A.; Joshi, P.K., Relationships od S-band radar backscatter adn forest aboveground biomass in different forest types. *Remote Sensing* **2017**, *9*, 1116; doi:10.3390/rs9111116.

101. Padalia, H.; Yadav, S., Evaluation of RISAT-1 SAR data for tropical forestry applications. *Adv. Space Res.* **2017**, *59*, 2-11.

102. Pairman, D.; McNeill, S.; Scott, N.; Belliss, S., Vegetation identification and biomass estimation using AIRSAR data. *Geocarto International* **1999**, *14*, 69-77.

103. Paloscia, S.; Macelloni, G.; Pampaloni, P.; Sigismondi, S., The potential of C- and L-band in estimating vegetation biomass: The ERS-1 and JErS-1 experiments. *IEEE Trans. Geosci. Remote Sensing* **1999**, *37*, 2107-2110.

104. Paloscia, S., A summary of experimental results to assess the contribution of SAR for mapping vegetation biomass and soil moisture. *Can. J. Remote Sens.* **2002**, *28*, 246-261.

105. Peregon, A.; Yamagata, Y., The use of ALOS/PALSAR backscatter to estimate above-groundforest biomass: A case study in Western Siberia. *Remote Sens. Environ.* **2013**, *137*, 139-146.

106. Persson, H.; Fransson, J.E.S., Forest variable estimation using radargrammetric processing of TerraSAR-X images in boreal forests. *Remote Sensing* **2014**, *6*, 2084-2107.

107. Persson, H.J.; Fransson, J.E.S., Comparison between TanDEM-X and ALS-based estimation of aboveground biomass and tree height in boreal forests. *Scandinavian Journal of Forest Research* **2017**, *32*, doi: 10.1080/02827581.2016.1220618.

108. Persson, H.J.; Olsson, H.; Soja, M.J.; Ulander, L.M.H.; Fransson, J.E.S., Experiences from large-scale forest mapping of Sweden using TanDEM-X data. *Remote Sensing* **2017**, *9*, 1253; doi:10.3390/rs9121253.

109. Pham, T.D.; Yoshino, K., Aboveground biomass estimation of mangrove species using ALOS-2 PALSAR imagery in Hai Phong City, Vietnam. *Journal of Applied Remote Sensing* **2017**, *11*, doi: 10.1117/1.JRS.11.026010.

110. Proisy, C.; Sarti, F.; Mougin, C.; Lope6s, A.; Dufrêne, E.; Le Dantec, V.; Ruiz, C.; Borderies, P.; Chênerie, I., Temporal variations of interferometric coherence over a deciduous forest. Proceedings of the CEOS SAR Workshop, Toulouse, 26-29 October, 1999; ESA Publication Division, ESTEC, Noordwijk.

111. Proisy, C.; Mougin, C.; Fromard, F.; Trichon, V.; Karam, M.A., On the influence of canopy structure on the radar backscattering of mangrove forests. *Int. J. Remote Sens.* **2002**, *23*, 4197-4210.

112. Pulliainen, J.T.; Heiska, K.; Hyyppä, J.; Hallikainen, M.T., Backscattering properties of boreal forests at the C- and X-bands. *IEEE Trans. Geosci. Remote Sensing* **1994**, *32*, 1041-1050.

113. Pulliainen, J.T.; Mikkelä, P.J.; Hallikainen, M.T.; Ikonen, J.-P., Seasonal dynamics of C-band backscatter of boreal forests with applications to biomass and soil moisture estimation. *IEEE Trans. Geosci. Remote Sensing* **1996**, *34*, 758-770.

114. Pulliainen, J.T.; Kurvonen, L.; Hallikainen, M.T., Multitemporal behavior of L- and C-band SAR observations of boreal forests. *IEEE Trans. Geosci. Remote Sensing* **1999**, *37*, 927-937.

115. Pulliainen, J.; Engdahl, M.; Hallikainen, M., Feasibility of multi-temporal interferometric SAR data for stand-level estimation of boreal forest stem volume. *Remote Sens. Environ.* **2003**, *85*, 397-409.

116. Qazi, W.A.; Baig, S.; Gilani, H.; Waqar, M.M.; Dhakal, A.; Ammar, A., Comparison of forest aboveground biomass estimates from passive and active remote sensing sensors over Kayar Khola watershed, Chitwan district, Nepal. *Journal of Applied Remote Sensing* **2017**, *11*, doi: 10.1117/1.JRS.11.026038.

117. Rahlf, J.; Breidenbach, J.; Solberg, S.; Næsset, E.; Astrup, R., Comparison of four types of 3D data for timber volume estimation. *Remote Sens. Environ.* **2014**, *155*, 325-333.

118. Rahman, M.M.; Sri Sumantyo, J.T., Retrieval of tropical forest biomass information from ALOS PALSAR data. *Geocarto International* **2012**, DOI:10.1080/10106049.2012.710652.

119. Ranson, K.J.; Sun, G., Mapping biomass of a northern forest using multifrequency SAR data. *IEEE Trans. Geosci. Remote Sensing* **1994**, *32*, 388-396.

120. Ranson, K.J.; Saatchi, S.; Sun, G., Boreal forest ecosystem characterization with SIR-C/XSAR. *IEEE Trans. Geosci. Remote Sensing* **1995**, *33*, 867-876.

121. Ranson, K.J.; Sun, G., An evaluation of AIRSAR and SIR-C/X-SAR images for mapping northern forest attributes in Maine, USA. *Remote Sens. Environ.* **1997**, *59*, 203-222.

122. Ranson, K.J.; Sun, G.; Lang, R.H.; Chauhan, N.S.; Cacciola, R.J.; Kilic, O., Mapping of boreal forest biomass from spaceborne synthetic aperture radar. *J. Geophys. Res.* **1997**, *102*, 29,599-29,610.

123. Ranson, K.J.; Sun, G.; Weishampel, J.F.; Knox, R.G., Forest biomass from combined ecosystem and radar backscatter modeling. *Remote Sens. Environ.* **1997**, *59*, 118-133.

124. Ranson, K.J.; Sun, G., Effects of environmental conditions on boreal forest classification and biomass estimates with SAR. *IEEE Trans. Geosci. Remote Sensing* **2000**, *38*, 1242-1252.

125. Rauste, Y.; Häme, T.; Pulliainen, J.; Heiska, K.; Hallikainen, M., Radar-based forest biomass estimation. *Int. J. Remote Sens.* **1994**, *15*, 2797-2808.

126. Rauste, Y., Multi-temporal JERS SAR data in boreal forest biomass mapping. *Remote Sens. Environ.* **2005**, *97*, 263-275.

127. Rauste, Y.; Lonnqvist, A.; Ahola, H., Mapping boreal forest biomass with imagery from polarimetric and semi-polarimetric SAR sensors. *Ambiência* **2008**, *4*, 171-180.

128. Rignot, E.; Way, J.; Williams, C.; Viereck, L., Radar estimates of aboveground biomass in boreal forests of interior Alaska. *IEEE Trans. Geosci. Remote Sensing* **1994**, *32*, 1117-1124.

129. Rignot, E.J.; Zimmermann, R.; van Zyl, J.J., Spaceborne applications of P band imaging radars for measuring forest biomass. *IEEE Trans. Geosci. Remote Sensing* **1995**, *33*, 1162-1169.

130. Robinson, C.; Saatchi, S.; Neumann, M.; Gillespie, T., Impacts of spatial variability on aboveground biomass estimation from L-band radar in a temperate forest. *Remote Sensing* **2013**, *5*, 1001-1023.

131. Rosenqvist, Å. Evaluation of JERS-1, ERS-1 and Almaz SAR backscatter for rubber and oil palm stands in West Malaysia. *Int. J. Remote Sens.* **1996**, *17*, 3219-3231.

132. Ryan, C.; Hill, T.; Woollen, E.; Ghee, C.; Mitchard, E.; Cassells, G.; Grace, J.; Woodhouse, I.H.; Williams, M., Quantifying small-scale deforestation and forest degradation in African woodlands using radar imagery. *Global Change Biol.* **2011**, doi: 10.1111/j.1365-2486.2011.02551.x.

133. Saatchi, S.S.; Moghaddam, M., Estimation of crown and stem water content and biomass of boreal forest using polarimetric SAR imagery. *IEEE Trans. Geosci. Remote Sensing* **2000**, *38*, 697-709.

134. Saatchi, S.; Halligan, K.; Despain, D.G.; Crabtree, R.L., Estimation of forest fuel load from radar remote sensing. *IEEE Trans. Geosci. Remote Sensing* **2007**, *45*, 1726-1740.

135. Saatchi, S.; Marlier, M.; Chazdon, R.; Clark, D.B.; Russell, A.E., Impact of spatial variability of tropical forest structure on radar estimation of aboveground biomass. *Remote Sens. Environ.* **2011**, *115*, 2836-2849.

136. Sader, S., Forest biomass, canopy structure, and species composition relationships with multipolarization L-band synthetic aperture radar data. *Photogrammetric Engineering and Remote Sensing* **1987**, *53*, 193-202.

137. Sandberg, G.; Ulander, L.M.H.; Fransson, J.E.S.; Holmgren, J.; Le Toan, T., L- and P-band backscatter intensity for biomass retrieval in hemiboreal forest. *Remote Sens. Environ.* **2011**, *115*, 2874-2886.

138. Santi, E.; Paloscia, S.; Pettinato, S.; Fontanelli, G.; Mura, M.; Zolli, C.; Maselli, F.; Chiesi, M.; Bottai, L.; Chirici, G., The potential of multifrequency SAR images for estimating forest biomass in Mediterranean areas. *Remote Sens. Environ.* **2017**, *200*, 63-73.

139. Santoro, M.; Askne, J.; Smith, G.; Fransson, J.E.S., Stem volume retrieval in boreal forests from ERS-1/2 interferometry. *Remote Sens. Environ.* **2002**, *81*, 19-35.

140. Santoro, M.; Eriksson, L.; Askne, J.; Schmullius, C., Assessment of stand-wise stem volume retrieval in boreal forest from JERS-1 L-band SAR backscatter. *Int. J. Remote Sens.* **2006**, *27*, 3425-3454.

141. Santoro, M.; Beer, C.; Cartus, O.; Schmullius, C.; Shvidenko, A.; McCallum, I.; Wegmüller, U.; Wiesmann, A., Retrieval of growing stock volume in boreal forest using hyper-temporal series of Envisat ASAR ScanSAR backscatter measurements. *Remote Sens. Environ.* **2011**, *115*, 490-507.

142. Santoro, M.; Beaudoin, A.; Beer, C.; Cartus, O.; Fransson, J.E.S.; Hall, R.J.; Pathe, C.; Schepaschenko, D.; Schmullius, C.; Shvidenko, A.; Thurner, M.; Wegmüller, U., Forest growing stock volume of the northern hemisphere: spatially explicit estimates for 2010 derived from Envisat ASAR data. *Remote Sens. Environ.* **2015**, *168*, 316-334.

143. Santoro, M.; Eriksson, L.E.B.; Fransson, J.E.S., Reviewing ALOS PALSAR backscatter observations for stem volume retrieval in Swedish forest. *Remote Sensing* **2015**, *7*, 4290-4317.

144. Santos, J.R.; Pardi Lacruz, M.S.; Araujo, L.S.; Keil, M., Savanna and tropical rainforest biomass estimation and spatialization using JERS-1 data. *Int. J. Remote Sens.* **2002**, *23*, 1217-1229.

145. Santos, J.R.; Freitas, C.C.; Araujo, L.S.; Dutra, L.V.; Mura, J.C.; Gama, F.F.; Soler, L.S.; Sant'Anna, S.J.S., Airborne P-band SAR applied to the aboveground biomass studies in the Brazilian tropical rainforest. *Remote Sens. Environ.* **2003**, *87*, 482-493.

146. Sarker, M.L.R.; Nichol, J.; Ahmad, B.; Busu, I.; Rahman, A.A., Potential of texture measurements of two-date dual polarization PALSAR data for the improvement of forest biomass estimation. *ISPRS Journal of Photogrammetry & Remote Sensing* **2012**, *69*, 146-166.

147. Sarker, M.L.R.; Nichol, J.; Iz, H.B.; Ahmad, B.B.; Rahman, A.A., Forest biomass estimation using texture measurements of high-resolution dual-polarization C-band SAR data. *IEEE Trans. Geosci. Remote Sensing* **2013**, *51*, 3371-3384.

148. Schlund, M.; von Poncet, F.; Kuntz, S.; Schmullius, C.; Hoekman, D.H., TanDEM-X data for aboveground biomass retrieval in a tropical peat swamp forest. *Remote Sens. Environ.* **2015**, *158*, 255-266.

149. Smith, G.; Ulander, L.M.H., A Model Relating VHF-Band Backscatter to Stem Volume of Coniferous Boreal Forest. *IEEE Trans. Geosci. Remote Sensing* **2000**, *38*, 728-740.

150. Soja, M.J.; Sandberg, G.; Ulander, L.M.H., Regression-based retrieval of boreal forest biomass in sloping terrain using P-band SAR backscatter intensity data. *IEEE Trans. Geosci. Remote Sensing* **2013**, *51*, 2646-2665.

151. Soja, M.J.; Persson, H.J.; Ulander, L.M.H., Estimation of forest biomass from two-level model inversion of single-pass InSAR data. *IEEE Trans. Geosci. Remote Sensing* **2015**, *53*, 5083-5099.

152. Soja, M.J.; Persson, H.; Ulander, L.M.H., Estimation of forest height and canopy density from a single InSAR correlation coefficient. *IEEE Geoscience and Remote Sensing Letters* **2015**, *12*, 646-650.

153. Soja, M.J.; Askne, J.I.H.; Ulander, L.M.H., Estimation of boreal forest properties from TanDEM-X data using inversion of the Interferometric Water Cloud Model. *IEEE Geoscience and Remote Sensing Letters* **2017**, *14*, 997-1001.

154. Solberg, S.; Astrup, R.; Bollandsås, O.M.; Næsset, E.; Weydahl, D.J., Deriving forest monitoring variables from X-band InSAR SRTM height. *Can. J. Remote Sens.* **2010**, *36*, 68-79.

155. Solberg, S.; Astrup, R.; Breidenbach, J.; Nilsen, B.; Weydahl, D., Monitoring spruce volume and biomass with InSAR data from TanDEM-X. *Remote Sens. Environ.* **2013**, *139*, 60-67.

156. Solberg, S.; Riegler, G.; Nonin, P., Estimating forest biomass from TerraSAR-X stripmap radargrammetry. *IEEE Trans. Geosci. Remote Sensing* **2015**, *53*, 154-161.

157. Solberg, S.; Gizachew, B.; Næsset, E.; Gobakken, T.; Bollandsås, O.M.; Mauya, E.W.; Olsson, H.; Malimbwi, R.; Zahabu, E., Monitoring forest carbon in a Tanzanian woodland using

interferometric SAR: a novel methodology for REDD+. *Carbon Balance and Management* **2015**, *10*, DOI 10.1186/s13021-015-0023-8.

158. Solberg, S.; Hansen, E.H.; Gobakken, T.; Næsset, E.; Zahabu, E., Biomass and InSAR height relationship in a dense tropical forest. *Remote Sens. Environ.* **2017**, *192*, 166-175.

159. Stelmaszczuk-Górska, M.A.; Rodriguez-Veiga, P.; Ackermann, N.; Thiel, C.; Balzter, H.; Schmullius, C., Non-parametric retrieval of aboveground biomass in Siberian boreal forests with ALOS PALSAR interferometric coherence and backscatter intensity. *Journal of Imaging* **2016**, *2*, 1; doi:10.3390/jimaging2010001.

160. Sun, G.; Ranson, K.J.; Kharuk, V.I., Radiometric slope correction for forest biomass estimation from SAR data in the Western Sayani mountains, Siberia. *Remote Sens. Environ.* **2002**, *79*, 279-287.

161. Sun, G.; Ranson, K.J.; Guo, Z.; Zhang, Z.; Montesano, P.; Kimes, D., Forest biomass mapping from lidar and radar synergies. *Remote Sens. Environ.* **2011**, *115*, 2906-2916.

162. Suzuki, R.; Kim, Y.; Ishii, R., Sensitivity of the backscatter intensity of ALOS/PALSAR to the above-ground biomass and other biophysical parameters of boreal forest in Alaska. *Polar Science* **2013**, *7*, 100-112.

163. Tanase, M.A.; Panciera, R.; Lowell, K.; Aponte, C.; Hacker, J.M.; Walker, J.P., Forest biomass estimation at high spatial resolution: radar versus lidar sensors. *IEEE Geoscience and Remote Sensing Letters* **2013**, *11*, 711-715.

164. Tanase, M.A.; Panciera, R.; Lowell, K.; Siyuan, T.; Garcia-Martin, A.; Walker, J.P., Sensitivity of L-band radar backscatter to forest biomass in semiarid environments: A comparative analysis of parametric and nonparametric models. *IEEE Trans. Geosci. Remote Sensing* **2014**, *52*, 4671-4685.

165. Tanase, M.A.; Panciera, R.; Lowell, K.; Tian, S.; Hacker, J.M.; Walker, J.P., Airborne multi-temporal L-band polarimetric SAR data for biomass estimation in semi-arid forests. *Remote Sens. Environ.* **2014**, *145*, 93-104.

166. Thapa, R.B.; Motohka, T.; Watanabe, M.; Shimada, M., Time.series maps of aboveground carbon stocks in the forests of central Sumatra. *Carbon Balance and Management* **2015**, *10*, DOI 10.1186/s13021-015-0034-5.

167. Thapa, R.B.; Watanabe, M.; Motohka, T.; Shimada, M., Potential of high-resolution ALOS–PALSAR mosaic texture for aboveground forest carbon tracking in tropical region. *Remote Sens. Environ.* **2015**, *160*, 122-133.

168. Thapa, R.B.; Watanabe, M.; Shimada, M.; Motohka, T., Examining high-resolution PiSAR-L2 textures for estimating tropical forest carbon stocks. *IEEE J. Sel. Topics Appl. Earth Observ.* **2016**, *9*, 3202-3209.

169. Thiel, C.; Schmullius, C., The potential of ALOS PALSAR backscatter and InSAR coherence for forest growing stock volume estimation in Central Siberia. *Remote Sens. Environ.* **2016**, *173*, 258-273.

170. Treuhaft, R.; Gonçalves, F.; dos Santos, J.R.; Keller, M.; Palace, M.; Madsen, S.N.; Sullivan, F.; Graça, P.M.L.A., Tropical-forest biomass estimation at X-band from the spaceborne TanDEM-X interferometer. *IEEE Geoscience and Remote Sensing Letters* **2015**, *12*, 239-243.

171. Treuhaft, R.N.; Gonçalves, F.G.; Drake, J.B.; Chapman, B.D.; dos Santos, J.R.; Dutra, L.V.; Graça, P.M.L.A.; Purcell, G.H., Biomass estimation in a tropical wet forest using Fourier transforms of profiles from lidar or interferometric SAR. *Geophys. Res. Lett.* **2010**, *37*, L23403, doi:10.1029/2010GL045608.

172. Truong-Loï, M.-L.; Dubois-Fernandez, P.; Pottier, E., Assessment of forest biomass retrieval from compact-pol SAR data. *Can. J. Remote Sens.* **2012**, *38*, 452-460.

173. Tsolomon, R.; Tateishi, R.; J.S.S., T., A method to estimate forest biomass and its application to monitor Mongolian Taiga using JERS-1 SAR data. *Int. J. Remote Sens.* **2002**, *23*, 4971-4978.

174. Tsui, O.W.; Coops, N.C.; Wulder, M.A.; Marshall, P.L.; McCardle, A., Using multi-frequency radar and discrete-return LiDAR measurements to estimate above-ground biomass and biomass components in a coastal temperate forest. *ISPRS Journal of Photogrammetry & Remote Sensing* **2012**, *69*, 121-133.

175. Tsui, O.W.; Coops, N.C.; Wulder, M.A.; Marshall, P.L., Integrating airborne LiDAR and space-borne radar via multivariate kriging to estimate above-ground biomass. *Remote Sens. Environ.* **2013**, *139*, 340-352.

176.     Vaglio Laurin, G.; Pirotti, F.; Callegari, M.; Chen, Q.; Cuozzo, G.; Lingua, E.; Notarnicola, C.; Papale, D., Potential of ALOS2 and NDVI to estimate forest above-ground biomass , and comparison with Lidar-derived estimates. *Remote Sensing* **2017**, *9*, 18; doi:10.3390/rs9010018.

177.     Villard, L.; Le Toan, T., Relating P-Band SAR Intensity to Biomass for Tropical Dense Forests in Hilly Terrain: $g^0$ or $t^0$? *IEEE J. Sel. Topics Appl. Earth Observ.* **2015**, *8*, 214-223.

178.     Wagner, W.; Luckman, A.; Vietmeier, J.; Tansey, K.; Balzter, H.; Schmullius, C.; Davidson, M.; Gaveau, D.; Gluck, M.; Le Toan, T.; Quegan, S.; Shvidenko, A.; Wiesmann, A.; Yu, J.J., Large-scale mapping of boreal forest in SIBERIA using ERS tandem coherence and JERS backscatter data. *Remote Sens. Environ.* **2003**, *85*, 125-144.

179.     Wang, C.; Qi, J., Biophysical estimation in tropical forests using JERS-1 SAR and VNIR imagery. II. Aboveground woody biomass. *Int. J. Remote Sens.* **2008**, *29*, 6827-6849.

180.     Wang, H.; Ouchi, K.; Watanabe, M.; Shimada, M.; Tadono, T.; Rosenqvist, A.; Romshoo, S.A.; Matsuoka, M.; Moriyama, T.; Uratsuka, S., In search of the statistical properties of high-resolution polarimetric SAR data for the measurements of forest biomass beyond the RCS saturation limit. *IEEE Geoscience and Remote Sensing Letters* **2006**, *3*, 495-499.

181.     Wang, Y.; Davis, F.W.; Melack, J.M.; Kasischke, E.S.; Christensen Jr., N.L., The effects of changes in forest biomass on radar backscatter from tree canopies. *Int. J. Remote Sens.* **1995**, *16*, 503-513.

182.     Wang, H.; Ouchi, K., A simple moment method of forest biomass estimation from non-Gausian texture information by high-resolution polarimetric SAR. *IEEE Geoscience and Remote Sensing Letters* **2010**, *7*, 811-815.

183.     Watanabe, M.; Shimada, M.; Rosenqvist, A.; Tadono, T.; Matsuoka, M.; Romshoo, S.A.; Ohta, K.; Furuta, R.; Nakamura, K.; Moriyama, T., Forest structure dependency of the relation between L-band $s^0$ and biophysical parameters. *IEEE Trans. Geosci. Remote Sensing* **2006**, *44*, 3154-3165.

184.     Wu, S.T., Potential application of multipolarization SAR for pine-plantation biomass estimation. *IEEE Trans. Geosci. Remote Sensing* **1987**, *GE-25*, 403-409.

185.     Yu, Y.; Saatchi, S., Sensitivity of L-band SAR backscatter to aboveground biomass of global forests. *Remote Sensing* **2016**, *8*, 522; doi:10.3390/rs8060522.

186.     Zhang, Z.; Ni, W.; Sun, G.; Hua; Ranson, K.J.; Cook, B.D.; Guo, Z., Biomass retrieval from L-band polarimetric UAVSAR backscatter and PRISM stereo imagery. *Remote Sens. Environ.* **2017**, *194*, 331-346.