

Supplementary table S1: Adjusted OR (95% CI) of factors associated with Exclusive breastfeeding among infant aged 0-5 months in Benin, Burkina Faso, Côte d'Ivoire, Gambia, Ghana, Guinea, and Liberia.

Characteristics	Benin		Burkina Faso		Côte d'Ivoire		Gambia		Ghana		Guinea		Liberia	
	uOR(95% CI)	P-Value	uOR(95% CI)	P-Value	uOR(95% CI)	P-Value	uOR(95% CI)	P-Value	uOR(95% CI)	P-Value	uOR(95% CI)	P-Value	uOR(95% CI)	P-Value
Demographic factors														
Residence														
Urban	1.00		1.00		1.00		1.00		1.00		1.00		1.00	
Rural	1.24(0.91, 1.69)	0.166	2.14(1.27, 3.62)	0.005	2.03(0.84, 4.88)	0.115	1.79(0.96, 3.35)	0.068	0.53(0.26, 1.1)	0.089	0.88(0.39, 1.99)	0.765	1.28(0.68, 2.41)	0.448
Mother's age														
15-19 years	1.00		1.00		1.00		1.00		1.00		1.00		1.00	
20-34 years	1.12(0.79, 1.58)	0.533	0.98(0.52, 1.84)	0.954	0.96(0.38, 2.40)	0.923	1.41(0.66, 2.99)	0.373	3.77(1.12, 12.72)	0.032	1.25(0.56, 2.77)	0.585	1.12(0.42, 2.93)	0.823
35-49 years	1.06(0.62, 1.82)	0.820	0.82(0.38, 1.75)	0.608	0.64(0.16, 2.47)	0.513	1.62(0.56, 4.70)	0.373	3.27(0.81, 13.13)	0.095	0.55(0.17, 1.81)	0.324	1.33(0.40, 4.46)	0.645
Marital status														
Currently married	1.00		1.00		1.00		1.00		1.00		1.00		1.00	
Formerly married (div/sep/widow)	0.7(0.25, 1.96)	0.497	2.98(1.04, 8.56)	0.042	1.44(0.28, 7.29)	0.659	2.37(0.51, 10.97)	0.269	0.47(0.04, 5.24)	0.538	0.49(0.05, 4.47)	0.529	0.56(0.14, 2.20)	0.405
Never married	1.87(0.91, 3.82)	0.088	0.43(0.13, 1.42)	0.167	0.92(0.44, 1.92)	0.825	2.23(0.71, 6.99)	0.167	0.48(0.19, 1.22)	0.124	3.57(1.32, 9.69)	0.013	0.73(0.33, 1.61)	0.429
Combined Birth rank and birth interval														
2nd/3rd birth rank, more than 2 years interval	1.00		1.00		1.00		1.00		1.00		1.00		1.00	
1st birth rank	1.19(0.80, 1.76)	0.384	0.72(0.42, 1.22)	0.218	0.89(0.38, 2.10)	0.792	1.11(0.60, 2.02)	0.744	0.79(0.38, 1.64)	0.529	0.82(0.35, 1.90)	0.635	0.56(0.21, 1.51)	0.253
2nd/3rd birth rank, less than or equal to 2 years interval	0.84(0.51, 1.38)	0.491	1.91(0.93, 3.94)	0.079	0.44(0.12, 1.60)	0.211	0.82(0.37, 1.81)	0.625	0.39(0.17, 0.9)	0.027	*****		0.51(0.19, 1.34)	0.170
4th birth rank, more than 2 years interval	0.83(0.55, 1.24)	0.361	1.18(0.79, 1.77)	0.416	0.91(0.44, 1.90)	0.807	1.14(0.65, 2.00)	0.643	0.93(0.41, 2.11)	0.854	0.79(0.40, 1.55)	0.488	0.80(0.34, 1.86)	0.603
4th birth rank, less than or equal to 2 years interval	1.07(0.42, 2.70)	0.887	1.27(0.53, 3.07)	0.591	1.94(0.25, 14.83)	0.524	1.50(0.42, 5.30)	0.530	1.89(0.49, 7.33)	0.355	0.31(0.03, 3.34)	0.334	0.34(0.10, 1.13)	0.078
Sex of baby														
Male	1.00		1.00		1.00		1.00		1.00		1.00		1.00	
Female	1.41(1.09, 1.83)	0.009	0.96(0.72, 1.29)	0.796	1.58(0.88, 2.82)	0.122	1.63(1.00, 2.68)	0.052	1(0.61, 1.62)	0.986	0.95(0.61, 1.49)	0.835	1.37(0.83, 2.24)	0.214
child Age (in months)	0.61(0.55, 0.66)	<0.001	0.65(0.59, 0.71)	0.000	0.80(0.65, 0.97)	0.025	0.51(0.44, 0.59)	<0.001	0.6(0.52, 0.69)	<0.001	0.57(0.47, 0.69)	<0.001	0.57(0.48, 0.68)	<0.001
Size of the baby														

Small	1.00		1.00		1.00		1.00		1.00		1.00		1.00	
Average	0.89(0.60, 1.33)	0.576	0.94(0.60, 1.47)	0.784	1.47(0.61, 3.50)	0.389	1.87(0.99, 3.52)	0.053	2.18(1.09, 4.33)	0.027	0.57(0.27, 1.19)	0.134	1.06(0.54, 2.11)	0.859
Large	0.87(0.57, 1.31)	0.491	1.22(0.74, 2.01)	0.444	1.02(0.47, 2.21)	0.958	1.99(1.12, 3.55)	0.020	1.37(0.71, 2.65)	0.344	0.47(0.23, 0.97)	0.042	1.37(0.75, 2.50)	0.312
Socio-economic factors														
Household Wealth Index														
Poorest	1.00		1.00		1.00		1.00		1.00		1.00		1.00	
Poorer	1.01(0.65, 1.56)	0.965	0.77(0.47, 1.25)	0.288	0.79(0.30, 2.10)	0.634	0.89(0.51, 1.56)	0.679	0.36(0.15, 0.87)	0.024	0.94(0.33, 2.70)	0.908	1.47(0.76, 2.82)	0.247
Middle	0.93(0.62, 1.4)	0.718	0.79(0.51, 1.23)	0.302	0.84(0.36, 1.94)	0.678	0.61(0.35, 1.06)	0.080	0.31(0.13, 0.74)	0.009	0.49(0.22, 1.06)	0.069	1.40(0.69, 2.85)	0.352
Richer	1.26(0.80, 1.99)	0.309	1.08(0.69, 1.68)	0.750	1.07(0.37, 3.09)	0.898	0.91(0.43, 1.96)	0.812	0.18(0.06, 0.53)	0.002	0.76(0.34, 1.72)	0.510	0.68(0.25, 1.88)	0.460
Richest	0.95(0.57, 1.61)	0.856	0.73(0.38, 1.39)	0.333	3.02(0.99, 9.27)	0.053	1.08(0.42, 2.80)	0.868	0.08(0.02, 0.28)	<0.001	0.44(0.14, 1.38)	0.157	0.72(0.22, 2.34)	0.580
Work in the last 12 months														
Not working	1.00		1.00		1.00		1.00		1.00		1.00		1.00	
Working	1.24(0.90, 1.69)	0.183	0.94(0.67, 1.32)	0.715	0.71(0.40, 1.26)	0.244	1.01(0.60, 1.69)	0.969	0.83(0.49, 1.39)	0.475	0.85(0.50, 1.44)	0.542	1.13(0.68, 1.89)	0.625
Maternal education														
No education	1.00		1.00		1.00		1.00		1.00		1.00		1.00	
Primary	1.05(0.70, 1.56)	0.829	1.4(0.88, 2.21)	0.155	0.89(0.35, 2.28)	0.814	0.95(0.54, 1.68)	0.863	0.55(0.24, 1.24)	0.146	0.64(0.30, 1.36)	0.241	1.18(0.59, 2.37)	0.640
Secondary and above	1.08(0.61, 1.91)	0.785	2.28(0.75, 6.9)	0.146	0.75(0.18, 3.04)	0.683	0.68(0.16, 2.94)	0.607	1.38(0.62, 3.09)	0.433	0.71(0.06, 7.88)	0.776	1.01(0.18, 5.67)	0.994
Maternal Literacy														
Cannot read at all	1.00		1.00		1.00		1.00		1.00		1.00		1.00	
Able to read only part of sentences	0.87(0.51, 1.48)	0.609	1.08(0.37, 3.17)	0.891	1.41(0.46, 4.33)	0.549	2.77(0.64, 11.99)	0.173	1.54(0.71, 3.36)	0.273	1.26(0.13, 12.45)	0.845	2.18(0.45, 10.58)	0.333
Access to media														
Frequency of reading newspaper or magazine														
Not at all	1.00		1.00		1.00		1.00		1.00		1.00		1.00	
Less than once a week	1.35(0.55, 3.27)	0.512	1.17(0.35, 3.91)	0.794	1.39(0.44, 4.39)	0.571	0.91(0.38, 2.16)	0.834	0.62(0.25, 1.55)	0.308	0.11(0.02, 0.58)	0.009	0.6(0.15, 2.33)	0.460
At least once a week/ Almost every day	1.58(0.57, 4.39)	0.384	1.59(0.45, 5.60)	0.473	2.18(0.67, 7.06)	0.193	0.36(0.10, 1.34)	0.127	4.61(1.16, 18.27)	0.030	1.21(0.22, 6.71)	0.827	0.39(0.13, 1.2)	0.100
Frequency of listening to Radio														
Not at all	1.00		1.00		1.00		1.00		1.00		1.00		1.00	
Less than once a week	0.55(0.38, 0.79)	0.001	0.74(0.51, 1.08)	0.119	0.60(0.23, 1.55)	0.286	0.91(0.42, 1.99)	0.821	1.62(0.75, 3.52)	0.221	1.30(0.65, 2.62)	0.455	1.03(0.56, 1.91)	0.927
At least once a week/ Almost every day	0.64(0.46, 0.89)	0.007	0.80(0.56, 1.15)	0.228	1.49(0.73, 3.04)	0.269	1.78(0.93, 3.39)	0.080	1.56(0.73, 3.35)	0.248	1.31(0.68, 2.53)	0.422	1.06(0.49, 2.30)	0.873
Frequency of watching Television														

Not at all	1.00		1.00		1.00		1.00		1.00		1.00		1.00	
Less than once a week	0.87(0.59, 1.29)	0.488	1.89(1.17, 3.05)	0.009	1.30(0.52, 3.26)	0.581	0.82(0.42, 1.61)	0.561	1.39(0.67, 2.89)	0.372	0.88(0.41, 1.90)	0.752	0.64(0.29, 1.41)	0.268
At least once a week/ Almost every day	1.10(0.67, 1.81)	0.712	2.64(1.61, 4.33)	<0.001	0.56(0.24, 1.31)	0.181	0.54(0.29, 0.99)	0.047	1.37(0.65, 2.89)	0.404	1.90(0.84, 4.28)	0.121	0.36(0.13, 1.02)	0.054
Healthcare utilization factors														
Place of delivery														
Home	1.00		1.00		1.00		1.00		1.00		1.00		1.00	
Health facility	1.72(1.03, 2.89)	0.040	0.58(0.25, 1.31)	0.189	15.52(4.28, 56.34)	<0.001	0.99(0.26, 3.80)	0.989	0.26(0.08, 0.82)	0.022	0.78(0.34, 1.79)	0.552	0.86(0.26, 2.81)	0.803
Mode of delivery														
Non-caesarean	1.00		1.00		1.00		1.00		1.00		1.00		1.00	
Caesarean section	0.88(0.39, 1.98)	0.757	0.64(0.25, 1.66)	0.360	3.62(1.13, 11.64)	0.031	1.43(0.43, 4.78)	0.556	1.09(0.49, 2.43)	0.833	0.34(0.08, 1.34)	0.123	1.98(0.54, 7.29)	0.305
Type of delivery assistance														
Health professional	1.00		1.00		1.00		1.00		1.00		1.00		1.00	
Traditional birth attendant.	*****		0.44(0.21, 0.95)	0.037	*****		*****		0.15(0.03, 0.83)	0.029	*****		*****	
Other untrained	0.89(0.49, 1.60)	0.687	1.22(0.07, 21.74)	0.892	6.12(1.67, 22.5)	0.007	1.08(0.25, 4.67)	0.923	*****		0.45(0.18, 1.12)	0.086	1.43(0.39, 5.25)	0.587
No one	1.38(0.78, 2.44)	0.271	0.73(0.13, 4.03)	0.719	2.93(0.25, 34.1)	0.390	0.81(0.14, 4.78)	0.812	0.25(0.05, 1.20)	0.082	0.22(0.06, 0.82)	0.024	*****	
Antenatal Clinic visits														
None	1.00		1.00		1.00		1.00		1.00		1.00		1.00	
1--3	0.86(0.52, 1.43)	0.567	1.71(0.66, 4.42)	0.266	0.66(0.17, 2.52)	0.546	1.47(0.12, 17.43)	0.761	6.35(1.18, 34.24)	0.032	0.92(0.31, 2.72)	0.878	1.46(0.16, 13.35)	0.736
4+	0.81(0.49, 1.34)	0.409	2.24(0.82, 6.13)	0.116	0.87(0.20, 3.78)	0.848	1.94(0.16, 23.72)	0.603	2.04(0.41, 10.26)	0.384	0.63(0.22, 1.78)	0.383	1.56(0.16, 14.74)	0.699

***** no estimate due to small or empty cell

Supplementary table S2: Adjusted OR (95% CI) of factors associated with Exclusive breastfeeding among infant aged 0-5 months in Mali, Niger, Nigeria, Senegal, Sierra Leone, and Togo.

Characteristics	Mali		Niger		Nigeria		Senegal		Sierra Leone		Togo	
	uOR(95% CI)	P-Value	uOR(95% CI)	P-Value	uOR(95% CI)	P-Value	uOR(95% CI)	P-Value	uOR(95% CI)	P-Value	uOR(95% CI)	P-Value
Demographic factors												
Residence												
Urban	1.00		1.00		1.00		1.00		1.00		1.00	
Rural	2.41(1.3, 4.45)	0.005	1.41(0.64, 3.11)	0.396	0.85(0.59, 1.23)	0.392	0.92(0.61, 1.40)	0.702	1.19(0.58, 2.46)	0.628	1.03(0.31, 3.40)	0.965
Mother's age												
15-19 years	1.00		1.00		1.00		1.00		1.00		1.00	
20-34 years	1.80(1.01, 3.23)	0.048	0.80(0.42, 1.51)	0.483	1.44(0.74, 2.79)	0.278	1.65(0.86, 3.17)	0.134	0.89(0.44, 1.78)	0.736	1.30(0.54, 3.16)	0.560
35-49 years	2.59(1.14, 5.91)	0.023	0.85(0.38, 1.94)	0.702	1.86(0.86, 4.01)	0.114	2.37(0.98, 5.75)	0.056	1.19(0.41, 3.43)	0.753	1.39(0.49, 3.95)	0.530
Marital status												
Currently married	1.00		1.00		1.00		1.00		1.00		1.00	
Formerly married (div/sep/widow)	2.10(0.30, 14.8)	0.456	*****		1.07(0.45, 2.54)	0.885	0.59(0.17, 2.07)	0.407	0.77(0.18, 3.24)	0.718	0.30(0.03, 3.03)	0.304
Never married	1.22(0.39, 3.75)	0.734	9.24(0.7, 122.91)	0.092	0.49(0.23, 1.03)	0.059	0.67(0.23, 1.96)	0.465	0.54(0.27, 1.10)	0.088	0.91(0.26, 3.17)	0.877
Combined Birth rank and birth interval												
2nd/3rd birth rank, more than 2 years interval	1.00		1.00		1.00		1.00		1.00		1.00	
1st birth rank	1.65(0.87, 3.12)	0.123	0.71(0.38, 1.33)	0.284	1.08(0.71, 1.64)	0.733	1.49(0.92, 2.40)	0.102	0.96(0.53, 1.76)	0.905	0.63(0.35, 1.13)	0.118
2nd/3rd birth rank, less than or equal to 2 years interval	1.88(0.95, 3.72)	0.071	0.81(0.42, 1.55)	0.516	1.14(0.73, 1.78)	0.567	1.46(0.75, 2.81)	0.262	0.54(0.22, 1.32)	0.176	0.51(0.17, 1.50)	0.223
4th birth rank, more than 2 years interval	0.86(0.55, 1.35)	0.514	0.84(0.48, 1.46)	0.529	0.72(0.48, 1.08)	0.113	1.04(0.64, 1.69)	0.882	1.04(0.59, 1.85)	0.884	0.71(0.37, 1.37)	0.306
4th birth rank, less than or equal to 2 years interval	0.86(0.46, 1.60)	0.629	0.72(0.35, 1.47)	0.368	0.46(0.22, 1.00)	0.051	1.06(0.45, 2.51)	0.888	0.71(0.27, 1.87)	0.484	0.78(0.28, 2.19)	0.639
Sex of baby												
Male	1.00		1.00		1.00		1.00		1.00		1.00	
Female	1.01(0.68, 1.50)	0.972	1.18(0.82, 1.70)	0.365	1.37(1.03, 1.81)	0.028	1.02(0.74, 1.41)	0.890	0.88(0.61, 1.25)	0.462	1.54(1.01, 2.33)	0.044
child Age (in months)	0.62(0.55, 0.69)	<0.001	0.76(0.68, 0.86)	<0.001	0.72(0.66, 0.79)	<0.001	0.63(0.56, 0.70)	<0.001	0.76(0.67, 0.86)	<0.001	0.67(0.58, 0.78)	<0.001
Size of the baby												

Small	1.00		1.00		1.00		1.00		1.00		1.00	
Average	0.75(0.48, 1.18)	0.213	1.35(0.88, 2.09)	0.170	1.84(1.20, 2.81)	0.005	1.38(0.92, 2.07)	0.116	0.86(0.47, 1.59)	0.639	1.32(0.74, 2.37)	0.345
Large	1.04(0.64, 1.70)	0.870	1.68(1.01, 2.79)	0.047	1.87(1.20, 2.94)	0.006	1.06(0.69, 1.62)	0.795	1.01(0.55, 1.87)	0.963	1.34(0.74, 2.44)	0.332
Socio-economic factors												
Household Wealth Index												
Poorest	1.00		1.00		1.00		1.00		1.00		1.00	
Poorer	1.38(0.78, 2.43)	0.263	0.72(0.39, 1.33)	0.293	1.20(0.7, 2.06)	0.503	1.24(0.82, 1.87)	0.310	1.08(0.59, 1.99)	0.803	0.58(0.3, 1.14)	0.113
Middle	1.09(0.62, 1.90)	0.763	0.87(0.48, 1.58)	0.648	1.22(0.65, 2.3)	0.535	1.22(0.70, 2.13)	0.473	1.11(0.60, 2.04)	0.739	0.60(0.3, 1.19)	0.143
Richer	1.57(0.83, 2.99)	0.166	0.90(0.47, 1.72)	0.758	1.28(0.63, 2.59)	0.493	1.07(0.56, 2.06)	0.841	0.71(0.38, 1.33)	0.288	1.16(0.3, 4.46)	0.825
Richest	0.87(0.43, 1.73)	0.684	1.14(0.43, 3.01)	0.786	2.09(1.00, 4.35)	0.050	1.56(0.65, 3.73)	0.316	0.41(0.15, 1.08)	0.070	1.02(0.24, 4.4)	0.980
Work in the last 12 months												
Not working	1.00		1.00		1.00		1.00		1.00		1.00	
Working	1.14(0.80, 1.63)	0.473	1.40(0.87, 2.24)	0.168	1.34(0.98, 1.82)	0.066	1.07(0.75, 1.53)	0.725	0.71(0.47, 1.10)	0.123	1.00(0.63, 1.58)	1.000
Maternal education												
No education	1.00		1.00		1.00		1.00		1.00		1.00	
Primary	0.91(0.53, 1.57)	0.726	1.04(0.58, 1.86)	0.890	2.15(1.36, 3.38)	0.001	2.32(1.45, 3.70)	<0.001	0.84(0.47, 1.51)	0.551	1.87(1.09, 3.21)	0.024
Secondary and above	0.67(0.33, 1.37)	0.270	1.58(0.41, 6.17)	0.507	0.87(0.34, 2.18)	0.760	2.16(0.82, 5.68)	0.118	0.30(0.04, 2.24)	0.237	1.00(0.27, 3.73)	0.996
Maternal Literacy												
Cannot read at all	1.00		1.00		1.00		1.00		1.00		1.00	
Able to read only part of sentences	0.79(0.35, 1.79)	0.568	0.88(0.27, 2.92)	0.836	2.56(1.1, 5.93)	0.029	0.51(0.25, 1.05)	0.067	4.53(0.68, 30.24)	0.119	2.61(0.82, 8.35)	0.104
Access to media												
Frequency of reading newspaper or magazine												
Not at all	1.00		1.00		1.00		1.00		1.00		1.00	
Less than once a week	1.65(0.49, 5.52)	0.417	0.53(0.17, 1.72)	0.293	1.18(0.79, 1.78)	0.412	1.24(0.57, 2.69)	0.591	2.36(0.74, 7.58)	0.148	1.19(0.42, 3.36)	0.737
At least once a week/ Almost every day	0.85(0.23, 3.13)	0.803	0.59(0.16, 2.18)	0.424	1.03(0.64, 1.65)	0.906	1.18(0.49, 2.81)	0.714	1.35(0.54, 3.39)	0.525	2.17(0.4, 11.79)	0.367
Frequency of listening to Radio												
Not at all	1.00		1.00		1.00		1.00		1.00		1.00	
Less than once a week	1.20(0.72, 2.01)	0.482	1.30(0.80, 2.10)	0.290	0.89(0.55, 1.44)	0.636	1.09(0.70, 1.69)	0.694	0.66(0.35, 1.24)	0.192	0.93(0.50, 1.73)	0.819

At least once a week/ Almost every day	1.07(0.68, 1.69)	0.754	1.83(1.12, 3.00)	0.016	0.90(0.6, 1.34)	0.592	0.98(0.64, 1.51)	0.942	0.53(0.34, 0.83)	0.006	1.17(0.59, 2.33)	0.642
Frequency of watching Television												
Not at all	1.00		1.00		1.00		1.00		1.00		1.00	
Less than once a week	0.73(0.43, 1.23)	0.230	0.61(0.33, 1.15)	0.126	1.10(0.7, 1.74)	0.676	0.54(0.35, 0.83)	0.006	1.01(0.30, 3.37)	0.986	1.73(0.55, 5.40)	0.344
At least once a week/ Almost every day	0.94(0.61, 1.45)	0.768	0.65(0.32, 1.33)	0.242	1.19(0.8, 1.76)	0.392	0.65(0.39, 1.08)	0.098	1.72(0.78, 3.82)	0.181	0.68(0.30, 1.50)	0.334
Healthcare utilization factors												
Place of delivery												
Home	1.00		1.00		1.00		1.00		1.00		1.00	
Health facility	0.75(0.46, 1.24)	0.268	0.60(0.12, 2.89)	0.521	1.17(0.8, 1.70)	0.418	1.36(0.76, 2.41)	0.295	0.74(0.31, 1.74)	0.484	0.27(0.02, 3.68)	0.326
Mode of delivery												
Non-caesarean	1.00		1.00		1.00		1.00		1.00		1.00	
Caesarean section	0.44(0.14, 1.41)	0.168	0.57(0.17, 1.89)	0.360	0.68(0.32, 1.46)	0.323	0.46(0.22, 0.97)	0.042	1.31(0.52, 3.27)	0.567	1.45(0.63, 3.34)	0.385
Type of delivery assistance												
Health professional	1.00		1.00		1.00		1.00		1.00		1.00	
Traditional birth attendant.	*****		*****		*****		*****		*****		0.36(0.03, 4.76)	0.435
Other untrained	0.59(0.21, 1.61)	0.300	0.26(0.05, 1.42)	0.120	*****		0.97(0.63, 1.51)	0.901	0.96(0.38, 2.43)	0.934	0.52(0.04, 6.54)	0.611
No one	0.80(0.21, 3.07)	0.747	0.58(0.11, 3.01)	0.517	0.50(0.28, 0.90)	0.021	1.47(0.58, 3.69)	0.416	0.72(0.11, 4.58)	0.728	0.17(0.01, 2.61)	0.202
Antenatal Clinic visits												
None	1.00		1.00		1.00		1.00		1.00		1.00	
1--3	1.52(0.86, 2.67)	0.146	1.00(0.52, 1.94)	0.990	0.95(0.56, 1.61)	0.851	2.45(0.65, 9.14)	0.183	1.71(0.24, 12.07)	0.589	1.76(0.68, 4.51)	0.240
4+	1.00(0.54, 1.84)	0.995	1.24(0.62, 2.47)	0.542	1.34(0.84, 2.14)	0.217	2.57(0.68, 9.73)	0.163	1.46(0.20, 10.85)	0.708	1.93(0.71, 5.28)	0.199

***** no estimate due to small or empty cell