

Correction



## **Correction:** Luo et al. The Effects of Different Anode Positions on the Electrical Properties of Square-Silicon Drift Detector. *Micromachines* 2022, *13*, 1496

Wei Luo<sup>1,2</sup>, Longjie Wang<sup>1,2</sup>, Rui Jia<sup>1,2,\*</sup>, Ke Tao<sup>1,2</sup>, Bolong Wang<sup>1,2</sup>, Xiaoping Ouyang<sup>3</sup> and Xing Li<sup>1,2,\*</sup>

- <sup>1</sup> Institute of Microelectronics of the Chinese Academy of Sciences, Beijing 100029, China; luowei2020@ime.ac.cn (W.L.); wanglongjie@ime.ac.cn (L.W.); taoke@ime.ac.cn (K.T.); wangbolong@ime.ac.cn (B.W.)
- <sup>2</sup> University of Chinese Academy of Sciences, Beijing 101408, China
- <sup>3</sup> State Key Laboratory of Intense Pulsed Radiation Simulation and Effect, Northwest Institute of Nuclear Technology, Xi'an 710024, China; oyxp2003@aliyun.com
- \* Correspondence: imesolar@126.com (R.J.); lixing2021@ime.ac.cn (X.L.)

In the original publication [1], there was an error regarding the author affiliations. In addition to affiliation 1. Institute of Microelectronics of the Chinese Academy of Sciences and 3. State Key Laboratory of Intense Pulsed Radiation Simulation and Effect, Northwest Institute of Nuclear Technology, the updated affiliations should include 2. University of Chinese Academy of Sciences. The authors state that the scientific conclusions are unaffected. This correction was approved by the Academic Editor. The original publication has also been updated.

## Reference

 Luo, W.; Wang, L.; Jia, R.; Tao, K.; Wang, B.; Ouyang, X.; Li, X. The Effects of Different Anode Positions on the Electrical Properties of Square-Silicon Drift Detector. *Micromachines* 2022, 13, 1496. [CrossRef] [PubMed]

**Disclaimer/Publisher's Note:** The statements, opinions and data contained in all publications are solely those of the individual author(s) and contributor(s) and not of MDPI and/or the editor(s). MDPI and/or the editor(s) disclaim responsibility for any injury to people or property resulting from any ideas, methods, instructions or products referred to in the content.



Citation: Luo, W.; Wang, L.; Jia, R.; Tao, K.; Wang, B.; Ouyang, X.; Li, X. Correction: Luo et al. The Effects of Different Anode Positions on the Electrical Properties of Square-Silicon Drift Detector. *Micromachines* 2022, *13*, 1496. *Micromachines* 2024, *15*, 183. https://doi.org/10.3390/mi15020183

Received: 10 January 2024 Accepted: 13 January 2024 Published: 26 January 2024



**Copyright:** © 2024 by the authors. Licensee MDPI, Basel, Switzerland. This article is an open access article distributed under the terms and conditions of the Creative Commons Attribution (CC BY) license (https:// creativecommons.org/licenses/by/ 4.0/).