

List of Supplementary Materials:

Methods for FTI and FTI Dendrimer Syntheses, includes Scheme S1

Figure S1. Whole gel images of Rab5A and GAPDH blots used to compose Figure 7A

Figure S2. Whole gel images of Rap1A and actin blots used to compose Figure 7A

Figure S3. Whole gel images of Rab5A and GAPDH blots used to compose Figure 7B

Figure S4. Whole gel images of Rap1A and actin blots used to compose Figure 7B

Figure S5. Whole gel images of Rab5A and GAPDH blots used to compose Figure 8A

Figure S6. Whole gel images of Rap1A and GAPDH blots used to compose Figure 8A

Figure S7. Whole gel images of Rap1A and GAPDH blots used to compose Figure 8B

Figure S8. Whole gel images of pan Ras and GAPDH blots used to compose Figure 8B

Figure S9. Whole gel images of N-Ras and GAPDH blots used to compose Figure 8C

Figure S10. Whole gel images of N-Ras and GAPDH blots used to compose Figure 9

Figure S11. Photographs and MRI analyses of S462TY sciatic nerve xenograph growing in NOD SKID mouse

Figure S12. Synergistic inhibition of non-small cell carcinoma A549 colony formation by combinational lovastatin and IG 2 treatment