

Surgery type	N	%
No	1	0.98
BSO	6	5.88
BSO, OM	2	1.96
BSO, OM, LND	2	1.96
HBSO	23	22.55
HBSO, OM	14	13.73
HBSO, OM, LND	1	0.98
HBSO, OM, AP	4	3.92
HBSO, OM, AP, PPLND	9	8.82
HBSO, OM, LN biopsy	1	0.98
HBSO, OM, LND	19	18.63
HBSO, OM, bladder-involved focus resection	1	0.98
HBSO, excision of mesenteric nodules	1	0.98
HBSO, omental biopsy	2	1.96
HBSO, peritoneal, and omental biopsies	1	0.98
HBSO, right hemicolectomy	1	0.98
HBSO, OM, AP, PPLND, splenectomy	1	0.98
HBSO, OM, AP, PPLND	1	0.98
HRSO, OM, AP, PPLND	1	0.98
LSO	4	3.92
LSO, omental sampling	1	0.98
RO	2	1.96
RSO	1	0.98
RSO, PPLND	1	0.98
SO	2	1.96

Table S4: Details of surgery type

Abbreviations: AP: appendectomy; BSO: bilateral salpingo-oophorectomy; HBSO: hysterectomy bilateral salpingo-oophorectomy; LN: lymph node; LND: lymph node dissection; LSO: left salpingo-oophorectomy; OM: Omentectomy; PPLND: pelvic and para-aortic lymphadenectomy; RO: right oophorectomy; RSO: right salpingo-oophorectomy; SO: salpingo-oophorectomy.