

SUPPLEMENTARY MATERIAL

SOLAR DEGRADATION OF SULFAMETHAZINE USING rGO/Bi COMPOSITE PHOTOCATALYSTS

M. Fernández-Perales¹, M. Rozalen^{1*}, M. Sánchez-Polo¹, J. Rivera-Utrilla¹, M.V. López-Ramón^{2*},
Miguel A. Álvarez²

¹Department of Inorganic Chemistry, Faculty of Science, University of Granada, 18071 Granada, Spain. mariaferper@ugr.es (M.F.-P.); mansanch@ugr.es (M.S.-P.); jrivera@ugr.es (J.R.-U.)

²Department of Inorganic and Organic Chemistry, Faculty of Experimental Science, University of Jaén, 23071 Jaén, Spain. malvarez@ujaen.es (M.A.Á.)

* Corresponding author: mvlro@ujaen.es (M.V.L.-R.); marisarozalen@ugr.es (M.R.); Tel: +34-953-212747 (M.V.L.-R.); +34-958-248526 (M.R.)




Figure S1. XPS spectra of GO, rGO, and 5%rGO/Bi (top to bottom): a) C1s, b) O1s, c) Bi4f regions, and d) Comparative of full spectra for GO (pink line) and 5%rGO/Bi (yellow line).