

Formation of tenorite-cuprite nanowires by anodizing in sodium bicarbonate solution

Supporting information

Damian Giziński^{1*}, Anna Brudzisz², Mohammad Ramadan Alzahrani³, Kuo-Kuang Wang⁴,
Wojciech Z. Misiołek⁵, Wojciech J. Stepniowski^{6*}

- 1 Institute of Materials Science and Engineering, Faculty of Advanced Technology and Chemistry, Military University of Technology, 2 Kaliskiego Str, 00908 Warsaw, Poland; damian.gizinski@wat.edu.pl
 - 2 Institute of Materials Science and Engineering, Faculty of Advanced Technology and Chemistry, Military University of Technology, 2 Kaliskiego Str, 00908 Warsaw, Poland ; anna.brudzisz@wat.edu.pl
 - 3 Materials Science and Engineering Department & Loewy Institute, Lehigh University, 5 East Packer Ave., Bethlehem, PA 18015, USA; mzahrani@kku.edu.sa
 - 4 Materials Science and Engineering Department & Loewy Institute, Lehigh University, 5 East Packer Ave., Bethlehem, PA 18015, USA; gennis77@gmail.com
 - 5 Materials Science and Engineering Department & Loewy Institute, Lehigh University, 5 East Packer Ave., Bethlehem, PA 18015, USA; wzm2@lehigh.edu
 - 6 Institute of Materials Science and Engineering, Faculty of Advanced Technology and Chemistry, Military University of Technology, 2 Kaliskiego Str, 00908 Warsaw, Poland; wojciech.stepniowski@wat.edu.pl
- * Correspondence D.G.: damian.gizinski@wat.edu.pl;
W.J.S.: wojciech.stepniowski@wat.edu.pl




Figure S1. Current density transients of copper anodizing in 0.01 M NaHCO₃ registered for 30, 35 and 40 V.




Figure S2. Photographs of samples after 2-hours-long anodizing in 0.01 M NaHCO_3 at various voltages.




Figure S3. FE-SEM images of nanostructures formed by copper anodizing in 0.01 M NaHCO_3 at 35 (a) and 40 V (b).




Figure S4. FE-SEM images of nanostructures formed by copper anodizing in 0.01 M NaHCO_3 at 35 (a) and 40 V (b).




Figure S5. X-ray diffraction patterns of CuO_x formed by copper anodizing in 0.01 M NaHCO_3 at 30, 35 and 40 V.