

Solubility, Emulsification and Surface Properties of Maleic Anhydride, Perfluorooctyl and Alkyl Methacrylate Terpolymers.

Marian Szkudlarek¹⁾, Uwe Beginn^{2)*}, Helmut Keul¹⁾, Martin Möller^{1)*}

¹⁾ DWI Leibnitz Institute for Interactive Materials and Institute of Technical and Macromolecular Chemistry, RWTH Aachen University, Forckenbeckstraße 50, D-52056 Aachen, Germany, keul@dwi.rwth-aachen.de

²⁾ Universität Osnabrück, Institut für Chemie, OMC, Barbarastraße 7, D-49076 Osnabrück, Germany. E-mail: ubeginn@uni-osnabrueck.de

* Correspondence: ubeginn@uni-osnabrueck.de; Tel: +49-541-9692790; moeller@dwi.rwth-aachen.de; Tel: +49-241-8023302




Figure S1 A: Solution (S 22) of polymer C2 2 wt% in aqueous ammonia (1%). **B:** Proposed micellar structure of the fluorinated copolymer in water. Hydrophobic side chains form the core that is shielded by hydrophilic moieties. **C:** Particle size (diameter) distribution of the aqueous dispersion of 2 wt% of fluorinated terpolymer C2 .