

Article

Cellulose-Cyclodextrin Co-Polymer for the Removal of Cyanotoxins on Water Sources

Diego Gomez-Maldonado ¹, Iris Beatriz Vega Erramuspe ¹, Ilari Filpponen ^{1,2}, Leena-Sisko Johansson ³, Salvatore Lombardo ⁴, Junyong Zhu ⁵, Wim Thielemans ⁴ and Maria S. Peresin ^{1,*}

¹ Forest Products Development Center, School of Forestry and Wildlife Science, Auburn University, 520 Devall Drive, Auburn, AL 36830, USA; dzg0023@auburn.edu (D.G.-M.); ibv0002@auburn.edu (I.B.V.E.); ilari.filpponen@auburn.edu (I.F.)

² Department of Chemical Engineering, Alabama Center for Paper and Bioresource Engineering (AC-PABE), Auburn University, 358 Ross Hall, Auburn, AL 36849, USA

³ Department of Bioprocesses and Biosystems, Aalto School of Chemical Technology, BIO2, P.O. Box 16100, 02150 Espoo, Finland; leena-sisko.johansson@aalto.fi

⁴ Renewable Materials and Nanotechnology Research Group, Department of Chemical Engineering, KU Leuven, Campus Kulka Kortrijk, Etienne Sabbelaan 53, 8500 Kortrijk, Belgium; salvatore.lombardo@kuleuven.be (S.L.); wim.thielemans@kuleuven.be (W.T.)

⁵ USDA Forest Products Laboratory, 1 Gifford Pinchot, Madison, WI 53726, USA; junyong.zhu@usda.gov

* Correspondence: soledad.peresin@auburn.edu; Tel.: +1-334-559-1143

Received: 7 November 2019; Accepted: 9 December 2019; Published: date

Supplementary Materials:




Figure S1. First derivative of thermogravimetric analysis of the CNF, CD, and the modified cellulose nanofibrils (CNF-CD and CNF-PCD).