

Bioconversion of mixed alkanes to polyhydroxyalkanoate (PHA) by *Pseudomonas resinovorans*: Upcycling of pyrolysis oil from waste-plastic

Jong-Min Jeon^a, So-Jin Park^{a,b}, Ye-seung Son^a, Yung-Hun Yang^c, and Jeong-Jun Yoon^a

^a *Green & Sustainable Materials R&D Department, Korea Institute of Industrial Technology (KITECH), Republic of Korea*

^b *School of Industrial technology, University of Science and Technology (UST), Republic of Korea*

^c *Department of Biological Engineering, Konkuk University, Republic of Korea*

* Corresponding author. Green & Sustainable Materials R&D Department, Korea Institute of Industrial Technology (KITECH), 89 Yangdaegiro-gil, Ipjang-myun, Seobuk-gu, Cheonan-si, Chungnam, 330-825, Republic of Korea

E-mail address: jjyoon@kitech.re.kr


Office number: +82-41-589-8266

Supplementary Figure S1. Pyrolysis oil of waste-plastic and its composition. A: Pyrolysis oil of commercial polyethylene waste (yellow) and purified with zeolite as catalyst (red), B: purified pyrolysis oil composition.

A



B



Supplementary Figure S2. DSC analysis of purified PHA produced by *P. resinovorans* using mixed alkane.

