

Supporting Information

In Situ Formation of Compound Eye-like SAN-OSB Composite Microspheres by Melt-Blending Method: Enhancing Multiple-Scattering Effect

Yuhan Li ¹, Yitong Ding ², Yuhao Duan ¹, Fengying Yang ¹, Ying Xiong ^{1,*} & Shaoyun Guo ^{1,*}

*

¹ State Key Laboratory of Polymer Materials Engineering, Sichuan Provincial Engineering Laboratory of Plastic/Rubber Complex Processing Technology, Polymer Research Institute of Sichuan University, Chengdu 610065, China

² Key Laboratory of Biobased Polymer Materials, Shandong Provincial Education Department, College of Polymer Science and Engineering, Qingdao University of Science and Technology, Qingdao 266042, China

* Corresponding author. Tel/Fax: 86-028-85466255, Email: xiongying@scu.edu.cn (Ying Xiong).

* Corresponding author. Tel/Fax: 86-028-85466255, Email: nic7702@scu.edu.cn (Shaoyun Guo).




Figure S1. Effect of the content of SAN on the transmittance and haze.




Figure S2. SEM of samples at different processing times. (A-E) represent 2min, 4min, 6min, 8min and 10min respectively.




Figure S3. (A) Transmittance and haze of samples at different processing times. (B) Scattering angles of samples at different processing times.