

Supplementary Material




Figure S1. Principal Component Analysis (PCA) of ploidy level and Leaf Width (cm), Bermudagrass Stem Maggot tolerance (1= 10 percent or less damage, 9= 90 percent or more damage), Crude Protein (g kg^{-1}), Phosphorus concentration (g kg^{-1}), In Vitro Digestible Organic Matter (g kg^{-1}), Nutrient Detergent Fiber (g kg^{-1}), and Dry Matter Yield (g kg^{-1}). Cultivars are in light blue and accessions, written as their entry numbers, are in dark blue.

Supplementary Table 1. Ploidy level, 2C DNA content in picograms (pg), origin, Bermudagrass Stem Maggot (BSM) tolerance (1= 10 percent or less damage, 9= 90 percent or more damage), leaf width (cm), dry matter yield (g kg^{-1}) (DMY), and the following nutritive value traits expressed in g kg^{-1} : crude protein (CP), phosphorus (P), in vitro digestible organic matter (IVDOM), neutral detergent fiber (NDF) of 287 bermudagrass accessions from the USDA germplasm collection.

Field Code	PI no.	Cultivar Name	Ploidy	2C DNA (pg)	Ploidy level (Anderson et al., 2009)	Origin	Species	BSM Tolerance	Leaf Width (cm)	CP (g kg ⁻¹)	P (g kg ⁻¹)	IVDOM (g kg ⁻¹)	NDF (g kg ⁻¹)	DMY (g kg ⁻¹)
1	224149	.	4	1.92	.	South Africa	<i>C. dactylon</i>	2.00	1.50	12.81	0.2897	45.73	68.41	1394.30
2	618587	.	4	2.14	.	United States, Idaho	<i>C. dactylon</i>	3.71	2.05	13.42	0.3185	41.21	67.63	1230.95
3	647875	.	4	1.82	.	Australia	<i>C. dactylon</i>	2.21	2.37	12.59	0.2740	43.71	67.98	940.76
4	647876	.	4	1.91	.	Australia	<i>C. dactylon</i>	2.62	1.40	12.48	0.2739	43.24	69.20	1335.91
5	647877	.	4	2.05	.	Australia	<i>C. dactylon</i>	2.48	2.00	12.77	0.2742	46.42	66.48	1693.93
6	641703	.	4	2.01	.	China	<i>C. dactylon</i>	2.26	2.28	12.61	0.2584	44.96	68.98	1098.19
7	.	Tifton 78	4	2.26	.	.	<i>Cynodon</i> spp.	4.14	4.10	13.14	0.3106	47.30	67.21	1983.92
8	.	Possibly Tifton-85	5	3.12	.	From old greenhouse	<i>C. dactylon</i>	2.33	5.30	14.19	0.2771	52.27	67.42	3358.36
9	223248	.	4	2.41	.	Afghanistan	<i>C. dactylon</i> var. <i>afghanicus</i>	3.42	3.40	15.10	0.2889	43.56	67.79	1239.37
10	297827	.	2	1.27	.	Israel	<i>C. dactylon</i> var. <i>aridus</i>	2.09	.	12.85	0.2595	51.44	63.36	440.45
11	288221	.	4	2.13	.	Madagascar	<i>C. dactylon</i> var. <i>coursii</i>	2.14	3.70	11.83	0.3097	43.20	68.55	2065.24
12	289714	.	4	1.99	.	Madagascar	<i>C. dactylon</i> var. <i>coursii</i>	1.67	3.60	13.33	0.2738	41.49	70.38	1762.15
13	289716	.	3	1.72	.	Madagascar	<i>C. dactylon</i> var. <i>coursii</i>	2.29	2.80	11.73	0.2785	44.48	68.95	1742.90
14	206553	.	4	2.41	.	Greece	<i>C. dactylon</i> var. <i>dactylon</i>	2.73	3.40	14.37	0.2798	43.65	68.61	705.86
15	211022	.	4	2.42	.	Afghanistan, Kabul	<i>C. dactylon</i> var. <i>dactylon</i>	3.00	2.80	13.00	0.2835	39.47	68.81	822.52
16	220588	.	4	2.01	.	Afghanistan	<i>C. dactylon</i> var. <i>dactylon</i>	3.35	2.10	14.40	0.2681	41.67	67.01	798.86
17	223249	.	2	1.59	.	Afghanistan, Badakhshan	<i>C. dactylon</i> var. <i>dactylon</i>	2.95	1.50	13.12	0.2823	46.44	68.15	1010.48
18	224314	.	3	1.79	.	South Africa	<i>C. dactylon</i> var. <i>dactylon</i>	3.00	1.90	13.04	0.2592	40.43	70.96	2302.85
19	224566	.	2	0.99	.	Zimbabwe	<i>C. dactylon</i> var. <i>dactylon</i>	1.80	6.50	12.96	0.3151	51.21	68.15	2402.78
20	224568	.	4	1.93	.	Zimbabwe	<i>C. dactylon</i> var. <i>dactylon</i>	2.86	2.00	12.32	0.2656	43.00	71.82	1882.38
21	224692	.	4	1.84	.	Zambia	<i>C. dactylon</i> var. <i>dactylon</i>	3.38	2.30	11.80	0.2900	40.33	70.75	1797.43
22	224694	.	4	2.02	.	Zambia	<i>C. dactylon</i> var. <i>dactylon</i>	2.24	2.00	12.56	0.2715	41.21	69.28	1398.40
23	225046	.	2	1.06	.	Tanzania, Tabora	<i>C. dactylon</i> var. <i>dactylon</i>	2.56	4.40	14.30	0.3402	50.74	69.11	1948.68
24	225591	.	2	1.04	.	Tanzania	<i>C. dactylon</i> var. <i>dactylon</i>	2.90	4.90	12.09	0.3035	45.84	69.39	2212.40
25	225956	.	2	1.15	.	Ethiopia	<i>C. dactylon</i> var. <i>dactylon</i>	0.43	3.40	11.43	0.2626	50.09	68.60	1453.17
26	246600	.	4	1.9	.	India	<i>C. dactylon</i> var. <i>dactylon</i>	2.85	2.50	13.36	0.2764	41.70	69.01	1165.40
27	251108	.	4	1.87	.	Former Serbia and Monteneg	<i>C. dactylon</i> var. <i>dactylon</i>	1.76	2.00	14.02	0.3059	48.33	69.48	1784.80
28	251809	.	4	2.42	.	Italy	<i>C. dactylon</i> var. <i>dactylon</i>	3.73	3.50	13.83	0.3102	44.33	66.16	924.14
29	255447	.	3	1.54	.	Kenya	<i>C. dactylon</i> var. <i>dactylon</i>	2.00	1.35	13.87	0.2840	47.32	64.99	1455.18
30	267985	.	4	2.17	.	Pakistan	<i>C. dactylon</i> var. <i>dactylon</i>	2.32	2.40	15.19	0.3015	41.89	67.10	837.75
31	287147	.	3	1.68	.	India	<i>C. dactylon</i> var. <i>dactylon</i>	2.48	1.90	14.34	0.2942	42.01	67.80	1558.67
32	287149	.	3	1.67	.	India	<i>C. dactylon</i> var. <i>dactylon</i>	1.67	1.80	12.81	0.2885	46.60	68.96	1273.78
33	287151	.	4	1.85	.	India	<i>C. dactylon</i> var. <i>dactylon</i>	2.14	2.10	12.08	0.2669	44.40	69.54	1378.84
34	287154	.	3	1.72	.	India	<i>C. dactylon</i> var. <i>dactylon</i>	2.67	1.95	13.84	0.2871	45.50	69.75	1291.54
35	287155	.	3	1.60	.	India	<i>C. dactylon</i> var. <i>dactylon</i>	3.33	2.00	14.51	0.3172	49.98	67.72	1407.36
36	287156	.	2	1.23	.	India	<i>C. dactylon</i> var. <i>dactylon</i>	2.44	2.10	14.30	0.3408	43.97	64.79	1268.17
37	287157	.	4	1.84	.	India	<i>C. dactylon</i> var. <i>dactylon</i>	1.33	1.00	13.84	0.3325	42.02	69.53	1452.97

38	287244	.	4	1.85	.	India	<i>C. dactylon</i> var. <i>dactylon</i>	2.05	2.13	12.52	0.2895	45.19	66.29	665.37
39	287246	.	3	1.77	.	India	<i>C. dactylon</i> var. <i>dactylon</i>	5.67	2.90	13.39	0.2745	44.31	68.59	2250.33
40	287247	.	4	2.03	.	India	<i>C. dactylon</i> var. <i>dactylon</i>	2.00	1.60	13.35	0.2820	43.17	69.74	1643.59
41	287256	.	2	1.16	.	Sri Lanka	<i>C. dactylon</i> var. <i>dactylon</i>	3.71	1.63	15.05	0.3097	40.54	68.24	1446.91
42	288043	.	2	0.95	.	India	<i>C. dactylon</i> var. <i>dactylon</i>	3.28	2.80	14.08	0.2662	46.52	69.33	888.24
43	288216	.	4	2.09	.	Madagascar	<i>C. dactylon</i> var. <i>dactylon</i>	1.81	3.40	12.98	0.3337	47.32	69.59	1886.45
44	288676	.	2	1.15	.	Madagascar	<i>C. dactylon</i> var. <i>dactylon</i>	1.75	0.50	13.84	0.2756	38.39	68.10	934.29
45	289913	.	4	1.94	.	South Africa	<i>C. dactylon</i> var. <i>dactylon</i>	2.30	1.75	13.22	0.2996	43.05	69.60	1444.92
46	289930	.	4	1.84	.	South Africa	<i>C. dactylon</i> var. <i>dactylon</i>	1.14	1.95	13.78	0.2836	48.27	67.96	724.45
47	290656	.	2	1.22	.	South Africa	<i>C. dactylon</i> var. <i>dactylon</i>	2.52	1.25	13.97	0.3078	43.86	69.04	1767.03
48	290657	.	2	1.36	.	South Africa	<i>C. dactylon</i> var. <i>dactylon</i>	2.80	1.95	13.27	0.2665	42.62	69.71	1811.91
49	290667	.	3	1.68	.	South Africa	<i>C. dactylon</i> var. <i>dactylon</i>	2.57	1.50	11.81	0.2654	40.68	72.20	1900.38
50	290880	.	4	2.08	.	South Africa	<i>C. dactylon</i> var. <i>dactylon</i>	2.90	1.50	12.31	0.2780	37.34	71.68	2028.14
51	290881	.	4	2.15	.	South Africa	<i>C. dactylon</i> var. <i>dactylon</i>	2.95	2.00	12.46	0.2346	45.13	70.32	1501.39
52	290883	.	4	2.01	.	South Africa	<i>C. dactylon</i> var. <i>dactylon</i>	3.24	1.60	13.97	0.3118	41.41	67.99	1439.50
53	290887	.	4	2.24	.	South Africa	<i>C. dactylon</i> var. <i>dactylon</i>	1.53	1.50	14.63	0.3125	48.96	70.61	1561.07
54	290895	.	2	1.07	.	South Africa	<i>C. dactylon</i> var. <i>dactylon</i>	2.11	1.00	12.17	0.2724	45.32	66.88	651.76
55	290901	.	2	1.52	.	South Africa	<i>C. dactylon</i> var. <i>dactylon</i>	1.67	2.25	11.94	0.2708	45.04	70.85	826.73
56	291146	.	4	1.89	.	South Africa	<i>C. dactylon</i> var. <i>dactylon</i>	2.48	2.20	12.59	0.2576	42.01	69.78	2135.67
57	291148	.	4	2.18	.	South Africa	<i>C. dactylon</i> var. <i>dactylon</i>	3.12	2.40	11.48	0.2249	46.28	73.71	1923.69
58	291151	.	4	1.96	.	South Africa	<i>C. dactylon</i> var. <i>dactylon</i>	2.50	1.90	11.87	0.2587	41.34	72.99	1942.38
59	291153	.	4	1.86	.	South Africa	<i>C. dactylon</i> var. <i>dactylon</i>	2.25	1.65	12.56	0.2398	43.75	71.74	1974.79
60	291155	.	4	1.84	.	South Africa	<i>C. dactylon</i> var. <i>dactylon</i>	2.86	3.10	11.78	0.2316	36.04	70.04	1985.28
61	291157	.	4	1.94	.	South Africa	<i>C. dactylon</i> var. <i>dactylon</i>	3.76	2.13	13.79	0.3121	37.29	69.66	1600.08
62	291160	.	4	1.95	.	South Africa	<i>C. dactylon</i> var. <i>dactylon</i>	3.24	2.00	12.86	0.2487	44.78	70.51	2417.54
63	291161	.	2	1.56	.	South Africa	<i>C. dactylon</i> var. <i>dactylon</i>	3.52	2.20	13.67	0.2789	44.17	68.22	1599.65
64	291164	.	3	1.72	.	South Africa, KwaZulu-Nata	<i>C. dactylon</i> var. <i>dactylon</i>	2.10	1.95	12.58	0.2526	42.95	71.52	2301.17
65	291166	.	3	1.62	.	South Africa, KwaZulu-Nata	<i>C. dactylon</i> var. <i>dactylon</i>	4.14	2.50	12.81	0.2720	47.10	69.51	1773.77
66	291167	.	4	1.9	.	South Africa	<i>C. dactylon</i> var. <i>dactylon</i>	2.81	2.00	12.04	0.2851	39.09	71.57	1748.67
67	291169	.	3	1.74	.	South Africa	<i>C. dactylon</i> var. <i>dactylon</i>	2.95	2.50	12.80	0.2780	45.90	70.78	1974.85
68	291171	.	3	1.61	.	South Africa	<i>C. dactylon</i> var. <i>dactylon</i>	3.14	1.50	12.19	0.2333	41.60	72.58	1814.76
69	291172	.	4	2.38	.	South Africa	<i>C. dactylon</i> var. <i>dactylon</i>	3.10	2.75	13.52	0.2792	41.21	71.34	1929.59
70	291175	.	3	1.64	.	South Africa	<i>C. dactylon</i> var. <i>dactylon</i>	3.52	1.95	12.91	0.2563	42.92	71.74	2006.76
71	291180	.	4	1.86	.	South Africa	<i>C. dactylon</i> var. <i>dactylon</i>	2.67	2.60	14.41	0.2734	43.93	66.77	1056.26
72	291586	.	4	2.07	.	Zimbabwe	<i>C. dactylon</i> var. <i>dactylon</i>	3.05	1.40	13.63	0.2867	46.68	67.35	1793.14
73	291610	.	4	2.07	.	South Africa	<i>C. dactylon</i> var. <i>dactylon</i>	2.90	2.30	11.87	0.2294	43.35	70.93	1930.60
74	291716	.	4	2.29	.	South Africa, Transvaal	<i>C. dactylon</i> var. <i>dactylon</i>	2.90	2.10	11.45	0.2819	43.33	71.44	1885.82
75	291718	.	4	1.96	.	South Africa	<i>C. dactylon</i> var. <i>dactylon</i>	2.48	2.03	12.24	0.2684	41.04	71.18	1895.38
76	291719	.	4	1.85	.	South Africa	<i>C. dactylon</i> var. <i>dactylon</i>	4.33	2.25	12.86	0.2752	40.77	70.58	1886.47
77	291726	.	3	1.64	.	South Africa	<i>C. dactylon</i> var. <i>dactylon</i>	3.24	2.60	11.43	0.2347	40.09	73.36	1920.33
78	291729	.	3	1.53	.	South Africa	<i>C. dactylon</i> var. <i>dactylon</i>	3.38	2.25	13.80	0.2719	45.71	70.69	2055.59

79	291730	.	2	1.24	.	South Africa, Limpopo	<i>C. dactylon</i> var. <i>dactylon</i>	2.67	2.35	14.15	0.3522	42.59	67.98	1153.78
80	291733	.	3	1.64	.	South Africa, KwaZulu-Nata	<i>C. dactylon</i> var. <i>dactylon</i>	3.86	2.50	12.90	0.2403	46.12	70.64	2361.92
81	291734	.	4	1.85	.	South Africa, KwaZulu-Nata	<i>C. dactylon</i> var. <i>dactylon</i>	2.81	2.70	12.64	0.2646	45.16	71.48	1794.14
82	291740	.	3	1.63	.	South Africa	<i>C. dactylon</i> var. <i>dactylon</i>	2.48	1.95	13.08	0.2866	43.45	69.56	1960.31
83	291741	.	3	1.71	.	South Africa, Limpopo	<i>C. dactylon</i> var. <i>dactylon</i>	3.81	3.00	12.37	0.2566	43.82	70.87	1826.68
84	291745	.	3	1.63	.	South Africa, Cape Provinc	<i>C. dactylon</i> var. <i>dactylon</i>	2.19	1.55	12.14	0.2322	47.66	71.13	1409.19
85	291746	.	4	2.04	.	South Africa	<i>C. dactylon</i> var. <i>dactylon</i>	2.90	2.70	12.58	0.2678	43.16	70.79	2255.54
86	291747	.	4	2.25	.	South Africa	<i>C. dactylon</i> var. <i>dactylon</i>	1.89	1.50	13.88	0.2925	45.87	66.88	618.51
87	291749	.	3	1.74	.	South Africa, Limpopo	<i>C. dactylon</i> var. <i>dactylon</i>	2.10	1.88	13.12	0.2838	40.56	70.00	1803.31
88	291750	.	4	1.86	.	South Africa	<i>C. dactylon</i> var. <i>dactylon</i>	2.56	1.68	13.81	0.2797	44.48	68.59	1015.21
89	291962	.	4	1.86	.	Kenya	<i>C. dactylon</i> var. <i>dactylon</i>	1.57	1.20	14.14	0.2886	48.04	67.94	1421.90
90	291964	.	4	2.17	.	South Africa	<i>C. dactylon</i> var. <i>dactylon</i>	1.80	1.45	13.74	0.2990	41.40	69.08	1673.96
91	291966	.	3	1.63	.	Kenya	<i>C. dactylon</i> var. <i>dactylon</i>	1.86	1.20	13.09	0.2768	43.44	70.05	1142.57
92	291968	.	3	1.67	.	Kenya	<i>C. dactylon</i> var. <i>dactylon</i>	2.29	1.90	12.66	0.2950	44.06	69.58	1567.65
93	291974	.	2	0.81	.	Kenya	<i>C. dactylon</i> var. <i>dactylon</i>	2.95	3.50	14.03	0.2897	42.62	69.21	1109.30
94	291977	.	2	1.25	.	Kenya	<i>C. dactylon</i> var. <i>dactylon</i>	3.43	1.90	13.80	0.3114	43.18	67.30	1557.38
95	291978	.	4	2.49	.	Uganda	<i>C. dactylon</i> var. <i>dactylon</i>	2.90	1.90	13.34	0.2836	43.08	68.20	827.56
96	292039	.	4	2.22	.	Mozambique	<i>C. dactylon</i> var. <i>dactylon</i>	0.83	3.70	12.58	0.2410	46.03	70.94	2290.17
97	292046	.	3	1.68	.	Zambia	<i>C. dactylon</i> var. <i>dactylon</i>	1.95	2.65	12.12	0.2435	46.40	72.65	1459.63
98	292050	.	3	1.67	.	Zambia	<i>C. dactylon</i> var. <i>dactylon</i>	1.95	2.38	13.21	0.2737	43.46	71.10	2106.84
99	292052	.	3	1.70	.	Zambia	<i>C. dactylon</i> var. <i>dactylon</i>	2.43	2.13	13.67	0.2823	39.11	70.21	1631.93
100	292059	.	2	0.94	.	Tanzania	<i>C. dactylon</i> var. <i>dactylon</i>	3.29	4.00	13.87	0.3156	44.21	70.08	1796.42
101	292142	.	4	2	.	Ghana	<i>C. dactylon</i> var. <i>dactylon</i>	2.76	1.70	14.35	0.2900	42.80	70.69	1442.45
102	292143	.	2	1.45	.	Ghana	<i>C. dactylon</i> var. <i>dactylon</i>	2.27	5.70	13.84	0.3055	52.48	68.22	3262.54
103	292231	.	4	2.04	.	Ghana	<i>C. dactylon</i> var. <i>dactylon</i>	2.86	2.70	13.32	0.3171	43.78	69.26	1840.51
104	292233	.	4	2.12	.	Ghana	<i>C. dactylon</i> var. <i>dactylon</i>	1.95	2.45	13.28	0.3141	40.37	69.42	1350.96
105	292248	.	4	1.9	.	Philippines	<i>C. dactylon</i> var. <i>dactylon</i>	3.81	2.50	14.52	0.3318	42.67	66.59	1067.79
106	292249	.	2	1.46	.	Philippines	<i>C. dactylon</i> var. <i>dactylon</i>	3.52	1.95	15.37	0.3222	46.23	67.05	1296.95
107	292250	.	3	1.63	.	Philippines	<i>C. dactylon</i> var. <i>dactylon</i>	1.75	1.95	14.71	0.3088	43.18	65.43	897.98
108	292252	.	3	1.61	.	Philippines, Batan	<i>C. dactylon</i> var. <i>dactylon</i>	2.29	2.00	11.94	0.2778	43.96	68.96	1372.30
109	292508	.	4	2.1	.	Japan, Honshu	<i>C. dactylon</i> var. <i>dactylon</i>	4.57	2.90	15.87	0.3055	44.09	66.55	1580.00
110	292509	.	3	1.65	.	Japan, Honshu	<i>C. dactylon</i> var. <i>dactylon</i>	2.86	1.70	12.82	0.2793	42.43	67.82	1663.26
111	292572	.	3	1.62	.	Philippines, Luzon	<i>C. dactylon</i> var. <i>dactylon</i>	2.76	2.00	12.54	0.2638	44.06	71.53	1089.57
112	292573	.	3	1.72	.	Thailand	<i>C. dactylon</i> var. <i>dactylon</i>	3.29	4.30	14.30	0.2916	46.51	67.74	1216.57
113	293639	.	3	1.69	.	Kenya	<i>C. dactylon</i> var. <i>dactylon</i>	2.35	1.65	13.23	0.2700	42.57	69.60	2010.88
114	293644	.	4	1.91	.	Kenya	<i>C. dactylon</i> var. <i>dactylon</i>	2.19	2.05	11.32	0.2653	39.25	73.47	2367.67
115	295339	.	4	2.19	.	Germany	<i>C. dactylon</i> var. <i>dactylon</i>	2.43	1.80	14.36	0.3307	41.22	68.67	1430.37
116	315902	.	2	1.10	.	Germany	<i>C. dactylon</i> var. <i>dactylon</i>	1.75	4.10	11.67	0.2577	46.56	69.76	2385.01
117	364484	.	2	1.35	.	South Africa, KwaZulu-Nata	<i>C. dactylon</i> var. <i>dactylon</i>	2.17	4.50	14.41	0.3462	50.37	66.50	2485.59
118	364485	.	2	1.01	.	South Africa, KwaZulu-Nata	<i>C. dactylon</i> var. <i>dactylon</i>	2.15	4.50	13.84	0.3638	51.70	67.84	2711.17
119	364488	.	2	0.95	.	South Africa, KwaZulu-Nata	<i>C. dactylon</i> var. <i>dactylon</i>	1.00	2.33	13.13	0.2596	42.33	67.11	1024.45

120	364490	.	3	1.67	.	South Africa, Limpopo	<i>C. dactylon</i> var. <i>dactylon</i>	2.10	2.60	11.24	0.2545	46.04	72.90	1492.16
121	365499	.	4	1.80	.	South Africa	<i>C. dactylon</i> var. <i>dactylon</i>	2.90	2.85	13.50	0.3046	45.06	67.73	1657.99
122	409738	.	4	2.04	.	South Africa, KwaZulu-Nata	<i>C. dactylon</i> var. <i>dactylon</i>	3.05	1.90	12.52	0.2527	45.38	70.82	1443.75
123	409740	.	3	1.75	.	South Africa, Cape Provinc	<i>C. dactylon</i> var. <i>dactylon</i>	3.71	2.70	13.02	0.2703	44.39	69.27	2092.14
124	477004	.	2	1.55	.	South Africa	<i>C. dactylon</i> var. <i>dactylon</i>	2.43	1.60	14.08	0.2715	45.30	66.51	949.85
125	531090	.	4	2.08	.	United States, New Mexico	<i>C. dactylon</i> var. <i>dactylon</i>	2.90	2.03	15.58	0.3130	43.70	66.47	881.08
126	547108	.	3	1.72	.	United States	<i>C. dactylon</i> var. <i>dactylon</i>	3.00	2.15	14.79	0.3071	43.54	67.05	1020.84
127	547109	.	4	2.48	.	United States, New Mexico	<i>C. dactylon</i> var. <i>dactylon</i>	2.60	2.55	16.21	0.2977	46.09	68.15	916.02
128	564236	.	4	1.98	.	Australia	<i>C. dactylon</i> var. <i>dactylon</i>	3.24	1.95	14.85	0.3200	49.45	67.18	1423.69
129	564237	.	2	1.58	.	Australia	<i>C. dactylon</i> var. <i>dactylon</i>	2.95	2.13	15.03	0.3126	42.87	67.85	1641.32
130	564240	.	4	2.2	.	Zimbabwe	<i>C. dactylon</i> var. <i>dactylon</i>	2.71	1.55	14.30	0.3108	45.52	67.13	1585.53
131	572233	.	3	1.72	.	Zimbabwe	<i>C. dactylon</i> var. <i>dactylon</i>	2.00	2.15	12.27	0.2631	41.76	72.18	2105.62
132	599356	.	3	1.61	.	China	<i>C. dactylon</i> var. <i>dactylon</i>	2.29	1.95	13.34	0.2571	43.40	67.98	1001.91
133	601059	.	3	1.71	.	United States, Oklahoma	<i>C. dactylon</i> var. <i>dactylon</i>	3.62	3.00	14.61	0.2716	44.70	71.09	1319.93
134	601157	.	4	2.08	.	United States	<i>C. dactylon</i> var. <i>dactylon</i>	4.10	2.45	14.95	0.3029	43.58	66.47	1427.80
135	606545	.	3	1.64	.	United States, Georgia	<i>C. dactylon</i> var. <i>dactylon</i>	0.06	.	12.50	0.2611	40.24	73.09	328.20
136	289747	.	3	1.72	.	South Africa	<i>C. dactylon</i> var. <i>polevansii</i>	3.38	2.55	12.99	0.2879	46.50	71.89	2044.76
137	289750	.	4	2.56	.	South Africa	<i>C. dactylon</i> var. <i>polevansii</i>	3.63	2.10	11.38	0.2459	46.60	72.99	1219.06
200	.	T 292 Burton 200 (Alicia x T68)	4	2.04	4	.	<i>C. dactylon</i>	2.00	2.40	13.14	0.3435	45.74	69.05	1250.38
201	.	.	4	2.13	.	.	<i>C. dactylon</i> X <i>C. nlemfuensis</i>	4.39	4.40	12.63	0.2664	44.05	70.32	1828.31
202	224148	.	4	2.27	4	South Africa	<i>Cynodon</i> spp.	2.20	1.55	15.73	0.3336	55.07	66.45	1972.22
203	204438	.	4	.	4	Turkey	<i>C. dactylon</i>	3.48	4.70	14.44	0.3200	52.73	68.78	2005.96
204	.	Coastcros s I	4	.	4	.	<i>C. dactylon</i>	3.19	4.80	13.89	0.3165	40.81	68.54	2466.84
205	.	.	4	2.10	4	NK-37 (Arizona)	<i>C. dactylon</i>	4.80	2.85	12.19	0.2372	44.72	72.29	2183.11
206	286583	.	4	1.99	4	Bombay, India	<i>C. dactylon</i>	3.62	2.10	11.61	0.2915	53.26	68.21	1709.69
207	293616	.	2	0.94	2	Kitale, Kenya	<i>C. dactylon</i>	1.40	5.50	11.41	0.2576	42.84	73.32	2644.90
208	291588	.	4	.	4	Salisbury, Rhodesia	<i>C. dactylon</i>	2.33	2.75	14.39	0.3127	51.68	68.08	2047.28
209	.	Coastcros s III	4	1.86	4	.	<i>C. dactylon</i>	2.71	3.30	14.99	0.3158	46.36	67.90	1596.85
210	292247	.	3	1.69	2	Los Baños, Philippines	<i>C. dactylon</i>	3.52	2.20	16.54	0.3406	49.64	67.43	1362.43
211	292601	.	3	1.68	.	Kenya	<i>C. dactylon</i>	3.38	2.05	14.22	0.3086	53.04	67.96	973.84
212	.	Coastcros s II	4	2.55	4	.	<i>C. dactylon</i>	3.00	4.10	13.60	0.2858	40.69	70.60	2293.80
213	290899	.	4	2.09	4	Pretoria, S.A.	<i>C. dactylon</i>	3.05	2.00	13.97	0.2916	42.84	70.90	1969.52
214	292602	.	4	2.23	4	Kenya	<i>C. dactylon</i>	3.33	1.85	11.70	0.2775	41.21	72.29	1359.43
215	290879	.	4	1.99	4	Pretoria, S.A.	<i>C. dactylon</i>	2.86	1.65	11.54	0.2722	44.27	70.58	2473.41
216	290901	.	2	1.53	2	Pretoria, S.A.	<i>C. dactylon</i>	2.25	2.10	12.72	0.3067	42.57	70.40	2026.68

217	289926	.	4	2.59	4	Johannesburg, S.A.	<i>C. magennisii</i>	2.76	2.05	12.02	0.2288	47.04	71.92	2083.37
218	291614	.	4	1.88	4	Kroonstad, S.A.	<i>C. dactylon</i>	2.33	2.50	14.33	0.3010	44.70	68.37	1825.03
219	291587	.	3	1.76	4	Salisbury, Rhodesia	<i>C. dactylon</i>	2.71	2.00	12.96	0.2483	45.98	70.49	2063.37
220	286582	.	4	1.97	4	Bombay, India	<i>C. barberi</i>	3.14	1.75	12.77	0.2561	43.92	70.69	1749.28
221	.	.	4	2.30	3	Arizona Seed lot 12058	<i>Cynodon</i> spp.	3.67	3.33	13.06	0.2778	45.63	69.51	1706.19
222	290902	.	4	1.99	4	Pretoria, S.A.	<i>C. dactylon</i>	2.75	2.00	13.11	0.2966	50.29	67.58	1785.60
223	225809	.	4	2.25	4	Africa	<i>Cynodon</i> spp.	4.24	4.90	13.22	0.2642	48.88	68.69	2247.07
224	290896	.	2	1.47	4	Pretoria, S.A.	<i>C. dactylon</i>	1.68	1.53	14.09	0.3303	53.22	67.99	1191.46
225	289929	.	2	1.37	2	Durban, S.A.	<i>Cynodon</i> spp.	2.00	4.75	14.44	0.3094	43.72	69.54	2919.90
226	288044	.	3	1.79	2	Pollachi, India	<i>C. dactylon</i>	3.38	2.70	12.87	0.2495	41.26	70.82	1506.16
227	292246	.	4	2.12	4	Los Baños, Philippines	<i>C. arcuatus</i>	3.48	2.00	12.97	0.2452	44.74	71.02	1930.57
228	292544	.	4	2	4	Pakchong, Thailand	<i>C. dactylon</i>	5.20	2.60	11.96	0.2464	40.81	71.92	2504.72
229	225809	.	4	2.13	4	Africa	<i>Cynodon</i> spp.	3.05	2.75	11.90	0.2836	42.10	72.42	2275.11
231	291584	.	4	2.20	3	Salisbury, Rhodesia	<i>C. dactylon</i>	2.05	1.60	13.54	0.2708	43.79	70.02	2592.03
232	289748	.	4	2.15	3	Barberspan, S.A.	<i>C. polevansii</i>	3.29	2.20	12.62	0.2646	43.94	69.75	1908.22
233	289930	.	4	1.97	3	South Africa	<i>C. dactylon</i>	2.36	1.00	14.36	0.3293	44.33	68.40	1807.94
234	290895	.	2	1.53	3	Pretoria, S.A.	<i>C. dactylon</i>	3.19	1.85	12.40	0.2731	50.00	69.06	1862.07
235	.	Breeding line	5	2.73	5	77-29	<i>C. sp.</i>	3.19	5.20	13.33	0.2964	40.42	70.76	2457.52
236	.	.	4	2.22	4	Michigan State Univ. (Milo Tesar)	<i>Cynodon</i> spp.	2.71	2.40	13.03	0.3070	50.83	67.26	1283.84
237	289749	.	4	2.32	5	Barberspan, S.A.	<i>C. polevansii</i>	3.86	3.30	12.10	0.3064	44.69	70.54	2175.42
238	292228	.	4	2.24	4	Koforidua, Ghana	<i>C. dactylon</i>	2.67	3.08	12.53	0.2708	49.61	69.80	1607.53
239	.	Breeding line	4	2.45	4	77-57	<i>C. sp.</i>	2.62	4.30	14.10	0.3880	55.76	67.14	2079.75
240	.	Breeding line	4	2.10	4	77-58	<i>C. sp.</i>	3.19	4.30	12.26	0.2931	45.02	71.22	2542.94
241	287139	.	4	2.54	3	Coimbatore, India	<i>C. barberi</i>	2.90	3.00	13.81	0.3541	56.36	67.68	2347.91
242	255450	.	3	1.75	3	Kenya	<i>C. nlemfuensis</i>	1.80	5.10	13.55	0.2825	43.71	68.67	3025.62
243	291575	.	4	2.16	4	Salisbury, Rhodesia	<i>C. bradleyi</i>	2.75	2.20	14.02	0.3277	56.76	67.60	1477.52
244	.	Tifton 84	4	1.92	4	.	<i>C. dactylon</i>	2.33	4.10	13.73	0.3201	42.15	69.82	2308.58
245	224129	.	3	1.67	3	Pretoria, S.A.	<i>C. dactylon</i>	2.86	2.05	13.07	0.2639	45.34	69.92	1445.85
246	None	.	4	.	4	Johannesburg, S.A.	.	3.00	1.80	13.42	0.2599	46.44	70.01	2011.28
247	288222	.	4	1.89	3	Maharidaza, Malagasy	<i>C. coursii</i>	3.19	2.50	13.66	0.2707	44.09	66.93	2756.17
248	287708	.	2	1.41	3	Narsampet, India	<i>C. dactylon</i>	3.10	1.90	13.45	0.3121	43.88	68.31	1280.84
249	291957	.	2	1.50	3	Kitale, Kenya	<i>C. dactylon</i>	4.05	2.65	12.62	0.2797	44.41	71.03	2095.64
250	290666	.	4	1.84	4	Pretoria, S.A.	<i>Cynodon</i> spp.	3.38	2.85	11.68	0.2364	46.72	71.98	1919.24
251	290884	.	4	2.55	4	Pretoria, S.A.	<i>C. dactylon</i>	2.15	2.20	13.79	0.2955	45.91	66.26	1814.56
252	290885	.	4	2.08	3	Pretoria, S.A.	<i>C. dactylon</i>	3.43	2.00	14.13	0.3192	46.17	67.87	1694.20
253	292253	.	3	1.67	2	Baguio City, Philippines	<i>Cynodon</i> spp.	1.57	2.00	12.94	0.2520	38.93	70.49	1158.70
254	291193	.	4	1.89	4	Delareyville, S.A.	<i>C. polevansii</i>	2.52	2.00	12.07	0.2846	40.64	72.34	2220.64

255	291958	.	4	2.13	4	Kitale, Kenya	<i>C. dactylon</i>	2.05	1.70	11.49	0.2679	44.53	71.86	2027.12
257	.	Breeding line	3	1.76	4	Sandhill Test #9	<i>C. sp.</i>	3.60	2.05	14.12	0.3355	50.61	66.11	2341.23
258	.	.	4	2.05	4	F1 hybrid	<i>C. dactylon</i>	3.43	4.20	11.27	0.2382	42.73	70.62	2134.59
259	224128	.	3	1.79	4	Kitale, Kenya	<i>C. dactylon</i>	3.24	2.10	13.88	0.2849	44.50	67.25	1949.03
260	.	.	4	2.38	5	St. Louis, MO	<i>Cynodon spp.</i>	3.56	1.95	12.19	0.2394	41.29	71.58	1226.69
261	.	.	4	2.48	5	Rienzi, MS	<i>Cynodon spp.</i>	2.71	3.60	12.39	0.2853	44.26	70.99	1181.03
262	290885	.	4	1.97	4	Pretoria, S.A.	<i>C. dactylon</i>	2.38	2.10	11.61	0.2662	39.22	69.93	2164.85
263	293641	.	4	1.85	4	Kitale, Kenya	<i>C. dactylon</i>	4.29	2.60	11.99	0.2591	44.38	71.06	1858.63
264	290884	.	4	2.02	4	Pretoria, S.A.	<i>C. dactylon</i>	2.48	2.30	14.54	0.3071	40.58	68.91	1442.09
265	.	.	4	1.89	.	Tifton 79-16	<i>C. sp.</i>	4.33	2.30	13.49	0.2808	42.23	70.21	1929.17
266	289917	.	4	1.92	5	Johannesburg, S.A.	<i>C. nlemfuensis</i>	4.48	1.63	13.48	0.2813	43.89	69.42	2152.19
267	290660	.	4	.	.	Pretoria, S.A.	<i>C. dactylon</i>
268	.	.	4	.	4	Sandhill Test #7	<i>Cynodon spp.</i>	3.47	2.00	13.45	0.3460	45.79	70.83	1750.82
269	255442	.	2	1.13	.	Kenya	<i>C. dactylon</i>	2.25	4.13	13.04	0.3093	48.48	67.49	2179.74
270	255456	.	2	1.33	2	Cross	<i>Cynodon spp.</i>	2.22	5.00	12.45	0.2637	45.20	72.57	2591.48
271	288217	.	4	1.98	4	Lake Alaotra, Malagasy	<i>C. coursii</i>	3.43	2.50	13.58	0.2540	46.29	69.94	2404.56
272	224693	.	2	1.56	4	Africa	<i>C. dactylon</i>	3.57	2.40	13.00	0.2647	42.40	69.76	2796.80
273	290661	.	4	2.12	4	Pretoria, S.A.	<i>C. dactylon</i>	4.67	1.95	13.72	0.2889	50.35	69.74	2210.12
274	291576	.	4	2.31	4	Salisbury, Rhodesia	<i>C. dactylon</i>	3.50	3.50	13.42	0.2959	52.19	70.28	2544.71
275	290901	.	4	2.12	4	Pretoria, S.A.	<i>C. dactylon</i>	1.57	4.10	12.91	0.2777	49.10	70.49	2831.52
276	294467	.	4	2.61	4	South Africa	<i>C. dactylon</i>	1.71	3.48	12.78	0.2797	42.96	71.65	3067.35
277	290877	.	4	1.84	4	Pretoria, S.A.	<i>C. dactylon</i>	2.71	2.50	13.80	0.3045	48.55	67.45	2087.14
278	290891	.	4	.	4	Pretoria, S.A.	<i>C. hirsutus</i>	2.53	3.60	12.81	0.2935	50.63	69.59	1762.38
279	290872	.	4	2.07	4	Johannesburg, S.A.	<i>C. nlemfuensis</i>	1.81	3.60	12.36	0.2835	47.14	69.28	2563.85
280	290812	.	4	2.16	4	Middleburg, S.A.	<i>C. nlemfuensis</i>	1.38	4.10	13.14	0.2902	50.04	71.25	2727.69
281	290664	.	4	2.29	4	Pretoria, S.A.	<i>C. hirsutus</i>	1.43	3.50	13.12	0.2750	46.60	71.06	3113.93
282	295114	.	4	2.15	4	Rhodesia	<i>C. dactylon</i>	2.00	3.80	13.12	0.2957	49.65	68.09	3043.51
283	.	Callie	4	2.19	4	.	<i>C. dactylon</i>	3.86	3.30	12.76	0.2889	45.03	68.72	2278.89
284	287244	.	4	2.25	.	Hyderabad, India	<i>C. dactylon</i>	3.62	2.50	12.94	0.2910	43.09	71.55	2190.81
285	291965	.	3	1.74	.	Kitale, Kenya	<i>C. dactylon</i>	2.24	1.70	13.59	0.2755	52.43	70.24	2795.83
286	290813	.	4	2.52	4	Edenburg, S.A.	<i>C. nlemfuensis</i>	1.90	3.70	13.07	0.2936	42.47	70.83	3438.68
287	.	Breeding line	4	2.02	4	.	<i>C. sp.</i>	2.90	1.95	12.18	0.2886	43.04	68.91	2122.57
288	.	Breeding line	4	1.87	4	80-12	<i>C. sp.</i>	3.86	1.70	12.44	0.2985	40.56	69.97	2042.66
289	223357	.	4	2.22	4	Iran	<i>C. dactylon</i>	3.30	1.88	13.28	0.2897	46.30	70.54	2269.39
290	203456	.	4	2.06	5	Turkey	<i>C. dactylon</i>	3.62	2.85	13.65	0.2999	53.62	68.58	2317.08
291	.	Breeding line	4	2.52	4	80-23	<i>C. sp.</i>	4.05	5.40	13.58	0.2823	45.04	69.72	2106.11
292	212293	.	3	1.81	4	Afghanistan	<i>C. dactylon</i>	3.95	2.73	13.06	0.2938	43.54	69.59	2086.37

293	.	Callie	4	1.87	4	.	<i>C. dactylon</i>	3.81	2.10	12.28	0.2502	44.60	72.16	2012.80
294	293606	.	4	.	4	Nakuru, Kenya	<i>C. nlemfuensis</i>	4.05	2.50	13.32	0.2727	44.69	69.44	2367.61
295	.	Tifton 44	4	1.94	4	.	<i>C. dactylon</i>	4.24	3.50	13.60	0.2777	44.74	68.51	1668.92
296	.	Tifton 68	6	4.15	6	.	<i>C. nlemfuensis</i>	1.90	7.50	14.34	0.2984	44.55	68.06	1903.59
297	266768	.	4	2.1	4	Iran	<i>C. dactylon</i>	3.81	1.80	13.32	0.2839	41.52	68.94	2292.88
298	301862	.	4	1.98	4	Australia	<i>Cynodon</i> spp.	5.24	1.90	14.56	0.3542	48.58	67.73	2336.64
299	301858	.	4	1.97	4	Australia	<i>Cynodon</i> spp.	4.76	1.93	14.15	0.3527	51.42	69.41	2939.48
300	308193	.	4	1.94	4	Nigeria (Chedda via Burton)	<i>C. dactylon</i>	2.76	3.10	12.30	0.2714	47.19	68.76	2244.54
301	.	.	4	2.31	4	Okla. Acc. No. 9214	<i>C. dactylon</i>	2.67	5.00	12.82	0.2692	41.00	69.43	1913.83
302	290874	.	3	1.65	.	Johannesburg, S.A.	<i>C. species</i>	3.50	2.40	13.32	0.2667	42.80	71.04	1933.66
303	289613	.	4	2.16	4	Noisse Be, Malagasy	<i>C. arcuatus</i>	3.24	2.50	11.96	0.3019	46.12	72.19	1304.66
304	291190	.	4	1.95	.	Schweizer-Reneke, S.A.	<i>C. incomplete</i>	2.43	2.30	11.91	0.2350	43.33	72.93	1849.62
305	291189	.	3	1.68	.	Delareyville, S.A.	<i>C. incomplete</i>	2.52	1.20	13.99	0.3250	54.72	68.83	2046.72
306	291744	.	4	2.19	4	Pretoria, S.A.	<i>C. dactylon</i>	2.76	1.80	13.84	0.3508	53.41	70.12	2144.44
307	293653	.	4	2.27	4	Kitale, Kenya	<i>C. plectostachyus</i>	2.50	5.80	15.69	0.3201	52.77	66.32	2379.44
308	292057	.	4	2	4	Mt. Makulu, Rhodesia	<i>C. plectostachyus</i>	2.24	5.50	13.14	0.3429	51.44	66.96	2455.46
309	255457	.	3	1.64	4	Kenya	<i>C. plectostachyus</i>	3.10	4.60	12.18	0.2746	42.81	71.89	2744.87
310	22610	.	3	1.70	4	Rhodesia	<i>C. plectostachyus</i>	2.71	3.80	12.22	0.2736	43.72	70.90	2176.02
311	.	.	6	3.74	6	78-9	<i>Breeding line</i>	1.86	4.60	12.02	0.2700	47.42	71.95	2678.61
312	291158	.	4	2.15	4	Pretoria, S.A.	<i>C. dactylon</i>	3.14	2.88	13.42	0.2800	41.93	71.69	2201.33
313	291152	.	4	2.05	.	Tarlton, S.A.	<i>C. dactylon</i>	2.81	2.30	12.83	0.2944	46.37	71.52	1969.95
314	291150	.	4	2.06	4	Sannieshof, S.A.	<i>C. dactylon</i>	2.76	2.30	12.31	0.2523	43.04	72.19	1948.44
315	291712	.	3	1.54	.	Pretoria, S.A.	<i>C. dactylon</i>	2.90	2.20	12.84	0.2776	45.58	71.22	2204.55
316	291176	.	4	2.02	4	Pretoria, S.A.	<i>C. dactylon</i>	3.43	2.50	15.85	0.3250	49.63	64.94	1879.52
317	291732	.	2	1.58	.	Pretoria, S.A.	<i>C. dactylon</i>	3.29	2.00	14.20	0.2793	42.78	69.16	2541.22
318	291724	.	3	1.62	.	Pretoria, S.A.	<i>C. dactylon</i>	2.86	2.60	12.61	0.2891	39.33	70.26	1958.19
319	.	Winterha rdy Bermuda	3	1.73	4	From Purdue Univ.	<i>C. dactylon</i>	3.24	4.30	13.48	0.3158	56.24	66.79	1656.72
320	.	Winterha rdy Bermuda	4	1.88	4	From Purdue Univ.	<i>C. dactylon</i>	4.33	1.95	13.40	0.4100	54.43	67.13	3617.67
321	320876	.	4	2.01	5	Italy	<i>C. dactylon</i>	3.86	2.20	14.34	0.2926	47.02	68.18	2610.59
322	316510	.	4	2.69	4	Germany	<i>C. dactylon</i>	3.00	4.90	15.22	0.3249	52.52	66.69	2176.84
323	316507	.	4	2.85	4	Germany	<i>C. dactylon</i>	2.90	5.15	15.15	0.3398	52.35	67.05	2492.44
324	315904	.	4	.	4	Hundszahangras, Berlin- Tegel	<i>C. dactylon</i>	4.33	3.50	12.77	0.3034	45.13	71.69	2352.86
325	316536	.	4	2.27	4	Vienna, Austria	<i>C. dactylon</i>	3.00	5.20	14.16	0.2995	47.07	67.92	1882.62
326	316416	.	3	1.65	4	Dorstadt, Switzerland	<i>C. dactylon</i>	3.19	5.00	11.98	0.2893	40.30	69.37	2169.28
327	316419	.	4	1.96	4	Sierre, Switzerland	<i>C. dactylon</i>	3.24	2.00	13.28	0.2730	45.55	68.90	2191.88
328	316420	.	4	1.99	4	Lugano, Switzerland	<i>C. dactylon</i>	4.95	3.85	14.40	0.3166	41.92	67.70	2842.85

329	D-8	.	4	1.95	.	Miami, FL	.	2.43	2.70	14.23	0.2904	41.70	68.76	1090.34
330	.	Coffee	4	2.36	4	210	<i>C. dactylon</i>	3.95	3.20	14.61	0.3364	53.03	68.36	1860.44
331	.	.	4	2.27	4	Miami, FL	<i>C. dactylon</i>	4.00	2.30	15.02	0.3260	49.49	68.12	2421.27
332	.	.	4	2.11	4	Miami, FL	<i>C. dactylon</i>	4.10	2.85	12.72	0.2692	40.47	71.08	2368.28
333	316418	.	3	1.84	4	Saxon, Switzerland	<i>C. dactylon</i>	2.95	4.80	15.22	0.3070	49.23	66.44	2345.52
334	316536	.	4	1.98	4	Vienna, Austria	<i>C. dactylon</i>	2.81	4.90	15.93	0.3400	52.05	66.33	2589.53
335	316536	.	4	2.03	4	Vienna, Austria	<i>C. dactylon</i>	2.48	2.00	13.54	0.2967	48.93	68.94	2725.79
336	.	African Star (23- 20)	4	1.88	4	.	<i>C. sp.</i>	3.39	4.55	12.92	0.2705	46.25	69.56	2521.74
337	.	African Star (24- 17)	4	2.16	4	.	<i>C. sp.</i>	3.19	4.60	12.19	0.2667	42.78	69.52	1842.69
338	.	African Star (8- 13)	4	2.47	.	.	<i>C. sp.</i>	3.24	3.25	14.69	0.3887	55.97	65.54	1986.01
339	.	African Star	4	1.85	.	.	<i>C. sp.</i>	3.52	2.33	12.99	0.2534	44.99	68.76	2882.06
340	.	African Star	3	1.64	.	.	<i>C. sp.</i>	4.29	2.10	13.80	0.3256	39.36	70.15	2146.62
341	.	Florakirk	5	2.76	.	Florida, United States	<i>C. dactylon</i>	3.29	4.70	13.12	0.2951	49.74	68.17	2247.01
342	.	Alicia	4	2.55	4	South Africa	<i>C. dactylon</i>	4.67	2.50	13.48	0.2526	44.23	68.49	2320.80
343	.	Russell	4	2.69	.	Alabama, United States	<i>C. dactylon</i>	5.43	2.40	13.23	0.3022	48.11	67.57	2187.45
B1000	693070	Mislevy	4	2.41	.	Florida, United States	.	.	.	13.73	0.3345	47.06	66.60	2826.50
B2000	.	B2000	4	2.16	.	.	0	3.41	3.30	13.69	0.2920	55.01	69.19	2437.23
Cheyenne	.	Cheyenne	3	1.68	3151.58
Coastal	.	Coastal	4	2.00	4	Georgia, United States	<i>C. dactylon</i>	4.76	2.65
Fl44	.	Florida- 44	3	1.74	.	Florida, United States	0	4.05	3.90
Jiggs	.	Jiggs	4	1.89	.	Texas, United States	<i>C. dactylon</i>	4.01	3.96
Midland	.	Midland	4	2.28
Tifton85	.	Tifton 85	5	3.24	5	Georgia, United States	<i>C. dactylon</i>	3.03	4.78
Wrangler	.	Wrangler	4	1.95